



NATIONAL HEALTH
LABORATORY SERVICE

GeneXpert MTB/RIF

Progress Report

January 2012





GeneXpert Implementation Report Update

Table of Contents

Background to project	2
Assays performed to date	2
Utilization of instruments within the field	4
Further project phases as defined in the NTCM model	5
Specific GeneXpert Site Progress	5
Training: Laboratory and Clinical	6
Challenges identified during the course of the project to date	7
Literature Update	8
Update on Research Projects	9
TB/HIV Integration	10
Grants Submitted	10
Funding Issues	10

1. Background to Project

This project was initiated at the request of the Honorable Minister of Health in early 2011. A pilot study was proposed by the National Department of Health (NDoH) (particularly the TB cluster) while due diligence was being done with respect to project feasibility. This was further prompted by the World Health Organization's strong recommendation in December 2010 that "the new automated DNA test for TB be used as the initial diagnostic test in individuals suspected of MDR-TB or HIV/TB (i.e. all SA TB suspects).

The pilot phase was initiated in microscopy centres in high focus TB areas. The ministry requested that at least 1 instrument be placed in each province, preferably in a district that had a high burden of TB (Selections were made by TB cluster). Twenty-five microscopy centres were selected and a total of 30 instruments placed. The NDoH funded 9 GX16 and 14 GX4 instruments for the project. FIND donated 6 GX4 analysers and the Infinity or GX48 was supported by PEPFAR RTC. All instruments were placed by World TB day March 24th. This placement represented about 10% of national coverage. The basis for the calculations was an assumption that 2 smears at diagnosis would be replaced by 1 Xpert MTB RIF assay. All instruments were interfaced to the NHLS Laboratory Information System (LIS) allowing for troubleshooting and data collection.

2. Assays performed to date

In summary, a total of 227,968 specimens have been processed to date (24 Jan 2012). The total % of MTB detected in this cohort amounted to 17.24% (39,312 new TB cases). The percentage positivity has remained on average between 16-17.25% monthly nationally. To date KZN has performed the largest number of tests which is probably as a result of the throughput of the GX48 analyzer (Refer to table 1). Average Rifampicin resistance detection rates have remained around 7% since project inception (Refer to table 2). We have highlighted to CDW that some Health Districts are incorrect.



Table 1: GeneXpert MTB Results by province

Province	MTB Detected	MTB Not Detected	Test Unsuccessful	Total	% MTB Detected
Eastern Cape	3,385	15,622	578	19,585	17.28
Free State	2,928	15,157	26	18,111	16.17
Gauteng	3,116	19,030	435	22,581	13.80
Kwa-Zulu Natal	12,271	43,992	1,567	57,830	21.22
LIMPOPO	2,139	18,011	176	20,326	10.52
MPUMALANGA	3,595	16,306	1,261	21,162	16.99
North West	2,701	13,312	551	16,564	16.31
Northern Cape	3,238	16,043	689	19,970	16.21
Western Cape	2,364	10,562	44	12,970	18.23
Grand Total	35,737	168,035	5,327	209,099	17.09

Table 2: Provincial GeneXpert RIF Results in MTB detected cases



NATIONAL HEALTH LABORATORY SERVICE

PROVINCE	HEALTH_DISTRICT	Inconclusive	No Result	Resistant	Sensitive	Total	% RIF Resistant
EASTERN CAPE	ALFRED NZO	2	5	14	111	132	10.61
	AMATHOLE	7	2	31	233	273	11.36
	CHRIS HANI			5	49	54	9.26
	LEJWELEPUTSWA		1	5	22	28	17.86
	O R TAMBO	30	52	238	3,133	3,453	6.89
	UKHAHLAMBA	1		1	48	50	2.00
FREE STATE	FEZILE DABI	15		65	1,348	1,428	4.55
	LEJWELEPUTSWA	23	1	122	1,759	1,905	6.40
	SEDIBENG				30	30	-
	THABO MOFUTSANYANA			6	22	28	21.43
GAUTENG	CITY OF JOHANNESBURG	27	1	202	3,098	3,328	6.07
	EKURHULENI METRO	2		6	130	138	4.35
KWAZULU-NATAL	AMAJUBA				4	4	-
	ETHEKWINI METRO	128	51	876	11,958	13,013	6.73
	ILEMBE			5	2	7	71.43
	N/A	3		36	348	387	9.30
	SISONKE			4	28	32	12.50
	UGU	1	3	4	173	181	2.21
	UMGUNGUNDLOVU			1	4	5	20.00
	UMZINYATHI			1	2	3	33.33
	UTHUNGULU	2	5	81	464	552	14.67
	ZULULAND		1	46	152	199	23.12
LIMPOPO	GREATER SEKHUKHUNE			5	21	26	19.23
	MOPANI	23	20	130	1,768	1,941	6.70
	N/A	6	3	22	246	277	7.94
	VHEMBE			1	9	10	10.00
	WATERBERG				15	15	-
MPUMALANGA	EHLANZENI			2	6	8	25.00
	GERT SIBANDE	29	31	220	2,471	2,751	8.00
	NKANGALA	3		8	88	99	8.08
NORTH WEST	DR KENNETH KAUNDA	32		200	2,163	2,395	8.35
	DR RUTH SEGOMOTSI MOMPATI	1		11	113	125	8.80
	NGAKA MODIRI MOLEMA			6	109	115	5.22
NORTHERN CAPE	DR RUTH SEGOMOTSI MOMPATI			2	25	27	7.41
	FRANCES BAARD	17	1	79	1,431	1,528	5.17
	JOHN TAOLO GAETSEWE	6	1	60	1,007	1,074	5.59
	NAMAKWA			4	11	15	26.67
	PIXLEY KA SEME	2		37	224	263	14.07
	SIYANDA	5		16	305	326	4.91
WESTERN CAPE	CAPE WINELANDS			17	159	176	9.66
	CITY OF CAPE TOWN	17		116	2,428	2,561	4.53
	OVERBERG	1		7	209	217	3.23
Total		384	178	2,700	36,050	39,312	6.87


Errors have ranged consistently below 3%. Details of invalid results, which likely represent sample issues remains below 1%. These are being monitored regularly and corrective action implemented where necessary.



Table 3: Number of Unsuccessful Tests and Reasons

PROVINCE	Error	Invalid	No Result	MTB Result	Total	% Error Total
EASTERN CAPE	601	58	8	22,289	22,956	2.62
FREE STATE	31	1		20,795	20,827	0.15
GAUTENG	406	51	8	24,587	25,052	1.62
KWAZULU-NATAL	1,209	560	41	66,283	68,093	1.78
LIMPOPO	148	35	10	20,985	21,178	0.70
MPUMALANGA	1,082	79	6	16,555	17,722	6.11
NORTH WEST	508	31		15,643	16,182	3.14
NORTHERN CAPE	552	127	14	19,649	20,342	2.71
WESTERN CAPE	34	9	1	15,572	15,616	0.22
Total	4,571	951	88	222,358	227,968	2.01

3. Utilization rates of instruments within the field



Instrument utilization seems to have decreased significantly at some few sites from December to January due to stock supply.



4. Further project phases as defined in the NTCM model

Phase I has been completed and has been reported on in the section above.

Phase IIa involves full capacitation of existing labs: Completed October.

Phase IIb: Full capacitation of high burden districts.

Phase IIIa and b: Gates funded study (Gauteng, EC and Free State)

Phase IIIc: ensuring all districts have a minimum of 1 instrument per district

Phase IIId: Completion of all current microscopy and clinic sites

5. Specific GeneXpert Progress

- **Phase 2a:** Completed
- **Phase 2b:** Global Fund funding for phase 2b has been approved. Singing of contracts between the primary recipients and sub-recipients is underway. Phase 2b is projected to roll-out in April 2012.

Table 4: Phase 2b

Province	District	Lab	Capacity Per Day	Instruments			Donor
				GX4	GX16	GX48	
EC	Amathole	EAST LONDON TB	576	0	0	1	Global Fund RTC
EC	Nelson Mandela Bay Metro	PORT ELIZABETH TB	576	0	0	1	Global Fund RTC
EC	O.R. Tambo	ST ELIZABETH	64	0	1	0	Global Fund DOH
EC	O.R. Tambo	ST LUCY	16	1	0	0	Global Fund DOH
EC	O.R. Tambo	ZITULELE	32	0	1	0	Global Fund DOH
GP	City of Johannesburg	CENTRAL TB	80	1	1	0	Global Fund DOH
GP	City of Johannesburg	NJH ROUTINE	16	1	0	0	Global Fund DOH
KZN	eThekweni	Addington	32	0	1	0	Global Fund DOH
KZN	eThekweni	Charles James MC	32	0	1	0	Global Fund DOH
KZN	eThekweni	Clairwood	16	1	0	0	Global Fund DOH
KZN	eThekweni	Dbn Chest Clinic MC	64	0	1	0	Global Fund DOH
KZN	eThekweni	Don Mackenzie MC	16	1	0	0	Global Fund DOH
KZN	eThekweni	FOSA MC	16	1	0	0	Global Fund DOH
KZN	eThekweni	Hlengisizwe MC	16	1	0	0	Global Fund DOH
KZN	eThekweni	Inanda C MC	32	0	1	0	Global Fund DOH
KZN	eThekweni	KwaDabeka MC	32	0	1	0	Global Fund DOH
KZN	eThekweni	Mahatma Ghandi	48	0	1	0	Global Fund DOH
KZN	eThekweni	Osindisweni	16	1	0	0	Global Fund DOH
KZN	eThekweni	PineTown MC	48	0	1	0	Global Fund DOH
KZN	eThekweni	RK Khan	64	0	1	0	Global Fund DOH
KZN	eThekweni	Verulam MC	16	1	0	0	Global Fund DOH
KZN	eThekweni	Wentworth	32	0	1	0	Global Fund DOH
KZN	Sisonke	Kokstad	32	2	0	0	50% Global Fund DOH and TB/HIV Care
KZN	Sisonke	Pholela HCC	16	1	0	0	TB/HIV Care
KZN	Sisonke	Rietvlei	48	0	1	0	Global Fund DOH
KZN	Sisonke	St. Appolinaris	16	1	0	0	TB/HIV Care
KZN	Uthungulu	Eshowe	16	1	0	0	MSF
KZN	Uthungulu	Mbongolwana	16	1	0	0	MSF
KZN	Zululand	Benedictine	48	0	1	0	Global Fund DOH
LP	Mopani	KGAPANE	32	0	1	0	Global Fund DOH
LP	Mopani	PHALABORWA	32	0	1	0	Global Fund DOH
LP	Mopani	SEKORORO	16	1	0	0	Global Fund DOH
MP	Gert Sibande	EMBHULENI	32	0	1	0	Global Fund DOH
NC	Siyanda	UPINGTON	64	0	1	0	Global Fund DOH
NW	Dr Kenneth Kaunda (Southern)	POTCHEFSTROOM	48	0	1	0	Global Fund DOH
WC	City of Cape Town	GROOTE SCHUUR CLINICAL PATH	48	0	1	0	Global Fund DOH



Table 5: Phase 3a Progress

Province	District	Lab	Instrument		Installation Date	Installer	Training	Trainer	Status	EQA Verification Results	Interfacing	Comment
			GX4	GX16								
EC	Alfred Nzo	MARY THERESA		1	9-Jan-12	Trevor	11 & 12 Jan	Max	Complete	Received	Complete	All modules of the instrument passed verification
EC	Alfred Nzo	MT AYLIFF		1	9-Jan-12	Trevor	10 & 11 Jan	Max	Complete	Received	Complete	All modules of the instrument passed verification, except for module D4
EC	Chris Hani	ALL SAINTS		1	10-Jan-12	Trevor	11 & 12 Jan	Trevor	Complete	Received	Complete	All modules of the instrument passed verification
FS	Thabo Mofutsanyane	BETHLEHEM		1	23-Jan-12	Sam	24-Jan-12	Sam				
GP	City of Tshwane	PRETORIA WEST		1	12-Dec-11	Jurie	10-Jan-12	Sheila & Sebaka	Complete	Received	Complete	All modules of the instrument passed verification
GP	Ekurhuleni	BOKSBURG BENONI	1	1	13-Dec-11	Donovan	12-Jan-12	Sheila & Sebaka	Complete	Received	Complete	All modules of the instrument passed verification
GP	Ekurhuleni	TEMBISA		1	12-Dec-11	Jurie	15-Dec-11	Sheila & Sebaka	Complete	Received	Complete	All modules of the instrument passed verification
EC	O.R. Tambo	ST PATRICK		1	12-Jan-12	Trevor	12 & 13 Jan	Trevor	Complete	Received	Complete	All modules of the instrument passed verification
GP	City of Johannesburg	HELEN JOSEPH		1	13-Dec-11	Donovan	18-Jan-12	Sheila	Complete	Pending	Complete	All modules of the instrument passed verification
MP	Nkangala	WITBANK		1	14-Dec-11	Donovan	16-Jan-12	Sheila	Complete	Received	Complete	All modules of the instrument passed verification

Table 6: Phase 3b

The remaining 10 machines will be placed in July 2012 in the following laboratories:

Serial	Province	District	Lab	GX4	GX16	GX48	Capacity Per Day	Status	Donor
25	EC	Chris Hani	COFIMVABA		1		64	Pending	Gates Foundation
29	EC	Chris Hani	QUEENSTOWN	1	1		80	Pending	Gates Foundation
33	EC	Nelson Mandela Bay Metro	UITENHAGE		1		64	Pending	Gates Foundation
57	FS	Thabo Mofutsanyane	MANAPO		1		48	Pending	Gates Foundation
68	GP	City of Tshwane	JUBILEE		1		48	Pending	Gates Foundation
69	GP	City of Tshwane	MAMELODI		1		64	Pending	Gates Foundation
77	GP	Ekurhuleni	NATALSPRUIT		1		64	Pending	Gates Foundation
85	GP	West Rand	CARLETONVILLE		1		64	Pending	Gates Foundation
46	EC	Ukhahlamba	TAYLOR BEQUEST	1	1		80	Pending	Gates Foundation
133	MP	Ehlanzeni	NELSPRUIT		2		128	Pending	Gates Foundation

Phase 3c and 3d remain on further release of funding

6. Training: Laboratory and Clinical

A total of 73 laboratory staff and 28 health care workers have been trained since December 2011 as summarized in table 7 and 8. This will be an ongoing process to support NDoH training on clinical algorithm. Laboratory staff will receive both clinical and technical training.



Table 7: Laboratory Training

Venue	DATE	Trainer	TOTAL # OF DELEGATES	Outcomes
Christ the King	12 December 11	Veeresh	2	GeneXpert Operation, Maintenance, Troubleshooting and Data Entry
Kokstad	15 December 11	Trevor	2	GeneXpert Operation, Maintenance, Troubleshooting and Data Entry
St. Apollinaris	13 December 11	Veeresh	3	GeneXpert Operation, Maintenance, Troubleshooting and Data Entry
Thembisa	15 December 11	Sebaka/Sheila	7	GeneXpert Operation, Maintenance, Troubleshooting and Data Entry
Pretoria West	10 January 12	Sebaka/Sheila	4	GeneXpert Operation, Maintenance, Troubleshooting and Data Entry
Mary Theresa	11-12 January 12	Pro-Gen	4	GeneXpert Operation, Maintenance, Troubleshooting and Data Entry
Mt Ayliff	10 January 12	Pro-Gen	4	GeneXpert Operation, Maintenance, Troubleshooting and Data Entry
All Saints	11 January 12	Pro-Gen	4	GeneXpert Operation, Maintenance, Troubleshooting and Data Entry
St Patrick	13 January 12	Pro-Gen	3	GeneXpert Operation, Maintenance, Troubleshooting and Data Entry
Bethlehem	23 January 12	Pro-Gen	3	GeneXpert Operation, Maintenance, Troubleshooting and Data Entry
Helen Joseph	23 January 12	Sheila	11	GeneXpert Operation, Maintenance, Troubleshooting and Data Entry
Witbank	16 January 12	Sheila	10	GeneXpert Operation, Maintenance, Troubleshooting and Data Entry
Tembisa	20 January 12	Sheila	5	GeneXpert Operation, Maintenance, Troubleshooting and Data Entry
Tambo Memorial	12 January 12	Sheila & Sebaka	11	GeneXpert Operation, Maintenance, Troubleshooting and Data Entry

Table 8: Clinical Training

Venue	Date	Trainer	Total # of Delegates	Outcomes
Manapo Dept. of Public Works	08 & 09 Feb 12	Sebaka	28	GeneXpert Algorithm, Interpretation of Results, Monitoring new and retreatment cases and recording



7. Challenges identified during the course of the project to date

- Implement fee for service from 1 February 2012 (R220.00)
- Finalization of request forms: Incorporate TB testing in the CCMT from if we are to bill using existing channels
- Finalization of signing of the Global Fund contract
- Expert TB working group within Microbiology expert committee established
- Separate Rif lists to be generated, once MDR confirmed will be placed formally on register
- Evaluate the impact of the consolidation and closure of laboratories on the program

8. Literature Update For GeneXpert

There has been an expansion of the literature with respect to the assay performance. The highlights are summarized in table 9 below:

Table 9: Recent publications (GeneXpert for pulmonary TB and extrapulmonary TB)

Manuscript	Sample population and specimen type (n=...)	Results	
		Sensitivity	Specificity
Tortoli et al, Eur Resp J, 2012	1,476 EPTB specimens (biopsies, urines, pus, cerebrospinal fluids, gastric aspirates) including paediatric (n=494)	Adult - 81.3% Paed - 86.9%	Adult - 99.8% Paed - 99.7%
Van Rie et al, Int J Tuber Lung Dis, 2012	Case study of a false positive Rif resistant sample	Probe B a potential cause. The revised assay should result in fewer false Rif cases.	
Van Zyl-Smit, PloSONE, 2011	Comparison of the turn-around-time, detection-threshold, dynamic range, reproducibility, relative discriminative ability, of 4 mycobacterial load determination techniques: automated liquid culture (BACTEC-MGIT-960), [³ H]-uracil incorporation assays, luciferase-reporter construct bioluminescence, and Xpert -MTB/RIF	Xpert-MTB/RIF correlated well with mycobacterial load, had a rapid turn-around-time (2 hours), was user friendly, but had a detection limit of 100 organisms.	
Safianowska, Pneumonol Alergol Pol, 2012	Comparison of 1875 samples for AMPLICOR MTB (104 were inhibited), and 213 samples for Xpert MTB/RIF	81.9% for AMPLICOR MTB and 81.8% for Xpert MTB/RIF	AMPLICOR - 97.2% Xpert - 99.5%



Williamson et al, Int J Tuber Lung Dis, 2011	M. tuberculosis isolates were screened for mutations in the rpoB gene using the Cepheid Gene-Xpert® MTB/RIF assay. Clinical correlation was made by reviewing patient case notes. Isolates from 94 patients were found to have INH-resistant, RMP-susceptible profiles. Clinical information was available for 52 patients	Demonstrate a significant association between the presence of rpoB gene mutations that are not detected at the current RMP critical concentration and treatment failure
Theron et al, Clin Infec Dis, 2012	Xpert MTB/RIF-generated cycle-threshold (C(T)) values have poor clinical utility as a rule-in test for smear positivity (cut-point ≤ 20.2 ; sensitivity 32.3%, specificity 97.1%) but moderately good rule-out value (cut-point >31.8 ; negative predictive value 80.0%). Thus, 20% of individuals with C (T) values >31.8 were erroneously ruled out as smear-negative. This group had a significantly lower sputum bacillary load relative to correctly classified smear-positive patients ($C(T) \leq 31.8$; $P < .001$).	

9. Update on GeneXpert Research projects:

- DCS Verification – all phase 2a instruments verified.
- Cepheid Liquid EQA pilot prepared for 20 sites with questionnaire.
- DCS EQA & verification program development - ACTG (3 sites) and MSF included in program.
- Flow cytometry on raw/processed sputum still under development
- Alternative specimen preparation protocols:
 - i. Protocols developed for Pediatric TB diagnosis and Extra-pulmonary TB diagnosis
 - ii. Protocols under development for solid tissue, gastric aspirates etc
 - iii. Sputum heat inactivation: to determine whether heat inactivation can be used prior to Xpert testing to render it safe for further manipulation – ongoing
- Evaluation of G4 cartridge:
 - i. 500 samples processed at Baragwanath. No significant performance differences between G3 and G4.
 - ii. Further evaluation ongoing using MGIT concentrates.
- Connectivity: Collaboration with Cepheid ongoing



- i. Remote connectivity – System demo (5 Jan)

10. HIV/TB Integration

- Grand Challenges Canada: Multiple POC HIV/TB integration project
 - Phase I complete
 - Phase II: Evaluation of nurse operated POC versus routine lab completed at HJH Themba Lethu clinic (n=326).
 - Site visits completed (n=12) and selection being finalized.
 - Finalization of RCT protocol.
- Connectivity:
 - Conworx (POCcelerator) and LDS (AegisPOC) to be trialed in 2 sites during RCT
 - Awaiting NHLS feedback for HemoCue project at CMJAH

11. Grants submitted

None

12. Funding issues

None