

[REFERENCE: Q-Pulse5/docs/active/QASM0048v5]

National Health Laboratory Service,  
Academic Affairs Research and Quality Assurance  
Private Bag X4,  
Sandringham  
2131  
South Africa

Telephone: +27 (0) 11 555 0563  
+27 (0) 11 885 5353

Fax number: +27 (0) 86 225 2458

**NHLS MYCOBACTERIOLOGY MICROSCOPY PARTICIPANTS RESPONSE**

**Please make sure all the following details are completed, submission without a laboratory code will not be evaluated. If you are unsure, please request your laboratory code via [tbpts@nhls.ac.za](mailto:tbpts@nhls.ac.za)**

Survey No:		Closing Date:	
		Receipt Date of PT Samples:	
Laboratory Code:		Submission Date of Response:	
PT Samples Processed by:		Processing Date:	
Laboratory Manager:		Laboratory Telephone No:	

SLIDE	RECORD TYPE OF STAIN USED	YOUR RESULT
SLIDE - A		
SLIDE - B		
SLIDE - C		
SLIDE - D		
SLIDE - E		
SLIDE - F		
SLIDE - G		
SLIDE - H		
SLIDE - I		
SLIDE - J		
<b>If using Fluorescence staining was the conversion method used? Yes <input type="checkbox"/> No <input type="checkbox"/></b>		

All responses to be submitted via fax +27 (0) 86 225 2458 or email [tbpts@nhls.ac.za](mailto:tbpts@nhls.ac.za)