

Communications, Marketing & Public Relations 1 Modderfontein Road, Sandringham

		M	INUTES OF	THE BRIEFING S	SESSION		
RFB 0	17/21/22	THE PROVISION OF AND ACCURATE DESCREENING PROGREAD LABORATORIES OF T	TECTION C AM AND D	OF CRYPTOCOCC DIAGNOSTIC PUR	AL DISEASE RPOSES THR	(CD) IN A DUGH CD4 A	NATIONAL REFLEX ND MICROBIOLOGY
Date:		31 August 2021	Time:	11h00 am	Venue:	Zoom	
Attended		Zimkita Bolo (ZB) Dr Lindi Coetzee (LC)		Apologies	None		
1.	Opening and Welcome The briefing session was declared open at 11h00 by Zimkita Bolo. Bidders were requested to ensure that they write their company name, contact person, contact details and email address as this will form part of the attendance register and attendance of compulsory briefing session.						ZB
2.	SCM Presentation						
2.1	SCM conducted an online presentation of the SCM process to be followed for RFB 017/21/22 and the following areas were covered: a) The scope of work and bid response format						ZB
3.		Question After the presentation the bidders requested clarification on the following: The NIP obligation for this bid					Bidder
	Answer Applies to all government procurement contracts that have an imported content. The NIP obligation is benchmarked on the imported content of the contract above US\$ 10 million. Successful bidders (contractors) are required to, immediately after the award of a contract that is more than R10 million (ten million rands), submit details of such a contract to the DTI for reporting purposes.				o million.	ZB	
4.	Question The Rate of Exchange that bidders must use when responding to the tender.					Bidders	
		it rates of exchange infor			resbank.co.za		
	portion of rate.	published Annexure C uthe purchase price as was all costs must be clearly s	ell as the n				

Practice number, 520029

				THE BRIEFING SE			
RFB (017/21/22	THE PROVISION OF C AND ACCURATE DET SCREENING PROGRA LABORATORIES OF TH	ECTION O	F CRYPTOCOCCA	L DISEASE POSES THRO	(CD) IN A	AND MICROBIOLOGY
Date:		31 August 2021	Time:	11h00 am	Venue:	Zoom	
	Bidders are	required to substantiate	and provid	e comments for the	eir responses.		
	All prices n	nust be firm and fixed fro	m the tend	er closing date and	for the durati	on of the	
	contract			1, -1 -1 1			
	Question	on of the publication date	as the hic	l was nublished on	18 August 20)21 on e-	Bidder
5.		d 20 August on the NHLS		was published on	10 / lagabe 21		
		20 /149400 011 4110 111120					
	Answer The bid wa	s published on 18 August	2021 on th	e e-tenders portal			ZB
		- published on 10 hagast					
6.	-	Question Schedule 7 is missing on the document					Bidder
	Answer	13 Thissing on the docum					-
	0.000 (0.	ded the published bid doc	ument and	corrected the numb	ering on sche	dules	ZB
	Question						
7.	What rate	What rate must bidders use considering the CPI over the next five years					
	Answer			**************************************			
		cannot dictate how the S					
	1	which has been advertised. NHLS respectfully advises that Service Provider should					
		the tender as they de	emed fit a	nd in compliance	with the NHL	.S tender	
		ns and requirements.					
8.	Technical	Technical Specification Presentation					Dr Lindi Coetzee
	Question						
	The second secon	The assay must be an immunochromatographic dipstick assay (lateral flow assay) specific					
	for the detection of cryptococcal antigen in settled or centrifuged plasma, serum and/or						Bidder
	cerebrospinal fluid (CSF). Is a dipstick or cassette mandatory						
	Answer	WASSESSEED TO THE PROPERTY OF					
	The bidder can respond with either a dipstick assay or a cassette, as long as it is an LFA						LC
	method; no ELISA testing for this tender.						
	Question Is the reader required for the request?						Bidder
	Answer	ac. required for the fee					
		are required as part of th	is tender.				LC
	Closure						
	#1700 CONFERENCE WITCH STATE OF THE STATE OF	g was declared closed at					ZB

Com	piled	by:
-----	-------	-----

ZALLO	Date: 15.09.2021

Zimkita Bolo

Tenders and Contracts