

**RFQ NO: KZN 2105823** 

## **ALL FOR PROPOSAL FOR THE:**

REQUEST FOR RENOVATIONS AT NHLS PRINCE STREET OFFICES

.....

#### **ISSUED BY:**

CONSTRUCTION INDUSTRY DEVELOPMENT BOARD 2 Dr LATEGAN ROAD GROENKLOOF 0075

#### PREPARED BY:

SUPPLY CHAIN MANAGEMENT NHLS KZN REGIONAL OFFICE 149 PRINCE STREET DURBAN 4001

Proposal Queries:	Technical Queries:	
Contact Name: Ms Jabulile Mthembu	Contact Name: Mr Khayalethu Mabaso	
Telephone: 031 327 6715	Telephone: 072 657 5916	

NAME OF TENDERER:	
CLOSING DATE: 20 MARCH 2024 @11:00	

## Contents

	OSAL	Errorl Bookmark not defined
	ROPOSAL PROCEDURES	
E1.1 NOTICE	AND INVITATION TO SUBMIT PROPOSAL	4
E1.2 TSUBMI	SSION DATA	•
PART E2:	RETURNABLE DOCUMENTS AND SCHEDULES	17
E2.1	LIST OF RETURNABLE DOCUMENTS	17
E2.2	RETURNABLE SCHEDULES	Error! Bookmark not defined.
FORM A:	CERTIFICATE OF TENDERER'S ATTENDANCE OF BRIEFING SESSION, if applicable	Error! Bookmark not defined.
FORM B:	VENDOR NUMBER REGISTRATION WITH CENTRAL SUPPLIER DATABASE	18
FORM C:	TAX COMPLIANCE	19
FORM D:	PREFERENCE SCHEDULE	20
FORM E:	PROOF OF REGISTRATION WITH CIDB	28
FORM F:	DECLARATION OF INTEREST	29
FORM G:	DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES	Error! Bookmark not defined.
FORM H:	OHS ACT DECLARATION AND SUBMISSION	32
FORM I:	COID CERTIFICATE ISSUED BY DEPARTMENT OF LABOUR	Error! Bookmark not defined.
FORM J:	SCHEDULE OF BIDDER'S EXPERIENCE IN FENCING PROJECTS	Error! Bookmark not defined.
FORM K: CO	MPLETED PROJECTS (to be completed for each individual project)	Error! Bookmark not defined.
PART C1: A	GREEMENT AND CONTRACT DATA	34
C1.1: FORM (	OF OFFER AND ACCEPTANCE	34
C1.2 CONTR	ACT DATA	39
C1.3 CONSTI	RUCTION GUARANTEE	Error! Bookmark not defined.
PART C2: P	RICING DATA AND BILL OF QUANTITIES	44
C2.1		
	COPE OF WORK	
	IPTION OF WORKS	
C3 3 ANNEXI		

**RFQ** 

#### PROPOSAL PROCEDURES

#### 1.1 NOTICE AND INVITATION TO SUBMIT PROPOSALS

National Health Laboratory Service invites Proposal for Request for Renovations at Nhls Prince Street Offices.

Preferences are offered to tenderers for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution in terms of the Preferential Procurement Regulations, 2022. Exempted Micro Enterprises (EME) or Qualifying Small Enterprises (QSE) the specific goals will be applicable.

Only tenderers who are already registered in terms of the Construction Industry Development Regulations in cidb grading designation **1GB** or higher are eligible to submit proposal.

#### **COMPULSORY BRIEFING AND SITE INSPECTION**

A <u>compulsory</u> clarification meeting will take place at the <u>NhIs 149 Prince Street Reception</u>,on the 14<sup>TH</sup> of March 2024 at 10am. The tenderer shall inspect and examine the Site and its surroundings and shall satisfy himself/herself before submitting his/her proposal. The tenderer must be represented at the site inspection by a person who is suitably qualified and experiences to comprehend the implications of the work involved. Attendance of the site inspection is compulsory and a tender will be disqualified if the site inspection is not attended by a representative of the tenderer.

NOTE: No additional site visits will be allowed.

Proposal procedure using the two stage system will apply.

Tenderers shall submit in the first stage only technical proposals.

Only those tenderers who are responsive will be eligable to submit tender offers in the second stage, following the issuing of procurement documents.

The National Health Laboratory Service will evaluate tenders received during the second stage in terms of the method of evaluation stated in the submission data, and award the contract in terms of these conditions of tender.

Technical proposal will be evaluated on Administrative / Mandatory Requirements and on Functionality.

Bidders who fail to obtain a minimum of 70% for Technical evaluation will not be considered further.

Financial proposal will be evaluated on price and B-BBEE as outlined in this document.

#### THE CLOSING DATE AND TIME FOR RECEIPT OF PROPOSAL IS 20 March 2024 at 11h00am

Only Proposal complying with the following requirements will be considered:

- i) The request for proposal is for contractors who have a CIDB contractor grading as outlined above
- ii) Proposal submitted on the prescribed format
- iii) Proposal should be hand delivered to: NHLS KZN Regional Office ,149 Prince Street Durban Reception inthe quotation box.
- iv) Telegraphic, telephonic, telex, facsimile and late proposal will not be accepted.

Requirements for sealing, addressing, delivery, opening and assessment of proposal are stated in the Submission Data.

REQUEST FOR PROPOSAL

## PART A REQUEST FOR PROPOSAL

YOU ARE HEREBY INVITED TO SUBMIT PROPOSAL FOR THE REPAIRS SERVICES, ROOF LEAKS (WATERPROOFING) AT THE CIDB CENTURION OFFICES					
RFP NUMBER:	KZN 2105823	ZN 2105823 CLOSING DATE: 20 March 2024 CLOSING TIME: 11h00am			
DESCRIPTION	N REQUEST FOR RENOVATIONS AT NHLS PRINCE STREET OFFICES.				
THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (MBD7.1) OR AGRREMENT OF FORM OF OFFER AND ACCEPTANCE.					

SUPPLIER INFORMATION				
NAME OF BIDDER				
POSTAL ADDRESS				
STREET ADDRESS				
TELEPHONE NUMBER	CODE		NUMBER	
CELLPHONE NUMBER				
FACSIMILE NUMBER	CODE		NUMBER	
E-MAIL ADDRESS				
VAT REGISTRATION NUMBER				
TAX COMPLIANCE STATUS	TCS PIN:	OR	CSD No:	
B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE [TICK APPLICABLE BOX]	☐ Yes ☐ No	B-BBEE STA SWORN AF	ATUS LEVEL FIDAVIT	☐ Yes ☐ No

[A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/ SWORN AFFIDAVIT (FOR EMES & QSEs) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE]				
ARE YOU THE ACCREDITED     REPRESENTATIVE IN SOUTH     AFRICA FOR THE GOODS     /SERVICES /WORKS OFFERED?	☐ Yes ☐ No [IF YES ENCLOSE PROOF]	ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?	☐ Yes ☐ No [IF YES, ANSWER PART B:3]	
2. TOTAL NUMBER OF ITEMS OFFERED				
3. SIGNATURE OF BIDDER		4. DATE		
5. CAPACITY UNDER WHICH THIS BID IS SIGNED				
BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO:		TECHNICAL INFORMATION MAY BE DIRECTED TO:		
DEPARTMENT/ORGANIZATION	CIDB	CONTACT PERSON		
CONTACT PERSON		TELEPHONE NUMBER		
TELEPHONE NUMBER		FACSIMILE NUMBER		
FACSIMILE NUMBER		E-MAIL ADDRESS		
E-MAIL ADDRESS				

## PART B TERMS AND CONDITIONS FOR BIDDING

1.	BID SUBMISSION:		
1.1.	BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.		
1.2.	2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED-(NOT TO BE RE-TYPED)		
1.3.	THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017		
2.	TAX COMPLIANCE REQUIREMENTS		
2.1.	BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.		
2.2.	BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VIEW THE TAXPAYER'S PROFILE AND TAX STATUS.		
2.3.	3. APPLICATION FOR THE TAX COMPLIANCE STATUS (TCS) CERTIFICATE OR PIN MAY ALSO BE MADE VIA E- FILING. IN ORDER TO USE THIS PROVISION, TAXPAYERS WILL NEED TO REGISTER WITH SARS AS E-FILERS THROUGH THE WEBSITE WWW.SARS.GOV.ZA.		
2.4.	FOREIGN SUPPLIERS MUST COMPLETE THE PRE-AWARD QUESTIONNAIRE IN PART B: 3.		
2.5.	BIDDERS MAY ALSO SUBMIT A PRINTED TCC CERTIFICATE TOGETHER WITH THE BID.		
2.6.	6. IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCC CERTIFICATE / PIN / CSD NUMBER.		
2.7.	7. WHERE NO TCC IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.		
3.	QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS		
3.1.	IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?		
3.2.	DOES THE ENTITY HAVE A BRANCH IN THE RSA?		
3.3.	DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA?		
3.4.	DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA?		
3.5.	IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION?		
CON	HE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX MPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT SISTER AS PER 2.3 ABOVE.		
	B: FAILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.  D BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE.		
SI	GNATURE OF BIDDER:		
C	APACITY UNDER WHICH THIS BID IS SIGNED:		
D/	ATE:		

#### **IMPORTANT NOTICE**

Bidders should ensure that proposal are hand delivered to NHLS KZN Regional Office 149 Prince Street Durban 4001 Reception in the quotation box. If the bid is late, it will not be accepted for consideration.

Proposal must be submitted on the official forms – (not to be re-typed)

The contractor will be responsible for final measurements.

Writing must be in block letters and black ink.

This bid is subject to the Preferential Procurement Policy Framework Act and the Preferential Procurement Regulations, 2022, The General Conditions of Contract for Construction Works and any other special conditions of contract specified by CIDB.

#### **TECHNICAL ENQUIRIES**

Should you require any further information in this regard, please do not hesitate to contact:

Name: Mr Khayalethu Mabaso Office Telephone No.: 072 657 5916 E-mail: <u>Khayalethu.Mabaso@nhls.ac.za</u>

## SUBMISSION DATA

Clause number	Submission Data		
	This Request for Proposal is intended to allow the successful bidder to specify and present their skills and expertise for the above mentioned services to cidb. Final acceptance of any proposal is not guaranteed, this being the exclusive right of cidb.		
	Terms and conditions of expression of interest (Annex D as published/ amended by CIDB in August 2019) contained in Annex D of the CIDB Standard for Uniformity in Engineering and Construction Works Contracts (August 2019) as published in Government Gazette No 42622, Board Notice 423 of 2019 of 08 August 2019. (See www.cidb.org.za).		
	The standard conditions of expression of interest for procurements make several references to the submission data for details that apply specifically to this proposal. The submission data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the standard conditions of tender.		
	Each item of submission data given below is cross-referenced to the clause in the standard conditions of tender to which it mainly applies.		
E.1.1	The employer is the NHLS		
E.1.2	For this contract, the following documents will be adopted:  The <b>single volume</b> procurement document issued by the employer comprises of the following:		
	The Request for Proposal  Part E1: Tendering procedures  E1.1 - Notice and invitation to Submit Peoposal  E1.2 - Submission data  Part E2: Returnable documents  E2.1 - List of returnable documents  E2.2 - Returnable schedules		
	The Contract Part C1 - Agreements and Contract data C1.1 – Form of offer and acceptance C1.2 – Contract data Part C2 - Pricing Data C2.1 – Pricing Instructions Part C3 - Scope of Works C3.1 – Description of the works C3.2 - Annexures Part C4 - Site Information		
E.1.4	The Employer's agent for the purpose of this proposal is deemed to be the authorised and designated representative of the Employer:  Name: Ms Jabulile Mthembu (SCM Representative)  Address: Jabulile.Mthembu@nhls.ac.za		

1	
E.1.5	Cancellation and Re-Invitation of Tenders
E.1.5.1	An employer may, prior to the award of the tender, cancel a tender if- a) due to changed circumstances, there is no longer a need for the engineering and construction works specified in the invitation; b) funds are no longer available to cover the total envisaged expenditure; or c) no acceptable tenders are received. d) there is a material irregularity in the tender process.
E.1.5.2	The decision to cancel request for proposal must be published in the same manner in which the original request for proposal was advertised
E.1.5.3	An employer may only with the prior approval of the relevant treasury cancel request for proposaln invitation for the second time.
E.1.6	Procurement procedures
E.1.6.1	Unless otherwise stated in the submission data, a contract will, subject to E.3.13, be concluded with the tenderer who in terms of E.3.11 is the highest ranked or the tenderer scoring the highest number of tender evaluation points, as relevant, based on the tender submissions that are received at the closing time for tenders.
E.1.6.2	Competitive negotiation procedure
E.1.6.2.1	Where the submission data require that the competitive negotiation procedure is to be followed, tenderers shall submit tender offers in response to the proposed contract in the first round of submissions. Notwithstanding the requirements of E.3.4, the employer shall announce only the names of the tenderers who make a submission. The requirements of E.8 relating to the material deviations or qualifications which affect the competitive position of tenderers shall not apply.
E.1.6.2.2	All responsive tenderers or at least a minimum of not less than three responsive tenderers that are highest ranked in terms of the evaluation criteria stated in the submission data shall be invited to enter into competitive negotiations based on the principle of equal treatment, keeping confidential the proposed solutions and associated information.  Notwithstanding the provisions of E.2.17, the employer may request that tenders be clarified, specified and fine-tuned in order to improve a tenderer's competitive position provided that such clarification, specification, fine-tuning or additional information does not alter any fundamental aspects of the offers or impose substantial new requirements which restrict or distort competition or have a discriminatory effect.
E.1.6.2.3	At the conclusion of each round of negotiations, tenderers shall be invited by the employer to revise their tender offer based on the same evaluation criteria, with or without adjusted weightings. Tenderers shall be advised when they are to submit their best and final offer.
E.1.6.2.4	The contract shall be awarded in accordance with the provisions of E.3.11 and E.3.13 after tenderers have been requested to submit their best and final offer.
E.2	Tenderer's obligations
E.2.1	Eligibility
	Only those tenderers who satisfy the following criteria are eligible to submit tenders:

	a) CIDB registration	'				
	1 7	Only tenderers who are already registered in terms of the Construction Industry Development Regulations 25(2) in cidb grading designation 1GB or higher are eligible to submit proposal.				
	For the sake of clarity the tendered value, the		rer's ability to perform the work specified at ins it considers reasonable. However, in the			
	Category of tender	Upper limits per CIDB Regulation 17	Employer's allowable margins			
	1	R0.5 m	The Employer will use its			
	2	R1.0 m	discretion in terms of CIDB			
	3	R3.0 m	Practice Note 3 on allowable margins to be accepted			
	4	R6.0 m				
	5	R10.0 m				
	6	R20.0 m				
	7	R60.0 m				
	8	R200.0 m				
E.2.1.1	<ul><li>(a) Availability of res</li><li>(b) Availability of skil</li><li>(c) Previous experie</li></ul>	Ils to manage and perform the contract nce on contracts of a similar value and nature mpanies' letterhead stating that the contractors	e			
E.2.2	Cost of Tendering					
E.2.2.1	The Employer will not compensate the tenderer for any costs incurred in attending interviews or making any submissions in the office of the Employer					
E.2.2.2	employer for printing t	documents charged by the employer shall he documents. Employers must attempt to rour any costs pertaining to the printing of the	make available the tender documents on its			
E.2.3	Check documents Check the tender documents omission.	cuments on receipt for completeness and	notify the employer of any discrepancy or			
E.2.4	Confidentiality and copyright of documents					
	Treat as confidential a	Il matters arising in connection with the tend	ler. Use and copy the documents issued by			

	the employer only for the purpose of preparing and submitting a tender offer in response to the invitation.
E.2.6	Acknowledge addenda  Acknowledge receipt of addenda to the tender documents, which the employer may issue, and if necessary apply for an extension to the closing time stated in the submission data, in order to take the addenda into account.
E.2.7	Clarification meeting
	A compulsory clarification meeting with representatives of the Employer will take place at <a href="NHLS PRINCE">NHLS PRINCE</a> <a href="STREET RECEPTION">STREET RECEPTION</a> on the 14th of March 2024 at 10am.
	Tenderers must sign the attendance list in the name of the tendering entity. Addenda will be issued to and tenders will be received only from those tendering entities appearing on the attendance list.
E.2.8	Seek clarification
	Request clarification of the tender documents, if necessary, by notifying the employer at least five (5) working days before the closing time stated in the submission data.
E.2.9	Insurance
	Be aware that the extent of insurance to be provided by the employer (if any) might not be for the full cover required in terms of the conditions of contract identified in the contract data. The tenderer is advised to seek qualified advice regarding insurance.
E.2.10	Pricing the tender offer
E.2.10.3	This contract shall not be subject to Contract Price Adjustments, foreign fluctuations, etc and all rates and prices shall remain FIXED, final and binding for the full duration of this contract.
E.2.11	Alterations to documents
	Do not make any alterations or additions to the tender documents, except to comply with instructions issued by the employer, or necessary to correct errors made by the tenderer. All signatories to the tender offer shall initial all such alterations.
E.2.12	Alternative tender offers
	No alternative tender offers will be considered
E.2.13	Submitting a tender offer
E.2.13.1	Submit one tender offer only as a single tendering entity to provide the whole of the works identified in the contract data and described in the scope of works, unless stated otherwise in the submission data.
E.2.13.2	Return all returnable documents to the employer after completing them in their entirety, either electronically (if they were issued in electronic format) or by writing legibly in non-erasable ink.
E.2.13.3	Submit the parts of the tender offer communicated on paper as an original plus the number of copies stated in the submission data, with an English translation of any documentation in a language other than English, and the parts communicated electronically in the same format as they were issued by the employer.
E.2.13.4	Sign the original and all copies of the tender offer where required in terms of the submission data. The employer will hold all authorized signatories liable on behalf of the tenderer. Signatories for tenderers proposing to contract as joint ventures shall state which of the signatories is the lead partner whom the

	employer shall hold liable for the purpose of the tender offer.
E.2.13.5	Seal the original and each copy of the tender offer as separate packages marking the packages as "ORIGINAL" and "COPY". Each package shall state on the outside the employer's address and identification details stated in the submission data, as well as the tenderer's name and contact address.
E.2.13.6	Bidders are requested to deliver the submission in <b>two envelopes</b> . The Employer's address for delivery of tender offers and identification details to be shown on each tender offer package are:
	Title to appear on envelope or attachment one(1):
	1. RFQ NO.: KZN 2105823 (TECHNICAL PROPOSALS)
	The appointment of a contractor to submit a request for Renovations at NhIs Prince Street Offices.
	This envelope must contain the Returnables, SCM Documentation and Relevant Annexures. This envelope must contain <b>printed copies</b> of all the pages in this document, duly completed and signed, <b>but excluding the pricing schedules</b> (schedule of quantities), which must be submitted in a separate envelope as detailed below.
	Title to appear on envelope or attachment two(2):
	2. RFQ NO.: KZN 2105823 (FINANCIAL PROPOSALS)
	The appointment of a contractor to submit a request for Renovations at Nhls Prince Street Offices. This envelope will contain the Pricing Schedules (Bills of Quantities) and Contract Agreement
	For identification purposes, bidders are requested to ensure that the envelopes containing the company's bids are clearly marked, and are easily identifiable by the company's logo or name.
	Location of tender box no 149 Prince Street Durban 4001 Reception
	Physical address: 149 Prince Street Durban 4001 Identification details: RFQ BOX
E.2.13.7	Seal the original tender offer and copy packages together in an outer package that states on the outside only the employer's address and identification details as stated in the submission data.
E.2.13.8	Accept that the employer will not assume any responsibility for the misplacement or premature opening of the tender offer if the outer package is not sealed and marked as stated.
E.2.13.9	Accept that tender offers submitted by <b>telegraphic</b> , <b>telephonic</b> , <b>telex</b> , <b>facsimile</b> and <b>late proposal will not be accepted</b> by the employer.
E.2.14	Information and data to be completed in all respects
	Accept that tender offers, which do not provide all the data or information requested completely and, in the form, required, may be regarded by the employer as non-responsive.
E.2.15	Closing time
	The closing time for submission of proposal 20 March 2024 at 11h00am.
	cidb is not obliged to accept the lowest or any tender and reserves the right to accept any tender in whole or in part.
E.2.16	The tender offer validity period is 90 Day from the closing date.

E.2.17	Clarification of tender offer after submission
L.2.17	Provide clarification of request for proposal in response to a request to do so from the employer during the evaluation of tender offers. This may include providing a breakdown of rates or prices and correction of arithmetical errors by the adjustment of certain rates or item prices (or both). No change in the competitive position of tenderers or substance of the tender offer is sought, offered, or permitted.
E.2.18.2	The Tenderer shall, when requested by the Employer to do so, submit the names of all management and supervisory staff that will be employed to supervise the labour-intensive portion of the works together with satisfactory evidence that such staff members satisfy the eligibility requirements.
E.2.19	Inspections, tests and analysis  Provide access during working hours to premises for inspections, tests and analysis as provided for in the submission data.
E.2.20	Submit securities, bonds and policies  If requested, submit for the employer's acceptance before formation of the contract, all securities, bonds, guarantees, policies and certificates of insurance required in terms of the conditions of contract identified in the contract data.
	Provide access during working hours to premises for inspections, tests and analysis as provided for in the submission data.
E.2.23	The Tenderer is required to submit with his/her tender all documents and schedules listed under E2.1 and E2.2.
Add the following new clause E.2.24	Canvassing and obtaining of additional information by tenderers  The Tenderer shall not make any attempt either directly or indirectly to canvass any of the Employer's officials or the Employer's agent in respect of his tender, after the opening of the tenders but prior to the Employer arriving at a decision thereon.  The Tenderer shall not make any attempt to obtain particulars of any relevant information, other than that disclosed at the opening of tenders.
Add the following new clause  E.2.25	Prohibitions on awards to persons in service of the state  The Employer is prohibited to award a proposal to a person -  a) who is in the service of the state; or  b) if that person is not a natural person, of which any director, manager, principal shareholder or stakeholder is a person in the service of the state; or  c) a person who is an advisor or consultant contracted with the Department.  In the service of the state means to be -  a) a member of:-  • any municipal council;  • any provincial legislature; or  • the National Assembly or the National Council of Provinces;  b) a member of the board of directors of any municipal entity;  c) an official of any municipality or municipal entity;

	d) an employee of any national or provincial department;
	e) provincial public entity or constitutional institution within the meaning of the Public
	Finance Management Act, 1999 (Act No.1 of 1999);
	f) a member of the accounting authority of any national or provincial public entity; or
	g) An employee of Parliament or a provincial legislature.
	In order to give effect to the above, the questionnaire for the declaration of interests in the tender of persons in service of state in part E2 of this procurement document must be completed.
E.3	The employer's undertakings
E.3.1	Respond to requests from the tenderer
	The Employer will respond to requests for clarification received up to five (5) working days before the tender closing time.
E.3.2	Issue Addenda
	Addenda will be issued until five (5) working days before the tender closing time.
E.3.9	Arithmetical errors, omissions and discrepancies
E.3.9.1	Check the highest ranked tenders or tenderers with the highest number of tender evaluation points after the evaluation of tender offers in accordance with E.3.11 for:
	a) the gross misplacement of the decimal point in any unit rate;
	b) omissions made in completing the pricing schedule or bills of quantities; or
	c) arithmetic errors in:
	<ul> <li>i) line item totals resulting from the product of a unit rate and a quantity in bills of quantities or schedules of prices; or the summation of the prices.</li> </ul>
E.3.9.2	The arithmetical errors shall be corrected in the following manner:
	<ul> <li>a) Where there is a discrepancy between the amounts in words and amounts in figures, the amount in words shall govern.</li> </ul>
	b) If bills of quantities or pricing schedules apply and there is an error in the line item total resulting from the product of the unit rate and the quantity, the line item total shall govern and the rate shall be corrected. Where there is an obviously gross misplacement of the decimal point in the unit rate, the line item total as quoted shall govern, and the unit rate shall be corrected.
	c) Where there is an error in the total of the prices either as a result of other Corrections required by this checking process or in the tenderer's addition of prices, the total of the prices shall govern and the tenderer will be asked to revise selected item prices (and their rates if bills of quantities apply) to achieve the tendered total of the prices.
	The Tender Offer will be rejected if the tenderer does not correct or accept the Correction of the arithmetical error in the manner described above.
E.3.11	Functionality, Price and Preference  The purpose of the evaluation is to ensure and promote compliance with the Constitution, specifically Section 217, which provides that when organs of state contract for goods or services, they must do so in accordance with a system which is fair, equitable, transparent, competitive and cost-effective. The evaluation of bids will be

undertaken in 3 stages.

#### **Technical Proposal**

#### Administrative. / Mandatory Requirements

The Technical proposal will be evaluated on Administrative. / Mandatory Requirements and Functionality.

Bidders who fail to meet the minimum requirements for the Technical proposal will not be considered further.

Financial Proposal will be evaluated on price and B-BBEE specific goals as outlined in this document.

During this phase bid documents will be reviewed to determine the compliance with Standard Bidding Documents (SBD), SCM returnable, tax matters and contractor had registered on Central Data Base (CSD) and Construction Industry Development Board (CIDB). All returnable documents must be submitted with the bid documents at the closing date and time of the bid. Bids which do not satisfy the compliance criteria will be disqualified and will not be evaluated further on pre-qualification criteria.

The bid proposal will be screened for compliance with administrative requirements as indicated below and bidders must circle the correct answer

Item No.	Administrative Requirements	Check/Compliance	Non-submission shall result in disqualification
1	Master Bid Document	provided and bound	*YES
2	1 Copy of Bid Document	provided and bound	**NO
Included in the E	lid Document		
4	SCM - SBD 1 - Invitation to Bid	Completed and signed	*YES
5	SCM - SBD 2 - Tax Clearance Certificate Requirements	Attached CSD registration number/SARS PIN and CSD summary report	*YES
6	SCM - SBD 4 - Declaration of Interest	Completed and signed	*YES
7	SCM - SBD 6.1 - Preference Points Claim Form in terms of the Preferential Procurement Regulations 2022	Completed and signed	*YES
11	In case of bids where Consortia / Joint Ventures, Consortia/Joint Venture agreement signed by both parties must be submitted with bid proposal	JV agreement completed and signed, if applicable	*YES

<sup>\*</sup>YES – NHLS reserves the right to reject proposals that are not submitted in the prescribed format or where information presented is illegible or incomplete and will not be further evaluated for Mandatory Requirements (Phase 2)

<sup>\*\*</sup>NO – NHLS reserves the right to request such information during the evaluation process of the proposal and such information must be presented within short notice.

E.3.13.1	Request for proposal will only be accepted on condition that:
	a) the tenderer is registered with the Construction Industry Development Board in an appropriate contractor grading designation;
	b) the bidder or any of its directors is not listed in the Register of Bid Defaulters in terms of the Prevention and Combating of Corrupt Activities Act of 2004 as a person prohibited from doing business with the public sector;
	c) the bidder has not: i. abused the Employer's Supply Chain Management System; or
	ii. failed to perform on any previous contract and has been given a written notice to this effect.
	d) Has completed the Compulsory Enterprise Questionnaire, SBD4, 6.1, 7.1, 8,9 and there are no conflicts of interest which may impact on the tenderer's ability to perform the contract in the best interests of the employer or potentially compromise the tender process
	Has submitted the documentation listed in E2.21 and E2.22
E.3.18	The number of paper copies of the signed contract to be provided by the employer is ONE.

## PART E2: RETURNABLE DOCUMENTS AND SCHEDULES

## **E2.1 LIST OF RETURNABLE DOCUMENTS**

The following documents must be returned by the Bidder for evaluation purposes in addition to the Schedule listed in previous paragraphs.

(FA	THE FOLLOWING DOCUMENTS MUST BE FURNISHED AILURE TO SUBMIT COMPULSORY DOCUMENTATION WILL RESULT IN YOUR BID BEING DISQUALIFIED)	YES	NO
1	Tax Compliance (Provide PIN)	Yes 🗌	No 🗌
2	B-BEE Certificate issued by SANAS accredited verification agent/ OR AFFIDAVIT FOR EME/QSE ON DTI FORMAT	Yes 🗌	No 🗆
3	Proof of valid registration with CIDB	Yes 🗌	No 🗌
4	Signed Declaration of Interest	Yes 🗌	No 🗌
5	Certificate of Independent Bidder determination	Yes 🗌	No 🗌
6	Valid COID certificate issued by the Department of Labour	Yes 🗌	No 🗌
7	Submit an original Briefing session certificate of attendance	Yes 🗌	No 🗌
8	Fully Completed and Signed all other SBD forms	Yes 🗌	No 🗌

## FORM B: VENDOR NUMBER REGISTRATION WITH CENTRAL SUPPLIER DATABASE

- 1. Bidders must submit Vendor Number Registration with Central Supplier Database
- 2. Failure to submit the Vendor Number Registration with Central Supplier Database may result with the bidder being disqualified.

ENTITY NAME	
CSD REGISTRATION No:	
NAME	
SIGNATURE OF BIDDER	
DATE	
CAPACITY UNDER W	HICH

FORM C: TAX COMPLIANCE

#### **CONDITIONS PERTAINING TO TAX**

Full name of bidder:

#### TAX CLEARANCE CERTFICATE REQUIREMENTS

It is a condition of bid that the taxes of the successful bidder <u>must</u> be in order, or that satisfactory arrangements have been made with South African Revenue Service (SARS) to meet the bidder's tax obligations.

- 1. Any person who requires his or her tax compliance status to be disclosed to a Government institution or department, for purposes of submitting a bid or to confirm its good standing after the phasing out of paper based TCCs must request a unique security personal identification number (PIN) from SARS.
- 2. Very important to note is that the disclosure of a bidder's tax compliance status is an express condition for all acceptable Government bids. Failure to make the relevant disclosures will invalidate your bid and your response will be null and void.
- 3. The Government institution or department must use the PIN referred to above to verify a person's tax compliance status with SARS.
- 4. Bidders to complete the table below and provide a unique security personal identification number (PIN) from SARS which will enable the MW to access online real-time verification of a person's tax compliance status with the electronic Tax Compliance Status (TCS) system. Failure to submit the PIN may result in the bid being disqualified.

**Electronic Tax Compliance Status** 

**System PIN No:** 

	<b> </b>
NAME.	
NAME:	
SIGNATURE OF BIDDER	
DATE	
CAPACITY UNDER WHICH BID IS SIGNED	

FORM D: PREFERENCE SCHEDULE

**SBD 6.1** 

## PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all bids invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 202.

#### 1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to all bids:
  - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
  - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2

- a) The value of this bid is estimated to be below R50 000 000 (all applicable taxes included) and therefore the 80/20 preference point system shall be applicable;
- 1.3 Points for this bid shall be awarded for:
  - (a) Price; and
  - (b) B-BBEE Status Level of Contributor.

(c)

1.4 The maximum points for this bid are allocated as follows:

	POINTS
PRICE	80
Specific Goals	20
Total points for Price and Specific Goals must not exceed	100

- 1.5 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the bid, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.
- 1.6 The purchaser reserves the right to require of a bidder, either before a bid is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

#### 2. **DEFINITIONS**

- (a) **"B-BBEE"** means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) "B-BBEE status level of contributor" means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) "bid" means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price proposal, advertised competitive bidding processes or proposals;
- (d) "Broad-Based Black Economic Empowerment Act" means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) "EME" means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) "functionality" means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) "prices" includes all applicable taxes less all unconditional discounts;
- (h) "proof of B-BBEE status level of contributor" means:
  - 1) B-BBEE Status level certificate issued by an authorized body or person;
  - 2) A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
  - 3) Any other requirement prescribed in terms of the B-BBEE Act;
- (i) "QSE" means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;

#### PART 1

(j) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

#### POINTS AWARDED FOR SPECIFIC GOALS

4.1.In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:

4.2.In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—

(a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or

(b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Points awarded for historically disadvantaged individuals

Preference points for HDI's are calculated on their percentage shareholding in a business, provided that they are actively involved in and exercise control over the enterprise. The following formula is prescribed

Where:

NEP = Points awarded for equity ownership by an HDI

NOP = The maximum number of points awarded for equity by an HDI in that specific category

EP = The percentage of equity ownership by an HDI within the enterprise or business, determined in accordance with the definition of HDI's.

A consortium or joint venture (including unincorporated consortia and joint ventures) must submit a consolidated B-BBEE Status Level Verification certificate for every separate tender

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

2.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the Specific Goals status level of contribution in accordance with the table below:

The specific goals allocated points in terms of this tender	Number of points  allocated  (90/10 system)  (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed  (90/10 system)  (To be completed by the tenderer)	Percentage owned (To be completed by the tenderer)	points claim (80/20 system	be by
HDI		7		%		
WOMAN		3		%		
DISABLED		2		%		
YOUTH		3		%		

Locality	5		
City of Johannesburg = 0			
• KZN Provice = 5			
National = 0			
TOTAL POINTS	20		

3.	BID I	DECLAR	ATION			
	3.1	Bidders	s who claim points in respect of Specific Goals Status Level of Contril	bution must co	mplete the follo	owing:
4.	SPE	CIFIC GO	ALS STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS O	F PARAGRAF	PHS 1.4 AND 4	<b>1</b>
	4.1	Specific	c Goals = (maximum of 10 or 20 points)			
		•	claimed in respect of paragraph 7.1 must be in accordance with the ntiated by relevant proof of Specific Goals status level of contributor.	the table reflec	cted in paragra	aph 4.1 and must be
5.	SUB	-CONTRA	ACTING			
	5.1	Will an	y portion of the contract be sub-contracted?			
	(	Tick app	licable box)			
	ſ	YES	NO			
	E 1 1	lf voo	indicator			
	5.1.1	•	, indicate:		0/ 0	
		i)	What percentage of the contract will be subcontracted			
		ii)	The name of the sub-contractor			
		iii)	The B-BBEE status level of the sub-contractor			
		iv)	Whether the sub-contractor is an EME or QSE			
			(Tick applicable box)			
			YES NO			
		v)	Specify, by ticking the appropriate box, if subcontracting with an Regulations,2017:	n enterprise in	terms of Prefe	erential Procurement
		Designate	ed Group: An EME or QSE which is at last 51% owned by:	EME √	QSE $$	
		Black ped	pple			
	-		pple who are youth			-
	<b> </b>		pple who are women			-
	<b>⊢</b>		ople with disabilities ople living in rural or underdeveloped areas or townships			-
	<b>⊢</b>		ive owned by black people			
	-	•	ople who are military veterans			-
			OR	I		-
		Any EME				]
		Any QSE				
6.	DEC	LARATIC	ON WITH REGARD TO COMPANY/FIRM			
	6.1		of company/firm :			
	6.2		gistration number :			
	6.3					
	0.0	Jampa	ny registration number :			

25

6.4	TYPE	OF COMPANY/ FIRM
		Partnership/Joint Venture / Consortium
		One person business/sole propriety
		Close corporation
		Company
		(Pty) Limited
	[TICK	( APPLICABLE BOX]
6.5	DESC	RIBE PRINCIPAL BUSINESS ACTIVITIES
6.6	COMF	PANY CLASSIFICATION
		Manufacturer
		Supplier
		Professional service provider
		Other service providers, e.g. transporter, etc.
	[TICH	( APPLICABLE BOX]
6.7	Total r	number of years the company/firm has been in business:

6.8 I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the Specific Goals status level of contributor indicated in paragraphs 1.4 and 6.1 of the foregoing certificate,

qualifies the company/ firm for the preference(s) shown and I / we acknowledge that:

i) The information furnished is true and correct;

TYPE OF COMPANY/ FIRM

- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may be required to furnish documentary proof to the satisfaction of the purchaser that the claims are correct:
- If the B-BBEE status level of contributor has been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have -
  - (a) disqualify the person from the bidding process;
  - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
  - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
  - (d) recommend that the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted by the National Treasury from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
  - (e) forward the matter for criminal prosecution.

WITNESSES	
1	SIGNATURE(S) OF BIDDERS(S)
·· · · · · · · · · · · · · · · · · · ·	DATE
2. <u>.</u>	ADDRESS

## FORM E: PROOF OF REGISTRATION WITH CIDB

- 1. Attach proof of CIDB registration to this page.
- 2. In the case of a joint venture / consortium (excluding consulting engineering partners) parties must each attach original or certified copy of their CIDB registration certificate.

Firm	CRS Number	CIDB Grading	Lead Partner (Indicate with X)
Combined CIDB Grading for Joint Venture / Consortium:			

(Calculator is available at <a href="https://registers.cidb.org.za/common/jvcalc.asp">https://registers.cidb.org.za/common/jvcalc.asp</a>)

	/ she is duly authorised to do so on behalf of the enterprise, confirms that n my personal knowledge and are to the best of my belief both true and
Person authorized to sign the bid:	
Full name (in BLOCK letters):	
Signature:	
Date:	

#### FORM F: DECLARATION OF INTEREST

- 1. No bid will be accepted from persons in the service of the state<sup>1</sup>.
- 2. Any person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the bidder or their authorised representative declare their position in relation to the evaluating/adjudicating authority.
- 3. In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.
- 3.1 Full Name of bidder or his or her representative:
- 3.2 Identity Number:
- 3.3 Position occupied in the Company (director, trustee, shareholder<sup>2</sup>):
- 3.4 Company Registration Number:
- 3.5 Tax Reference Number:

'SCM Regulations: "in the service of the state" means to be –

- (a) a member of -
  - (i) any municipal council;
  - (ii) any provincial legislature; or
  - (iii) the national Assembly or the national Council of provinces;
- (b) a member of the board of directors of any municipal entity;
- (c) an official of any municipality or municipal entity;
- (d) an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999);
- (e) a member of the accounting authority of any national or provincial public entity; or
- (f) an employee of Parliament or a provincial legislature.
  - <sup>2</sup> Shareholder" means a person who owns shares in the company and is actively involved in the management of the company or business and exercises control over the company.
- 3.6 VAT Registration Number\_\_\_\_\_
- 3.7 The names of all directors / trustees / shareholders members, their individual identity numbers and state employee numbers must be indicated in paragraph 4 below.
- 3.8 Are you presently in the service of the state? YES / NO
- 3.8.1 If yes, furnish particulars

3.9	Have you been in the service of the state for the past twelve months?	YES / NO
3.9.1	If yes, furnish particulars	
3.10	Do you have any relationship (family, friend, other) with persons in the service of the state and who evaluation and or adjudication of this bid?	•
3.10.1	If yes, furnish particulars	
3.11	Are you, aware of any relationship (family, friend, other) between any other bidder and any persons	
3.11.1	If yes, furnish particulars.	
3.12	Are any of the company's directors, trustees, managers, principle shareholders or stakeholders in s	ervice of the state?
3.12.1	If yes, furnish particulars	
3.13	Are any spouse, child or parent of the company's directors, trustees, managers, principle sharehold of the state?	
3.13.1	If yes, furnish particulars	
3.14	Do you or any of the directors, trustees, managers, principle shareholders, or stakeholders of this cany other related companies or business whether or not they are bidding for this contract.	ompany have any interest in
3.14.1	If yes, furnish particulars	'
		-

4. Full details of directors / trustees / members / shareholders.

Full Name	Identity Number	State Employee Number
	************	

Signature	Date
Capacity	Name of Bidder

#### FORM H: OHS ACT DECLARATION AND SUBMISSION

The Bidder declares him/herself/herself to be conversant with the following:

- 1. All the requirements, regulations and standards of the Occupational Health and Safety Act (Act 85 of 1993), hereinafter referred to as "The Act", together with its amendments and with special reference to the following Sections of the Act:
  - i) Section 8: General duties of Employers to their employees
  - ii) Section 9: General duties of Employers and self-employed persons to persons other than employees.
  - iii) Section 13: Duty to Inform
  - iv) Section 37: Acts or omissions by employees or mandatories
  - v) Sub-section 37(2) relating to the purpose and meaning of this Agreement
- 2. Construction Regulations, 2014 (Government Notice R.84) pertaining to the Contractor and to all his Subcontractors, or any amendments thereto.
- 3. Bid document Volume 3: Project Specification PD: Supplement to Volume 5: Specification for Occupational Health and Safety.
- 4. Bid document Volume 3: C1.7 Agreement in terms of Occupational Health and Safety Act.

The Bidder declares that he has or will obtain the necessary knowledge, competence and resources to comply fully with all OHS requirements should he be awarded the contract.

The Bidder confirms that he has included with his bid a written proposal describing how he will comply with OHS requirements

Signature	 Date	
Name	 Capacity	
Bidder		

#### FORM J: SCHEDULE OF BIDDER'S EXPERIENCE IN -----

CIDB shall not be held responsible for incorrect judgement misled by unclear written letters/words on the forms below, to be completed by the Bidder(s). Attachment shall strictly be made where specified and at the correct location, any attachment other than what has been requested by cidb, shall be completely ignored, and scored zero, where points allocation is required.

When completing Forms, Bidder(s) may make copies of the original Forms, should the provided forms be inadequate for their completion of the information required. Forms must be hand completed in black ink, no computer regenerated forms will be accepted. Forms must be completed in full, forms not completed in full shall be rejected by scoring zero.

## PART C1: AGREEMENT AND CONTRACT DATA

## C1.1: FORM OF OFFER AND ACCEPTANCE

_			
$\boldsymbol{\Gamma}$	11	•	-
.,		μ	г

The employer, identified in the acceptance signature block, has solicited offers to enter into a contract for the procurement of:
The tenderer, identified in the offer signature block, has examined the documents listed in the submission data and addenda thereto as listed in the returnable schedules, and by submitting this offer has accepted the conditions of tender.
By the representative of the tenderer, deemed to be duly authorized, signing this part of this form of offer and acceptance, the tenderer offers to perform all of the obligations and liabilities of the contractor under the contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the conditions of contract identified in the contract data.
THE OFFERED TOTAL OF THE PRICES INCLUSIVE OF VALUE ADDED TAX IS:
Rand
This offer may be accepted by the employer by signing the acceptance part of this form of offer and acceptance and returning one copy of this document to the tenderer before the end of the period of validity stated in the submission data, whereupon the tenderer becomes the party named as the contractor in the conditions of contract identified in the contract data.
Signature(s)
Name(s)         Capacity
for the tenderer
(Name and
Name and signature of witness

#### **Acceptance**

By signing this part of this form of offer and acceptance, the employer identified below accepts the tenderer's offer. In consideration thereof, the employer shall pay the contractor the amount due in accordance with the conditions of contract identified in the contract data. Acceptance of the tenderer's offer shall form an agreement between the employer and the tenderer upon the terms and conditions contained in this agreement and in the contract that is the subject of this agreement.

The terms of the contract are contained in:

Part C1: Agreements and contract data (which includes this agreement)

Part C2: Pricing data
Part C3: Scope of work
Part C4: Site information

and drawings and documents or parts thereof, which may be incorporated by reference into the above listed Parts.

Deviations from and amendments to the documents listed in the submission data and any addenda thereto as listed in the returnable schedules as well as any changes to the terms of the offer agreed by the tenderer and the employer during this process of offer and acceptance, are contained in the schedule of deviations attached to and forming part of this form of offer and acceptance. No amendments to or deviations from said documents are valid unless contained in this schedule.

The tenderer shall within two weeks after receiving a completed copy of this agreement, including the schedule of deviations (if any), contact the employer's agent (whose details are given in the contract data) to arrange the delivery of any securities, bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the conditions of contract identified in the contract data. Failure to fulfill any of these obligations in accordance with those terms shall constitute a repudiation of this agreement.

Notwithstanding anything contained herein, this agreement comes into effect on the date when the tenderer receives one fully completed original copy of this document, including the schedule of deviations (if any). Unless the tenderer (now contractor) within five working days of the date of such receipt notifies the employer in writing of any reason why he cannot accept the contents of this agreement, this agreement shall constitute a binding contract between the parties.

` ,	PTANCE STA	
Name and	Date	

#### Schedule of Deviations

#### Notes:

- 1. The extent of deviations from the tender documents issued by the Employer prior to the tender closing date is limited to those permitted in terms of the Conditions of Expression of Interest,
- 2. A Tenderer's covering letter shall not be included in the final contract document. Should any matter in such letter, which constitutes a deviation as aforesaid, become the subject of Agreements reached during the process of offer and acceptance, the outcome of such Agreement shall be recorded here,
- 3. Any other matter arising from the process of offer and acceptance either as a confirmation, clarification or change to the tender documents and which it is agreed by the Parties becomes an obligation of the contract shall also be recorded here,
- 4. Any change or addition to the tender documents arising from the above Agreements and recorded here, shall also be incorporated into the final draft of the Contract,

Details	
2 Subject	ONLY TO BE COMPLETED
Details	AT ACCEPTANCE STAGE
3 Subject	
4 Subject	

By the duly authorised representatives signing this Schedule of Deviations, the Employer and the Tenderer agree to and accept the foregoing Schedule of Deviations as the only deviations from and amendments to the documents listed in the Submission data and Addenda thereto as listed in the Tender Schedules, as well as any confirmation, clarification or change to the terms of the offer agreed by the Tenderer and the Employer during this process of offer and acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the Tender Documents and the receipt by the Tenderer of a completed signed copy of this Agreement shall have any meaning or effect in the Contract between the parties arising from this Agreement.

FOR THE TENDERER:			
Signature(s)			
Name(s)			
Capacity			
	[Name and address of organisation]		
Name and signature of witness		Date	
FOR THE EMPLOYER:			
Signature(s)			
Name(s)			
Capacity			
	[Name and address of organisation]		
Name and signature of witness		Date	

# ONLY TO BE COMPLETED AT ACCEPTANCE STAGE

#### **CONFIRMATION OF RECEIPT**

The Tenderer (now Contractor), identified in the Offer part of this Agreement, hereby confirms receipt from the Employer, identified in the Acceptance part of this Agreement, of one fully completed original copy of this Agreement, including the Schedule of Deviations (if any) today:

The[day]	
of	[month]
20[year]	
at	[place]
For the Contractor:	Signature
	Name
	Capacity
Signature and name of witness:	Signature
	Name

# ONLY TO BE COMPLETED AT ACCEPTANCE STAGE

#### **C1.2 CONTRACT DATA**

PROJECT TITLE:	THE APPOINTMENT OF A CONTRACTOR FOR THE RENOVATIONS AT NHLS PRINCE STREET OFFICES.
CONTRACT NO:	KZN 2105823

#### C.1.2 Contract Data

The General Conditions of Contract for Construction Works, Third Edition (2015) published by the South African Institution of Civil Engineering, Private Bag X200, Halfway House, 1685, is applicable to this Contract and is obtainable from www.saice.org.za.

The General Conditions of Contract for Construction Works make several references to the Contract Data for specific data, which together with these conditions collectively describe the risks, liabilities and obligations of the contracting parties and the procedures for the administration of the Contract. The Contract Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the General Conditions of Contract.

#### Part 1: Data provided by the Employer

Clause	Data				
1.1.1.13	Clause 1.1.1.13: Defects Liability Period				
	The Defects Liability Period is 6 months, measured from the date of the Certificate of Completion				
1.1.1.14	Clause 1.1.1.14: Due Completion Date				
	The time for achieving Practical Completion is 2 months after the Commencement Date				
1.1.1.15	The name of the Employer is NHLS, represented by Ms Jabulile Mthembu and/or such persons or person duly authorised to be the Employer in writing.				
1.1.1.26	The Pricing Strategy is a bill of quantities				
1.2.1.2	The Employer's address for receipt of communications is: 149 Prince Street, Durban 4001				
	Proposal should be submitted to the following add :				
	Request for Renovations at Nhls Prince Street Offices.				
2.4.1	"in the event of any ambiguity, conflict or discrepancy between the various contract documents, lists				
	and schedules, the order of precedence (from highest to lowest) shall be as follows:				
	The form of offer and acceptance				
	Contract forms				
	The contract data				
	General conditions of contract (GCC 2015)				
	Scope of Work				
	SANS 1200 Standardised Specifications				
	Site Information				
	Construction drawings				
	Bill of quantities				
	The returnable schedules				

3.1.3 The Contractor shall obtain the specific approval of the Employer before executing any of his functions or duties according to the following Clauses of the General Conditions of Contract: GCC 2015 3rd Edition 1. Clause 5.8.1 Non-working times 2. Clause 5.11.1 Suspension of the Works 3. Clause 5.12.1 Approval of any extension of time for completion 4. Clause 5.12.4 Acceleration of progress instead of extension of time 5. Clause 5.13.2 Reduction of a penalty for delay 6. Clause 6.3.2 The issuing of variation orders 7. Clause 6.8.4 The determination of additional or reduced cost arising from changes in the legislation 8. Clause 6.11 The agreeing of the adjustment of the sums for general items 9. Clause 10.1.5 The giving of a ruling on a Contractor's claim 4.3.3 "The Employer and the Contractor hereby agree, in terms of the provisions of section 37 (2) of the Occupational Health & Safety Act, 1993 (Act 85 of 1993, hereinafter referred to as 'the Act') that the following arrangements and procedures shall apply between them to ensure compliance by the Contractor with the provisions of the Act, namely: The Contractor undertakes that the appropriate officials and employees of the Contractor will fully acquaint themselves with all relevant provisions of the Act and the Regulations promulgated in terms of the Act; The Contractor undertakes that all relevant duties, obligations and prohibitions imposed in b) terms of the Act and regulations will be fully complied with; The Contractor hereby accepts sole liability for such due compliance with the relevant duties, c) obligations and prohibitions imposed by the Act and Regulations, and expressly absolves the Employer from itself being obliged to comply with any of the aforesaid duties, obligations, and prohibitions; with the exception of such duties, obligations and prohibitions expressly assigned to the Employer in terms of the Act and its associated Regulations; d) The Contractor agrees that any duly authorised official of the Employer shall be entitled to take such steps as may be necessary to ensure that the Contractor has complied with his undertakings as set out more fully in paragraphs (a) and (b) above, which steps may include, but will not be limited to, the right to inspect any appropriate site or premises occupied by the Contractor, or to inspect any appropriate records or Safety Plans held by the Contractor; The Contractor shall be obliged to report forthwith to the Employer any investigation, e) complaint or criminal charge which may arise as a consequence of the provisions of the Act and regulations, pursuant to work performed in terms of this Contract, and shall, on written demand, provide full details in writing of such investigation, complaint or criminal charge; 5.3.1 Clause 5.3.1: Commencement of the Works The documentation required before commencement with Works execution are:

	a)	Health and Saf	ety Plan					
	b)	Initial programn	ne					
	c)	Security						
	d)	Insurance						
5.3.2	,	Timeframe to deli	iver decuments	tion				
5.3.2	Clause 5.3.2:	i imetrame to deii	iver documenta	tion				
	The time to s		nentation require	ed before comm	nencement with Works	execution is		
5.4.4	him/her in con	nection with acces	ss to the Site. T	he Contractor sh	temporary rights of way nall also provide at his o poses of the Works."			
5.8.1	Clause 5.8.1:	Non-Working Tim	ies					
	The non-working	ng days are Saturo	days and Sunday	rs.				
	The special no	n-working days are	e:					
		zetted public holid ear-end break con		•	reak. nding on 7 January (Prov	visional).		
5.12.2.	Clause 5.12.2.	.: Some reasons f	for extension of	time				
	Clause 5.12.2.2: Abnormal climatic conditions.							
	Add the following:							
	_	Regardless of the cause of any delay an extension of time will only be considered if it can be shown that the activity delayed is on the critical path indicated on the Programme of Works (Clause 5.6.1).						
	Normal climation materials, stro activities exceed	c conditions shall be ng winds and ext ed the number of Il be deemed to ex	be deemed to income tremes of temper from the working days I	lude normal rainferature. However isted below for	ributed to normal climat fall and associated wet control or, in the event that delate each month, then abnotall be granted in accorda	onditions and lys to critical rmal climatic		
		r under normal clir	-		timate of the delays to b weather prevents or disi	=		
	January	4 days	May	2 days	September	2 days		
	February	4 days	June	2 days	October	2 days		
	March	2 days	July	2 days	November	4 days		
	April	2 days	August	2 days	December	4 days		

	Claims for delays for abnormal climatic conditions shall be accompanied by substantiating facts and evidence, which shall be submitted timeously as each day or half-day delay is experienced. Should an extension of time be granted by the Engineer such extension of time will be added to the Time for Completion.
	It shall be further noted that where the critical path is not affected, no extension of time for <u>abnormal</u> climatic conditions or for any other reason will be entertained. Rainfall of less than 2mm between 7am and 5pm shall not be deemed to be an inclement weather day.
5.13.1	Clause 5.13.1: Penalty for Delay
	The penalty for failing to complete the Works will be charges per day based on the loss suffered due to delays up to a limit of 30 normal working day, upon which automatic termination will be effected by the Employer.
5.16.3	Clause 5.16.3: Latent defect liability
	The latent defect period is ten (10) years for civil engineering works.
6.8.2	Clause 6.8.2: Contract Price Adjustment
	The Contract Price Adjustment is not applicable in this contract.
6.8.3	Clause 6.8.3: Variation in Cost of Special Materials
	Price adjustments for variations in the costs of special materials are not allowed
6.10.1.5	Clause 6.10.1.5: Interim Payments - Materials on Site
	No percentage advance on materials on site but not yet built into the Permanent Works is allowed for, or will be paid.
6.10.4	Clause 6.10.4: Delivery, dissatisfaction with and payment of payment certificate
	Add the following to clause 6.10.4:
	Notwithstanding the above, the Engineer shall be empowered to withhold the delivery of the payment certificate until the Contractor has complied with his obligations to report in terms of Clause 4.10.2 and as described in the Scope of Work.
8.6.1.1.2	Clause 8.6.1.1.2: Insurance
	The value of the materials supplied by the Employer to be included in the insurance sum is -Nil.
8.6.1.1.3	Clause 8.6.1.1.3: Insurance
	The amount to cover professional fees for repairing damage and loss to be included in the insurance sum is Nil.
8.6.1.3	Clause 8.6.1.3: Insurance

	The limit of indemnity for liability insurance is R5 million for any single claim – the number of claims to be unlimited during the construction.
9.2.1.3.8	The Contractor has furnished inaccurate information in the returnable documents completed at tender stage and forming part of the Contract.
9.2.1.3.9	An official or other role player committed any corrupt or fraudulent act during the procurement process or in the execution of the contract that benefited the Contractor.
10	Clause 10: Dispute Resolution
	"Dispute resolution shall initially be by means of ad-hoc adjudication as per Clause 10.5.2. Should adjudication not be successful, then the dispute shall be referred to Arbitration under the provisions of Clause 10.7.1."
10.4.1	The parties may at time agree to settle disputes with the help of an impartial third party
10.5.3	The number of Adjudication Board Members to be appointed is five (5).
11	Clause 12: Confidentiality
	The Contractor shall treat the details of the Works comprised in this Contract as private and confidential (save in so far as may be necessary for the purposes hereof) and shall not publish or disclose the same or any particulars thereof in any trade or technical paper elsewhere without prior written consent of the Engineer.
12	Clause 13: Amendments in writing
	No amendments of this Contract or of any provisions or terms hereof and no waiver or relaxation or suspension of any of the provisions or terms of this Contract shall be of any force or effect unless reduced to writing and signed by both the parties hereto.

#### PART 2: DATA PROVIDED BY THE CONTRACTOR

The contractor is advised to read the *general conditions of contract for construction works, third edition, 2015* published by the South African institution of civil engineering, private bag x200, halfway house, 1685, in order to understand the implications of this data which is required to be completed. Copies of these conditions of contract may be obtained from www.saice.org.za.

Each item of data given below is cross-referenced to the clause in the Conditions of Contract to which it mainly applies.

Data
The name of the Contractor is:
The address of the Contractor is: Address (physical):
Address (postal):
Telephone: Facsimile: e-mail:
_

#### **PART C2: PRICING DATA**

#### **C2.1 PRICING INSTRUCTIONS**

- 1. Measurement and payment clauses of the COLTO (1998)/SANS 1200 Standardised Specifications, as well as the Particular Specifications, shall be deemed to form part of and included in the pricing instructions.
- 2. The units of measurement described in the Bill of Quantities are metric units. Abbreviations used in the Bill of Quantities are as follows:

%	=	percent	m².pass	=	square metre-pass
h	=	hour	$m^3$	=	cubic metre
ha	=	hectare	m³.km	=	cubic metre-kilometre
kg	=	kilogram	MN	=	meganewton
kl	=	kilolitre	MN.m	=	meganewton-metre
km	=	kilometre	MPa	=	megapascal
km-pass	=	kilometre-pass	No.	=	number
kPa	=	kilopascal	Prov sum	=	Provisional sum
kW	=	kilowatt	P C sum	=	Prime Cost sum
I	=	litre	sum	=	lump sum
m	=	metre	t	=	ton (1 000 kg)
mm	=	millimetre	W/day	=	Work day
m <sup>2</sup>	=	square metre	·		•

- 3. Unless otherwise stated, items are measured net in accordance with the drawings, and no allowance is made for waste.
- 4. The prices and rates to be inserted in the Bill of Quantities are to be the full inclusive prices for the work described under the items. Such prices and rates shall cover all costs and expenses that may be required in accordance with the provisions of the Scope of Work, and shall cover the cost of all general risks, liabilities, and obligations set forth or implied in the Contract Data, as well as overhead charges and profit. These prices shall be used as a basis for assessment of payment for additional work that may have to be carried out.
- 5. It will be assumed that prices included in the Bill of Quantities are based on Acts, Ordinances, Regulations, By-laws, International Standards and National Standards that were published 28 days before the closing date for tenders. (Refer to www.sabs.co.za or www.iso.org for information on standards).
- 6. Where the Scope of Work requires detailed drawings and designs or other information to be provided, all costs associated therewith are deemed to have been provided for and included in the unit rates and sum amount tendered for such items.
- 7. An item against which no price is entered will be considered to be covered by the other price s or rates in the Bill of Quantities. A single lump sum will apply should a number of items be grouped together for pricing purposes.
- 8. The quantities set out in the Bill of Quantities are approximate and do not necessarily represent the actual amount of work to be done. The quantities of work accepted and certified for payment will be used for determining payments due and not the quantities given in the Bills of Quantities.
- 9. Reasonable compensation will be received where no pay item appears in respect of work required in the Bills of Quantities in terms of the Contract and which is not covered in any other pay item.
- 10. The short descriptions of the items of payment given in the Bill of Quantities are only for the purposes of identifying the items. More details regarding the extent of the work entailed under each item appear in the Scope of Work.
- 11. The Bill of Quantities has been drawn up in accordance with the latest issue of the COLTO (1998)/SABS1200 Standardised Specifications. Descriptions in the Bill of Quantities are abbreviated and must be read in conjunction with the measurement and payment clauses of the applicable specifications.

#### SCHEDULE OF QUANTITIES PREAMBLE TO THE SCHEDULE OF QUANTITIES AND RATES

- The standard commercial terms and conditions, special terms and conditions, and specifications (including the project specification.
- The proposer is at liberty to insert a rate of his own choosing for each item in the schedule, and any item against which no quantity (where applicable) or rate is entered will be considered to be covered by other items in the schedule.
- The quantities and rates inserted in the schedule are to be inclusive prices to the employer for the
  work described under the several items. Such prices shall cover all costs and expenses that may be
  required in and for the works and shall cover the cost of all general risks, liabilities, and obligations
  set forth or implied in the documents on which the tender is based.
- All rates and amounts shall be net, exclusive of value-added tax (vat) and shall be carried to the summary page in their net form. Vat will then be calculated on the total of the nett amounts.
- All quantities and rates as set forth and inserted in the schedule and extended to the totals for each
  portion of the schedule shall be considered as being totally inclusive for the whole of the works as
  stipulated or as can reasonably be inferred from these documents.
- All product guarantees are deemed to be included in the rates, and installation and application rates will consist of all necessary inspections and approvals to maintain guarantees.
- "Complete" as it is used in the schedule means the complete system or unit as specified in the particular documents. Each item in the schedule that is priced shall be filled in black ink.
- All quantities shall be considered as final and sufficient for the work described. The proposer shall satisfy himself as to the sufficiency of quantities but may not change quantities. Quantities shall be re-measured, and payment shall be made according to the adjusted total only.

#### **NHLS STANDARD SPECIFICATION**

#### **NOTE:**

"Provide details and registration confirmation with CIDB in terms of the CIDB Act 38 of 2000. Provide proof of grading level. \_"1 GB"\_

Always read specification in conjunction with Bill of Quantities and Plan (if plan is applicable and supplied)

All Quantities measured are indicative and will be re-measured on completion

Specific products to be used, to be confirmed in Bill of Quantities

All materials and products to be used, to be ISO 9001 accredited

Variation orders can only be approved in writing by the NHLS Project Manager (certificate to be issued confirming VO and price implication)

All inspections will be conducted by NHLS Project Manager

#### GUARANTEE, MAINTENANCE, PENALTY AND RETENTION PERIOD

The Guarantee and Maintenance period shall be for 12 months commencing on the date of Practical completion and acceptance of the Installation. During the Guarantee period the Contractor shall repair all defects in the Installation which may arise as a result of inferior quality materials or faulty workmanship. 5% retention of the contract price will be held back for a period of 3 months after date of Practical completion and acceptance of the installation

The fact that the Installation will be used and occupied by the Employer during the guarantee period shall in no way exempt the Contractor from his responsibility under this clause

Should a non-urgent fault occur during the guarantee period the Contractor will be advised and he shall repair the fault in good time

Should a fault occur during the guarantee period, that is in the opinion of the Project Manager of an urgent nature, then the Contractor will be advised and shall proceed immediately to rectify the fault

Should a fault occur during the guarantee period, that is in the opinion of the Project Manager of an urgent nature, and the Contractor is not available, the Employer shall reserve the right to obtain the services of any available Contractor to repair the fault. The cost of such repair work shall be borne by the Contractor in accordance with the escalated rates. In such a case the faulty equipment shall be kept for scrutiny by the Contractor. If this occurs during the retention period and retention money is still due to the Contractor, such claim from the Alternative Contractor, will be deducted from the Retention fund

Should the frequency and breakdown/s, in the opinion of the Project Manager, become so regular as to constitute and unacceptable state of affairs or should the installation or portions thereof prove to be unacceptable, the Contractor shall upon receipt of a written instruction from the Project Manager, replace portions/components or even the entire installation if need be, at his own cost as prescribed by the Project Manager

Where the practical completion is not reached by the date stated in the Tender/RFQ document or by the revised date granted by the Project Manager, the Contractor shall be liable to a Penalty determent by the Project Manager, which is in this instance .1% (point 1 percent) of the Tender/RFQ Total value, Per Day

-2-

#### **PRELIMINARIES**

Tenderer's attention is drawn to the fact that the Hospital and Laboratory will be fully operational during the building process. The work will have to be carried out in phases and at times that must be liased and agreed to with the Business Manager and Hospital Management. This might result in certain work being carried out at certain times only, even after hours of weekends. Also note that sensitive electronic equipment are in use and no work that cause a vibration can be carried out when these equipment are in operation. Operating theaters in the vicinity of the building work will also be in use during the building program and the Contractor must liase closely with the Hospital Management and obtain their written consent and permission, before removing and/or servicing equipment/structures, that might interfere with the running of the theaters or any other service/s. The use of certain lifts for moving of material will also have to be agreed to with the Hospital Management. The tenderer must allow for this in his prices since no additional claim will be entertained in this regard

#### TENDERS SHOULD BE BASED ON THE FOLLOWING SPECIFICATIONS

# SITE APPLICATION Repair work

Repairs to cracks 0.2mm to 2mm

Rake out with a scraped blade

Remove dust and debris

Fill with pure acrylic, paintable, flexible crack filler

Cracks over 2mm

Open out with a carborundum disk into a V shape minimum 3<sup>mm</sup> wide

Remove dust and debris

Wet the crack and fill with damp 1:4 cement/sand mortar properly compacted into the cracks

Repairs to Mortar Joints

Scrape out unsound mortar

Point solidly with 1:3 cement/sand mortar properly compacted into the joints

Repairs to Painted Wall Surface Coating

Remove loose paint with a sharp paint a scraper or hand-held pneumatic engraving tools fitted with flat chisel heads

Feather edges of tightly bonded paint with a rough to medium grit paper

Built up paint covering flush with general surface area

Preparation

Generally

Materials used in preparation to be types recommended by their manufacturers and the coating manufacturer for the situation and surfaces being prepared

Apply in strict accordance with the manufacturers specification

Apply oil based stoppers/fillers after priming. Apply water based stoppers/fillers before priming unless recommended otherwise by manufacturer. Patch prime water based stoppers/fillers when applied after priming

Ensure that doors and opening windows, etc, are "eased" as necessary before coating. Prime any resulting bare areas Plastered surfaces and fibre cement boards to be washed down and allowed to dry completely

Unfinished concrete surfaces clean with 1:4 solution of spirit of salts: water

All floors where painting is to be carried out to be swept clean, walls dusted down and unpainted surfaces protected Efflorescence

Remove surface salts and other loose material with a stiff brush or coarse dry cloth

Leave for 48 hours and repeat process if further efflorescence occurs

Sand glossy surfaces to provide a key for finish

-3-

#### Ironmongery

Remove from surfaces to be coated and re-fit on completion. Do not remove hinges unless instructed to do so Previously Uncoated Timber

Ensure that large and loose knots are removed and made good with sound timber of the same species. Sand down flush Ensure that surfaces are clean and remove all oil, grease and excessive natural oils with suitable solvents

Sand to a smooth, even finish with arrises rounded or eased

Remove resinous bleeding by heat, apply two coats of knotting to resinous areas and all knots and allow to dry Ensure that head of fasteners are countersunk sufficiently to hold stopping/filling. Fill nail and screw holes, joints, cracks, holes, depressions, open or coarse grain with matching coloured stopper/filler worked well in and finished off flush with surface. Sand smooth and remove dust

Sand down to remove all plaster stains pencil marks and other blemishes from timber that is to be oiled or stained <a href="Previously Coated Timber">Previously Coated Timber</a>

Strip any existing cracked or flaking varnish back to fresh wood

Sand down any discoloured areas to fresh wood

Ensure that surfaces are clean and remove all oil, grease and excessive natural oils with suitable solvents

Sound varnish to be sanded with 360 grit paper

Uncoated Masonry/Render

Remove dirt, surface deposits, loose and faking material with a stiff brush

Fill holes and cracks flush with surface, rub down

**Unpainted Plaster** 

Remove dirt and surface deposits with a stiff brush

Rub down to remove nibs, trowel marks and plaster splashes

Lightly rub over trowelled glossy plaster with worn abrasive paper

Fill depressions, holes and cracks and lightly rub down flush with surface

Steel Generally

Remove all loose and faking paint

Feather edges of tightly bonding paint

Rusted Areas

Clean disk sand and wire brush to remove rust

Clean bare steel patches with a solvent wash

Rust convertor only to be used on small areas where hand cleaning is ineffective

Apply with a stiff brush ensuring penetration into any pitting

Inspect after two hours and recoat areas showing unconverted red rust

Prime surfaces as soon as possible after cleaning, and in any case within four hours

Coating

#### **Painting Generally**

Operatives must be appropriately skilled and experienced in the use of specified materials and methods of application Do not use materials that show any bittiness when applied. Do not thin or intermix unless specified or recommended otherwise. If materials are found to have been thinned without authorization, the Project Manager may require an additional application of additional coats

Any priming as soon as possible on the same day as preparation is completed, ensure that coats are of adequate thickness and suit surface porosity

Adjacent coats of the same material must be of a different tint to ensure that each coat provides complete coverage Apply coatings to clean, dust free, suitable dry surfaces in dry atmospheric conditions and after any previous coats have hardened. Lightly abrade between coats as necessary

Apply coatings evenly to give a smooth finish of uniform colour, free from brush marks, nibs, sags, runs and other defects. Cut in neatly and cleanly. Do not splash or mark adjacent surfaces

Keep all surfaces clean and free from dust during coating and drying. Adequately protect completed work from damage

-4-

#### Painted Joinery/woodwork

Before priming preservative treated timber, any cut surfaces to be retreated and all end grain to be liberally coated allowing it to soak in before recoating it

Pre-primed woodwork to be lightly rubbed down and patch prime to match existing

Prime: One coat primer, two coats to end grain which will be painted

Finish: Two coats Alkyd gloss, sanded down between coats

Staining

Check with stain manufacturer if primer is required for the species of timber and type of previously applied treatment. Apply stain in flowing coats. Redistribute excess material by brushing before stain has set. Allow not less than 12 hours between coats

#### **Varnishing**

Thin first coat with white spirits according to manufacturer's recommendations

Brush well in avoiding aeration and lay off

Apply further coats of varnish, rubbing down lightly between coats along the grain

Bead Glazing to Coated Timber

Before Glazing: Apply first two coats to rebates and beads

#### Concealed Joinery Surfaces

Inaccessible parts of joinery constructions are to be primed and/or coated before assembly

Where one or more additional coats are specified to be applied, they must be applied to all surfaces, including those that will be concealed when incorporated into the building

#### Wooden Doors

Varnish or paint bottom edges before hanging

#### Completion

Ensure that opening lights/windows/hinges and other moving parts move freely. Remove all masking tape and temporary coverings afterwards

#### Protection

Adequately protect all surfaces that are not to be coated

Protect all surfaces from dust and damp

Where doors are delivered to site in a finished condition, provide all necessary protection to the doors when applying coatings to the frames

#### **Air-conditioners**

Contractor to provide adequate power supply to air con unit

12 month warrantee to be included

Contractor is liable for any damages to structure

All work must be SABS approved

Each air con to be separately wired via isolator from the DB board and connected with a circuit breaker (see size and Phase requirements as stipulated in Bill)

D/P Isolator to be installed and connected adjacent to air-con unit internally (see size and Phase requirements as stipulated in Bill)

Electrical Certificate Of Compliance to be issued on completion

Allow for drilling through wall and plaster/ patch and paint afterwards. Piping to installed through walls only, never glass panes

All piping/cabling to be in PVC trunking / ducting. Allow for correct lenghts Units always to be heating and cooling (unless otherwise stipulated in Bill) All piping, brackets, gas up to commissioning to be included in pricing Supply units of the following Manufacturers or similar: Samsung, LG, Carrier, Daiken All Air-cons to be Inverter type

-5-

#### Plumbing

Only registered Plumbers to be employed for any plumbing & drainage work

Allow for  $\pm 2m^2$  tiling above each basin and sink

Allow for A Grade Glazed white tiles, 152 x 152mm, 5 - 6.5mm thick

Sinks size: 1350<sup>mm</sup> x 535<sup>mm</sup> unless otherwise specified in bill of quantities

Sink mixer for tea room sink to be 15mm chrome plated brass mixer type tap

All basins to be white glazed, each fitted with an approved 32mm chrome plated brass waste fitting with screwed outlet, and a 15mm chrome plated brass elbow action tap connected to water supply

All sinks to be stand alone stainless steel sink, work area, splash back on Pre-manufactured 40 x 32<sup>mm</sup> stainless steel square tubing frames, 4 legs on adjustable pedestals. Exposed surfaces having a smooth finish, each fitted with an approved 32mm chrome plated brass waste fitting with screwed outlet, and a 15mm chrome plated brass Hospital goose neck tap

Stainless steel grade 316 or Type 304 to be used for stainless steel sinks

All material to be SABS approved

Make sure all existing water pipes and waste is in good working condition

All existing basins and sinks to be washed and cleaned

On each water supply line, a ball valve need to be installed as close as possible to outlet, this includes basins, sinks, toilets

Each tap to be visibly marked with "H" or a "Red" mark for Hot water and "C" or a "Blue" mark for Cold water Geysers: Install makes such as Franky, Kwikhot or similar. Install on a drip tray with drain pipe to outside, pressure valve, safety valve, shut off valve, overflow pipe. Isolator to be installed at least 1m from Geyser, hot and cold water supply lines to be bonded and earthed. Isolator to be wired to DB with dedicated double pole circuit breaker.

Toilets: these shall be deemed to include the following: WC Pan, flush valve or 11 litre cistern with flushing apparatus, float valve and flush pipe and all finishings to pipes and cistern. To be the wash down type, approximately 400 high manufactured of white glazed fireclay or vitreous china, each provided with the compatible "P" or "S" –Traps, jointed to Pan. Pans and traps to be set on and encased in Class B concrete not less than 100mm thick at any point or position Wall mounted bowl urinals: to be of white glazed fireclay or vitreous china, approximately 700 x 380mm in size with back flush entry, secured to wall with at least 2 concealed hanger brackets. Each urinal to be fitted with 38mm chrome plated domical grating, urinal flushing valve complete with push button assembly, spreader and all other necessary chrome plated brass fittings as well as a chrome plated brass bottle trap

Hydroboil installations: Install always above sink (see bill of quantities for size)

Emergency shower: complete body shower with eye station. Flow rate to be 60 litre per minute. At floor level, 700mm below shower head, the radius of water reaching the floor should be 200mm. At the eye station flow rate should be 6 litre per minute at a flow pressure safe enough not to injure the User. This unit to be 1 metre from floor level. Make use of emergency showers as supplied by Broen, Bull Maurice Trading or similar

#### <u>Electrical</u>

Only registered Electricians to be employed for any electrical work

Wires to be used for sockets outlets; 2.5mm<sup>2</sup> PVC

Colour for 2- compartment steel/PVC power skirting unless differently specified in bill of quantities (colour to be confirmed)

Normal plugs to be white and dedicated plugs to be red

Electrician to consult with Lab Manager regarding lab equipment when circuit are installed to prevent overloading, new plug points to be wired from distribution board and marked properly

Legend card in DB to be up to date

Electrical Certificate Of Completion to be issued on completion

All material to be SABS approved

Circuit breakers to be SABS approved and type and size to be confirmed with Project Manager before installation Hydroboils: wire from DB Board with 30Amp double pole isolator next to Unit (at least 1m away) and 25Amp circuit breaker in DB board

-6-

#### Workbenches & Tops

Worktops to be  $32^{mm}$  thick, either 600mm or 900mm, Formica brand postform - white (unless otherwise stipulated in Bill)

Where necessary 75mm holes must be drilled in worktops to accommodate computer cables and power supply to machinery and be made good with a plastic grommet

Pre-manufacture 40 x 32<sup>mm</sup> steel square tubing frames as supplied by SA Lab or similar, sections of 1 000mm wide and 500mm deep for 600mm tops and 800mm for 900mm for postform tops. All 4 legs to be on lockable castors, wheel diameter 100mm. Bench Units to be equipped with water, basins, sinks, to be om adjustable pedestals. Benches could be 730mm or 900mm high (see bill of quantities) Sections to be bolted together, not welded. All steelwork to be epoxy powder coated in dove grey colour.

#### **Cupboards**

Steel epoxy powder coated white cupboards to be manufactured by SA Lab or similar and assembled. Units specified in bill will be either a 4 drawer (450mm wide) or 2 doors with 1 shelve unit (750mm wide). Exterior and Interior to be White powder coated. Doors to be affixed with 2 brass piano hinges each and drawers to be mounted on runners. Each drawer and door to be equipped with a PVC recessed handle. All floor cupboards to be on 4 castors each, front wheels to be lockable. See bill of quantities for sizes and combinations.

In kitchens timber cupboards to be manufactured and installed with 16mm melamine covered pressed wood. All cupboards to be on 100mm pedestals. Exterior to be Oak finish and Interior to be white finish. All visible exterior edges to be finished in Oak and internally white. Each drawer face and door to have wrap around finish. Doors to be affixed on 2 hinges each and drawers on runners. Each drawer and door to be equipped with an aluminium handle

#### **Doors**

All doors to be hung in such a way that the clearance gap between door and frame after hanging shall not exceed 2mm at sides and head. The floor clearance to be preferably 2mm but may be increased to accommodate an uneven floor finish. Exterior doors shall be hung on brass hinges. Aluminium frame glass doors to have 6mm safety laminated glass fitted, to be hung on aluminium hinges, not less than 3 hinges on a 2 100mm high door. On higher doors at least 4 hinges should be fitted. All exterior doors to be fitted with an aluminium and rubber weather strip at the bottom. Each door to be equipped with 2 door handles. Type to be confirmed by Project Manager. Behind every door a door stop should be installed on top of the floor to prevent the door handle making contact with the wall – clearance between wall and door handle to be approximately 20mm.

#### **Paint**

Two final coats of White paint to all surfaces, ceiling and walls. Door colours to be confirmed by Project Manager, if not varnished

Existing pipes against wall must be colour coded painted, for example gas, water, oxygen

Rhino board surface to receive Rhinolite to a smooth finish on dry walls

Before painting can commence, every defect/uneven surface must be repaired

Patch prime new and exposed plaster areas with 1 coat and allow drying. Coat 1 may be thinned up to 10% with mineral turpentine to aid absorption. Allow 4 hours drying time at 23° c . Three (3) coats of paint to dry wall. Paint texture and type to match existing, Colour for walls and steel frames to be white unless otherwise confirmed by Project Manager One coat metal primer to steel work and two coats final oil based enamel

Paint to be Plascon double velvet, Dulux, Prominent or similar

-7-

#### VINYL Floors

Only use Heavy duty safety Vinyl flooring which should be slip resistant and factory sealed with Polyurethane as supplied by Marley or Polyfloor. Roll to be at least 2 metres wide and vinyl 2 - 2.5 mm thick. Colour to be confirmed by Project Manager. Sample to be signed off by Project Manager before installation commences

Ensure that the sub-floor is completely smooth, level, hard, dry and clean before laying commences

Joints to be butted, grooved and heat welded ensuring that the welding rod bonds to more than 70% of the sheet
thickness. It is essential that on completion the installation be rolled, in both directions with an articulated 68kg three
sectional metal floor roller.

Skirting; install coving where wall meets floor and continue with vinyl floor 100mm high. Finish off with Vinyl/PVC Ribbon

Installation to be done by an approved Installer in accordance with the Manufacturers specifications

#### **TILE Floors**

Ensure that the sub-floor is completely smooth, level, hard, dry and clean before laying commences Only use A Grade Acid resisting Ceramic tiles, 10mm thick, 300 x 300mm in size Use SABS approved tile cement and apply as per Manufacturers instructions (colour to be confirmed by Project Manager)

Use SABS approved water proof Acid resistant grout. Gaps 5 - 10mm (colour grey) Skirtings to be 100mm high where required, coved at junction with floor and rounded on top edge

#### **CARPET Floors**

Ensure that the sub-floor is completely smooth, level, hard, dry and clean before laying commences. Installation to be done by an approved Installer in accordance with the Manufacturer's specifications

#### TILE Walls

Ensure that the wall is completely smooth, level, hard, dry and clean before laying commences

Only use A Grade Acid resisting Ceramic tiles, 10mm thick, 300 x 300mm in size

Use SABS approved tile cement and apply as per Manufacturers instructions (colour to be confirmed by Project Manager)

Use SABS approved water proof Acid resistant grout. Gaps 5 – 10mm (colour grey)

All edges and corners to be finished off with PVC edging strips. Colour to be confirmed per job depending on tile colour.

#### Glazing

All Internal glass in panes not exceeding 1.5m² of surface area shall be 4mm clear float glass

All Internal glass in panes exceeding 1.5m<sup>2</sup> of surface area shall be 6mm laminated safety glass with a Manufacturer's warranty against defects and discoloration

All Exterior glass up to a height of 10m in panes not exceeding 2.9m<sup>2</sup>of surface area shall be 6.38mm PVB Laminated annealed safety glass. Above 10m the Project Manager should appoint a Glazing Competent Person

Mirrors to comply with SABS requirements. Unframed mirrors to have polished edges

All glass in aluminium doors and frames to be fitted with 6mm laminated safety glass

All exterior facing windows to be tinted with Klingshield or similar product, unless otherwise stipulated. Colour to be confirmed by Project Manager

-8-

#### **Blinds**

Vertical Group 3 blinds to be installed (colour to be confirmed by Project Manager) Blinds to be re-measured on site before manufacturing and installation Measurements given is only for tendering purpose

#### **Suspended ceilings**

Install suspended ceilings as per Manufacturers instructions such as Donn Products or similar. Panels to be vinyl cladded smooth white panels, 1200 x 600 x 12.5mm on suspended pre-painted exposed tee trusses, including main and cross tees, hangers, grids, etc., all level and properly secured. At edges use 25mm pre-painted shadow line aluminium cornices

#### **Partitioning**

Drywall partitioning construction and support frame system including finishes to be as per Manufacturer's specifications

Minimum requirement GPG Gypsum Gyproe Standard 40 Db,  $\frac{1}{2}$  hour fire rating with a stud (63.5mm) and track system. Positioning at 600mm cc fixed to 63.5mm top & bottom track clad on both sides with 12.5mm taper edged rhino board affixed with 25mm drywall screws at 220mm cc

All corners to be finished off with drywall corner strips. All joints to be taped, jointed and smoothed before painting Aluminium skirtings to be affixed to all drywall partitioning unless otherwise specified

Door and window frames fitted in drywall partitioning to be installed as per Manufacturer's specifications

#### Lockers (Timber)

Timber lockers to be manufactured and assembled with 16mm melamine covered pressed wood. Exterior to be Oak melamine finish, including all visible edges. Interior to be White melamine finish, including all visible edges and backing. If the back side of any cupboard will be visible after installation, those exposed areas or entire area should be cladded with white melamine. Inside dimensions of each cubicle to be 300mm². Units to be assembled 3 on top of each other. Each locker to have a wrap around Oak melamine finished door, affixed with piano hinges. Each locker to be equipped with a lock and 2 keys as well as an aluminium handle (no plastic handles). Each stack of 3 to be assembled as 1 unit and 100mm adjustable chrome plated legs to be affixed underneath bottom locker.

#### Lockers (Steel)

Solid steel lockers which should be epoxy powder coated to be supplied. Sets to be single 4 tier lockers. Colour to Ivory/Beige/Karoo. Each door to be lockable and correct size padlocks with 2 keys each, per locker, to be provided

#### Locks

All exterior door locks to have 4 lever mortice locks with 2 keys each fitted (unless otherwise specified in bill)

All interior door locks to have 2 lever mortice locks with 2 keys each fitted (unless otherwise specified in bill)

All security type gates to have 7 lever locks with 2 keys each fitted

All timber lockers to have normal cupboard locks with 2 keys each fitted

All steel lockers to have padlocks with 2 keys each fitted

#### **Steel shelving**

Only powder coated grey steel shelving to be installed in storage areas, archives & wash up areas (no wood allowed). Shelving to be of an adjustable type with each shelve at least 500mm wide and 450mm deep. Bottom shelve to be at least 200mm from the floor and top shelve not higher than 2 100mm. In between top and bottom another 3 shelves, evenly spaced, to be fitted (in total 5 tier shelving). Each vertical steel supports to be affixed to the wall at, at least 2 positions in the top half. As supplied by Krost shelving or similar

-9-

#### **Signage**

All interior signs to be White Perspex with smooth edges, with vinyl (7 year) applied onto the Perspex All exterior signs to be White Chromadek, with vinyl (7 year) applied onto the metal Colour code:

Pantone: Coated - 383C / Uncoated - 397 U

CMYK – C:40 M:0 Y:100 K0 RGB – R:166 G:206 B:54

Artwork to be signed off by Project Manager before sign is manufactured

-10-

PLEASE TAKE NOTE THAT THE ABOVE SPECIFICATIONS AND MEASUREMENTS ARE SUBJECT TO CHANGE AS MAY BE DETERMINED BY THE FINAL APPROVED DRAWINGS OR COMPULSARY SITE MEETING FOR THE JOB IN QUESTION

#### WORKS AGREEMENT

#### **Contractor: The contactor shall:**

- > Provide adequate supervision and management of the works
- > Provide toilet facilities for use by his workers except where provided by the **employer**
- > Storage space is not always available for material and sufficient arrangements should be catered for and included in pricing
- Submit all local authority notices by the works
- Comply with all statutes, regulations and bylaws of local or other authorities having jurisdiction regarding the execution of the **works** and obtain all certificates and other documents required by such authorities
- Notify the Project Manager where compliance with any statute, regulation or bylaw requires a change or variation to the **works** upon which such change shall be deemed to be a **contract instruction**
- Immediately begin the **works** and continue at a rate of progress satisfactory to the Project Manager in terms of the **agreement**
- Comply with all **contract instructions** in good time
- > Bring the works, within the constructed period, to practical completion in terms of completion
- > Bring the works to final completion
- > Surplus material and waste to be carted away to a suitable dumping site to be found by the Contractor, outside the boundary of the site

#### Completion

#### **Practical Completion**

- > The Project Manager shall inspect the **works** from time to time to give the **contractor** interpretations and guidance on the standard and state of completion of the **works** which he will require the **contractor** to achieve for **practical completion**
- The **contractor** shall inform the Project Manager of the date on which he expects to achieve **practical completion**

- ➤ The Project Manager shall inspect the **works** on or before the date requested by the **contractor Where the works**:
  - ➤ Has reached **practical completion** the Project Manager shall at once issue a certificate of **practical completion** to the **contractor**
  - ➤ Has not reached **practical completion** the Project Manager shall issue a **practical completion** list to the **contractor** detailing the outstanding work to be done and **defects** to be rectified to achieve **practical completion**
  - ➤ Is not ready for **practical completion** inspection the Project Manager shall issue a list as a general guide to the **contractor** of the outstanding areas of work and **defects** to be attended to before he can request a further inspection

#### **Final Completion**

- Within seven calendar days of practical completion the Project Manager shall prepare and issue to the contractor a final completion list detailing the incomplete work and defects to be rectified within a reasonable period
- > The **defects** liability period of fourteen **calendar days** shall start on the date of **practical completion**
- On the expiry of the defects liability period the Project Manager shall immediately inspect the works for final completion. Where the works:
- ➤ Has reached **final completion** the Project Manager shall at once issue a certificate of **final completion** to the **contractor**10/...

-10-

- ➤ Has not reached **final completion** the Project Manager shall issue a **defects** list to the **contractor** detailing any incomplete work and **defects** to be rectified before the Project Manager will undertake a further inspection
- ➤ Where the **contractor** has achieved **final completion** the **latent defects** liability period shall end three years from the date of **final completion**

#### **Employer**

#### The employer shall:

- Hand over the **site** to the **contractor** by the date stated in the **schedule**. The **construction period** and **latent defects** liability period shall commence with the hand over of the **site**
- Arrange for water, sewer and electrical connections as required and pay all fees concerning this
- > Provide water and electricity as required for the execution of the works free of charge
- Not issue instructions to, interfere with, hinder or obstruct any of the **contractor's** workers or any other persons employed or acting on behalf of the **contractor**

#### **Risk and Insurance**

- ➤ The **Contractor** indemnifies the **NHLS** against any loss in respect of claims from other parties arising out of or due to the execution of the **works** or occupation of the **site** by the **contractor** consequent upon:
- ➤ Death or bodily injury or illness of any person
- > Physical loss and damage to any property other than the works
- Removal of or interference with lateral support of an adjoining property
- > The **contractor** shall take out insurances in respect of his employees as are required by law
- Where, in the opinion of the Project Manager, loss and damage to the **works** due to the **contractor's** negligence the **contractor** shall be liable for such loss and damage
- > The **contractor** shall in all circumstances be at risk for loss of, or damage to his construction plant or vehicles
- The contractor shall enclose the site along the facades where work is being done. He shall furthermore allow for all the required scaffolding, gantries, hoarding, etc to safeguard pedestrian traffic on the sidewalks or paths as well as vehicular traffic in the streets
- The form of scaffolding, gantries, hoardings, etc, must be fully detailed in his "method statement" as previously required. It is not the intention to prohibit or deviate pedestrians or traffic during construction and Tenderers are to account for this when pricing the Tender
- Adequate warning signs/ lights/ etc are to be employed where required. If the Tenderer requires the full pavement width and even part of the adjacent street then he must make all the necessary arrangements with local authorities for the pavement and street closure as well as pay for all fees in connection therewith including the loss of income due to parking meters
- The existing premises will be occupied at all times and the Contractor will be required to keep all noise to a minimum

#### Safety

- From the date of site handover to the Contractor until the completed work is handed back to the Employer, the Contractor shall be responsible for maintaining safe working conditions on site
- The Contractor shall be responsible in terms of the Occupational Health and Safety Act, 1993 (Act No 85 of 1993) and the regulations promulgated in terms of the Act or Factories, Machinery and Buildings Work Act, whichever is applicable

➤ The Contractor shall be responsible for supplying and installing the required safety signs as determined by the Occupational Health and Safety Act, 1993 (Act No 85 of 1993) All safety signs shall comply with the requirements of the latest edition of SANS 11861 as Applicable

#### **Programme**

> The Contractor shall submit his programme of work to the Project Manager not later than 14 days after the Contractor has been notified of the acceptance of his tender. If necessary the Project Manager may instruct the Contractor to adjust his programme to suit other activities

end

FURIN OF LENDER
SUPPLIER:
TENDER NO:
DESCRIPTION: RENOVATIONS TO PRINCE STREET OFFICES.

Description	Unit	Quantity	Rate	Cost excl vat
Room D 135:	Ome	Quantity	Nate	Cost CACI vat
Refurbish cupboards by repainting and installing new handles		Item		
		Hem		
to a modern standard	M <sup>2</sup>	30		
Prepare and paint walls & ceiling with Plascon Double	IVI	30		
Velvet 2 coats as per specification	M	6		
Supply and fit, PVC, 2 Compartment type, allow for bends	IVI	0		
and end caps, power skirting from wire ways for power and data reticulation and will be able to accommodate future				
expansion	NT.	0		
Supply and fit 15 amp power skirting plug points, wire from	No	8		
distribution board to prevent overloading	NT.	4		
Supply and install faux-wood venetian blinds 1006mm x	No	4		
1600 <sup>mm</sup>		Τ.		
Supply and fit wood shelves		Item		
Room D 136:		<b>.</b>		
Refurbish cupboards by repainting and installing new handles		Item		
to a modern standard	1			
Prepare and paint walls & ceiling with Plascon Double	M <sup>2</sup>	25		
Velvet 2 coats as per specification				
Supply and fit, PVC, 2 Compartment type, allow for bends	M	4		
and end caps, power skirting from wire ways for power and				
data reticulation and will be able to accommodate future				
expansion				
Supply and fit 15 amp power skirting plug points, wire from	No	6		
distribution board to prevent overloading				
Supply and install faux-wood venetian blinds 1006 <sup>mm</sup> x 1600 <sup>mm</sup>	No	4		
Supply and fit wood shelves	Item			
Room D 121				
Prepare and paint walls & ceiling with Plascon Double	M <sup>2</sup>	70		
Velvet 2 coats as per specification				
Supply and fit, PVC, 2 Compartment type, allow for bends	M	45		
and end caps, power skirting from wire ways for power and				
data reticulation and will be able to accommodate future				
expansion				
Supply and fit 15 amp power skirting plug points, wire from	No	30		
distribution board to prevent overloading				
Removal of 5m Steel sink and all plumbing		Item		
Removal of extractor and making good		Item		
Supply and fit faux-wood venetian blinds 1950mm x 3m	No	2		
Supply and fit faux-wood venetian blinds 1950mm x 4,5m	No	1		
Supply and fit faux-wood venetian blinds 970mm x 735mm	No	1		
Supply and fit laminated wooden floor design to be	M <sup>2</sup>	70		
confirmed by project manager				
Room D 227:				
Supply and fit laminated wooden floor design to be	M <sup>2</sup>	30		
confirmed by project manager	'''			
Refurbish cupboards by repainting and installing new handles		Item		
to a modern standard		Ittili		
to a modern standard	1			

Prepare and paint walls & ceiling with Plascon Double	$M^2$	30	
Velvet 2 coats as per specification			
Supply and fit, PVC, 2 Compartment type, allow for bends	No	8	
and end caps, power skirting from wire ways for power and			
data reticulation and will be able to accommodate future			
expansion			
Supply and fit 15 amp power skirting plug points, wire from	M	6	
distribution board to prevent overloading			
Supply and install faux-wood venetian blinds 4100mm x	No	1	
$1800^{\mathrm{mm}}$			
Supply and fit wood shelves	No	1	
QA Manager :			
Supply and fit laminated wooden floor design to be	M <sup>2</sup>	15	
confirmed by project manager			
Refurbish cupboards by repainting and installing new handles		Item	
to a modern standard			
Prepare and paint walls & ceiling with Plascon Double	M <sup>2</sup>	15	
Velvet 2 coats as per specification			
Supply and fit, PVC, 2 Compartment type, allow for bends	No	4	
and end caps, power skirting from wire ways for power and			
data reticulation and will be able to accommodate future			
expansion			
Supply and fit 15 amp power skirting plug points, wire from	M	4	
distribution board to prevent overloading			
Supply and install faux-wood venetian blinds 4100mm x	No	1	
1800mm		_	
Supply and fit wood shelves	No	1	
D002A	110	-	
Supply and fit ceramic tiles with grey grout and wooden	M <sup>2</sup>	25	
skirting	1,1	23	
Supply and install wall mounted cabinet with shelves and		Item	
glass filling cabineit.3,8m(L) x 500mm(W)		10111	
Prepare and paint walls & ceiling with Plascon Double	M <sup>2</sup>	25	
Velvet 2 coats as per specification	141	23	
Supply and fit, PVC, 2 Compartment type, allow for bends	M	15	
and end caps, power skirting from wire ways for power and	141	13	
data reticulation and will be able to accommodate future			
expansion			
Supply and fit 15 amp power skirting plug points, wire from	No	12	
distribution board to prevent overloading	110	12	
Supply and install faux-wood venetian blinds 4100mm x			
1800mm			
Training Room			
Supply and fit vertical blinds 1190 <sup>mm</sup> x 2140 <sup>mm</sup>	No	7	
Vanish wooden doors	No	8	
H.R Reception	140	0	
Removal of dry wood Partition wall	M	8	
Supply and fit aluminium charcoal partition for new	M	5,3	
boardroom with 6 <sup>mm</sup> privacy frosted safety glass at 3,3m (H)	1V1	5,5	
with a single sliding door.			
Removal of old wooden cabinets		Item	
Supply and fit, PVC, 2 Compartment type, allow for bends	M	30	
and end caps, power skirting from wire ways for power and	171	30	
data reticulation and will be able to accommodate future			
expansion			
Supply and fit 15 amp power skirting plug points, wire from	No	20	
distribution board to prevent overloading	110	20	
Supply and fit faux-wood venetian blinds 1780 <sup>mm</sup> X 2120 <sup>mm</sup>	No	4	
Prepare and paint walls & ceiling with Plascon Double	110	4	
Velvet 2 coats as per specification			
L VELVEL 7. COMS AS DEL SDECHICAHORI			l Í

Supply and fit laminated wooden floor design to be confirmed by project manager	M²	72		
Refurbish cupboards by repainting and installing new handles to a modern standard		Item		
Rubble removal		Item		
C.O.C to be issued on completion		Item		
Provision for Safety File		Item		
Allow the amount of R 40 000-00 (Forty Thousand Rand) for contingency to be used at the discretion of the Principal Agent and deducted in whole or in part if not required			40, 000-0	)()
PLUS 15% VAT				
GRAND TOTAL				
Estimated time to complete work				

# Technical mandatory documents which should be included on submission

no	Certificate and or license	comply	Do not comply
1	CIDB Grade 1GB	N/A	
2	Electrical Wire man's license	N/A	
3	Plumbing Trade test certificate	N/A	
4	Provide copy of CV and Certificate of experienced project manager to manage the project		

#### **NOTE:**

"Provide details and registration confirmation with CIDB in terms of the CIDB Act 38 of 2000. Provide proof of grading level. \_"1 GB"\_