

NAME OF TENDERER:.....

CLOSING DATE: 30 OCTOBER 2024

Contents

THE PROP	DSAL	Error! Bookmark not defined.	
PART E1: P	ROPOSAL PROCEDURES	4	
E1.1 NOTICE	AND INVITATION TO SUBMIT PROPOSAL		
E1.2 TSUBMIS	SSION DATA		
PART E2:	RETURNABLE DOCUMENTS AND SCHEDULES		
E2.1	LIST OF RETURNABLE DOCUMENTS		
E2.2	RETURNABLE SCHEDULES	Error! Bookmark not defined.	
FORM A:	CERTIFICATE OF TENDERER'S ATTENDANCE OF BRIEFING SESSION, if applicable	Error! Bookmark not defined.	
FORM B:	VENDOR NUMBER REGISTRATION WITH CENTRAL SUPPLIER DATABASE	20	
FORM C:	TAX COMPLIANCE		
FORM D:	PREFERENCE SCHEDULE		
FORM E:	PROOF OF REGISTRATION WITH CIDB		
FORM F:	DECLARATION OF INTEREST		
FORM G:	DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES		
FORM H:	OHS ACT DECLARATION AND SUBMISSION	••	
FORM I:	COID CERTIFICATE ISSUED BY DEPARTMENT OF LABOUR		
FORM J:	SCHEDULE OF BIDDER'S EXPERIENCE IN FENCING PROJECTS		
	IPLETED PROJECTS (to be completed for each individual project)		
	GREEMENT AND CONTRACT DATA		
	OF OFFER AND ACCEPTANCE		
	ICT DATA		
	RUCTION GUARANTEE		
PART C2: P	RICING DATA AND BILL OF QUANTITIES		
C2.1	PRICING INSTRUCTIONS	49	
PART C3: S	PART C3: SCOPE OF WORK		
C3.1 DESCRI	PTION OF WORKS	Error! Bookmark not defined.	
C3.3 ANNEX	JRES	Error! Bookmark not defined.	

RFQ

PROPOSAL PROCEDURES

1.1 NOTICE AND INVITATION TO SUBMIT PROPOSALS

Construction Industry Development Board invites Proposal for the repairs services, roof leaks (waterproofing) at the cidb centurion offices.

Preferences are offered to tenderers for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution in terms of the Preferential Procurement Regulations, 2022. Exempted Micro Enterprises (EME) or Qualifying Small Enterprises (QSE) the specific goals will be applicable.

Only tenderers who are already registered in terms of the Construction Industry Development Regulations in cidb grading designation **1ME** or higher are eligible to submit proposal.

COMPULSORY BRIEFING AND SITE INSPECTION

N/A

Proposal procedure using the two stage system will apply.

Technical proposal will be evaluated on Administrative / Mandatory Requirements and on Functionality.

Bidders who fail to obtain a minimum of 70% for Technical evaluation will not be considered further.

Financial proposal will be evaluated on price and B-BBEE as outlined in this document.

THE CLOSING DATE AND TIME FOR RECEIPT OF PROPOSAL IS 30 OCTOBER 2024 at 11h00am

Only Proposal complying with the following requirements will be considered:

- i) The request for proposal is for contractors who have a CIDB contractor grading as outlined above
- ii) Proposal submitted on the prescribed format
- iii) Proposal should be hand delivered to: 1 Cnr Hospital and de Korte, Braamfontein. RFQ Box.

Telegraphic, telephonic, telex, facsimile and late proposal will not be accepted.

Requirements for sealing, addressing, delivery, opening and assessment of proposal are stated in the Submission Data.

REQUEST FOR PROPOSAL

PART A

REQUEST FOR PROPOSAL

YOU ARE HEREBY INVITED TO SUBMIT PROPOSAL FOR SUPPLY AND INSTALL AIRCONS AT TAD.					
RFP	AIRCON 2024/5 – GP824				
NUMBER:	CIDB Ref:100098974	CLOSING DATE:	30 OCTOBER 2024	CLOSING TIME:	11h00am
DESCRIPTION	FISHPOND REFURE	BISHMENT			
THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (MBD7.1) OR AGRREMENT OF FORM OF OFFER AND ACCEPTANCE.					

SUPPLIER INFORMATION					
NAME OF BIDDER					
POSTAL ADDRESS					
STREET ADDRESS					
TELEPHONE NUMBER	CODE			NUMBER	
CELLPHONE NUMBER					
FACSIMILE NUMBER	CODE			NUMBER	
E-MAIL ADDRESS					
VAT REGISTRATION NUMBER					
TAX COMPLIANCE STATUS	CE STATUS TCS PIN:		OR	CSD No:	
B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE [TICK APPLICABLE BOX]			B-BBEE ST/ SWORN A	ATUS LEVEL FFIDAVIT	Yes No

[A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/ SWORN AFFIDAVIT (FOR EMES & QSES) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE]				
1. ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?	Yes No [IF YES ENCLOSE PROOF]	ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?	☐ Yes ☐ No [IF YES, ANSWER PART B:3]	
2. TOTAL NUMBER OF ITEMS OFFERED				
3. SIGNATURE OF BIDDER		4. DATE		
5. CAPACITY UNDER WHICH THIS BID IS SIGNED				
BIDDING PROCEDURE ENQUIRIES N	MAY BE DIRECTED TO:	TECHNICAL INFORMA	TION MAY BE DIRECTED TO:	
DEPARTMENT/ORGANIZATION	Procurement	CONTACT PERSON	Mzukisi Ntsalaze	
CONTACT PERSON	Mxolisi Mhlongo	TELEPHONE NUMBER	082 937 355	
TELEPHONE NUMBER	011 489 9707	FACSIMILE NUMBER		
FACSIMILE NUMBER		E-MAIL ADDRESS	Gauteng.proc@nhls.ac.za	
E-MAIL ADDRESS	mxolisi.mhlongo@nhls.ac.za			

PART B

TERMS AND CONDITIONS FOR BIDDING

1.	BID SUBMISSION:			
1.1.	BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.			
1.2.	ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED-(NOT TO	ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED-(NOT TO BE RE-TYPED)		
1.3.	THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEW PROCUREMENT REGULATIONS, 2017	VORK ACT AND THE PREFERENTIAL		
2.	TAX COMPLIANCE REQUIREMENTS			
2.1.	BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.			
2.2.	BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATIO TO ENABLE THE ORGAN OF STATE TO VIEW THE TAXPAYER'S PROFILE AN			
2.3.	APPLICATION FOR THE TAX COMPLIANCE STATUS (TCS) CERTIFICATE OR PIN MAY ALSO BE MADE VIA E-FILING. IN ORDER TO USE THIS PROVISION, TAXPAYERS WILL NEED TO REGISTER WITH SARS AS E-FILERS THROUGH THE WEBSITE WWW.SARS.GOV.ZA.			
2.4.	FOREIGN SUPPLIERS MUST COMPLETE THE PRE-AWARD QUESTIONNAIRE IN PART B: 3.			
2.5.	BIDDERS MAY ALSO SUBMIT A PRINTED TCC CERTIFICATE TOGETHER WITH THE BID.			
2.6.	. IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCC CERTIFICATE / PIN / CSD NUMBER.			
2.7.	WHERE NO TCC IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTR CSD NUMBER MUST BE PROVIDED.	RAL SUPPLIER DATABASE (CSD), A		
3.	QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS			
3.1.	IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?	YES NO		
3.2.	DOES THE ENTITY HAVE A BRANCH IN THE RSA?	🗌 YES 🗌 NO		
3.3.	DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA?	🗌 YES 🗌 NO		
3.4.	DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA?	🗌 YES 🗌 NO		
3.5.	IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION?	🗌 YES 🗌 NO		
CO	IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 ABOVE.			

NB: FAILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID. NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE.

SIGNATURE OF BIDDER:	·····
CAPACITY UNDER WHICH THIS BID IS SIGNED:	
DATE:	

IMPORTANT NOTICE

Bidders should ensure that proposal are hand delivered National. If the bid is late, it will not be accepted for consideration.

Proposal must be submitted on the official forms - (not to be re-typed)

The contractor will be responsible for final measurements.

Writing must be in block letters and black ink.

This bid is subject to the Preferential Procurement Policy Framework Act and the Preferential Procurement Regulations, 2017, The General Conditions of Contract for Construction Works and any other special conditions of contract specified by CIDB.

TECHNICAL ENQUIRIES

Should you require any further information in this regard, please do not hesitate to contact:

Name: Office Telephone No.: E-mail:

SUBMISSION DATA

Clause number	Submission Data
	This Request for Proposal is intended to allow the successful bidder to specify and present their skills and expertise for the above mentioned services to cidb. Final acceptance of any proposal is not guaranteed, this being the exclusive right of cidb.
	Terms and conditions of expression of interest (Annex D as published/ amended by CIDB in August 2019) contained in Annex D of the CIDB Standard for Uniformity in Engineering and Construction Works Contracts (August 2019) as published in Government Gazette No 42622, Board Notice 423 of 2019 of 08 August 2019. (See www.cidb.org.za).
	The standard conditions of expression of interest for procurements make several references to the submission data for details that apply specifically to this proposal. The submission data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the standard conditions of tender.
	Each item of submission data given below is cross-referenced to the clause in the standard conditions of tender to which it mainly applies.
E.1.1	The employer is the NHLS
E.1.2	For this contract, the following documents will be adopted:
	The single volume procurement document issued by the employer comprises of the following:
	The Request for Proposal
	Part E1: Tendering procedures
	E1.1 - Notice and invitation to Submit Peoposal E1.2 - Submission data
	Part E2: Returnable documents
	E2.1 - List of returnable documents
	E2.2 - Returnable schedules
	The Contract
	Part C1 - Agreements and Contract data
	C1.1 – Form of offer and acceptance C1.2 – Contract data
	Part C2 - Pricing Data
	C2.1 – Pricing Instructions
	Part C3 - Scope of Works
	C3.1 – Description of the works
	C3.3 - Annexures Part C4 - Site Information
E.1.4	The Employer's agent for the purpose of this proposal is deemed to be the authorised and designated representative of the Employer:
	Name (SCM Representative)
- / -	Address: E-mail
E.1.5	Cancellation and Re-Invitation of Tenders

E.1.5.1	An employer may, prior to the award of the tender, cancel a tender if-
	a) due to changed circumstances, there is no longer a need for the engineering and construction works specified in the invitation;
	b) funds are no longer available to cover the total envisaged expenditure; or
	c) no acceptable tenders are received.
	d) there is a material irregularity in the tender process.
E.1.5.2	The decision to cancel request for proposal must be published in the same manner in which the original
L.1.0.2	request for proposal was advertised
E.1.5.3	An employer may only with the prior approval of the relevant treasury cancel request for proposaln invitation for the second time.
E.1.6	Procurement procedures
E.1.6.1	Unless otherwise stated in the submission data, a contract will, subject to E.3.13, be concluded with the tenderer who in terms of E.3.11 is the highest ranked or the tenderer scoring the highest number of tender evaluation points, as relevant, based on the tender submissions that are received at the closing time for tenders.
E.1.6.2	Competitive negotiation procedure
E.1.6.2.1	Where the submission data require that the competitive negotiation procedure is to be followed, tenderers shall submit tender offers in response to the proposed contract in the first round of submissions. Notwithstanding the requirements of E.3.4, the employer shall announce only the names of the tenderers who make a submission. The requirements of E.8 relating to the material deviations or qualifications which affect the competitive position of tenderers shall not apply.
E.1.6.2.2	All responsive tenderers or at least a minimum of not less than three responsive tenderers that are highest ranked in terms of the evaluation criteria stated in the submission data shall be invited to enter into competitive negotiations based on the principle of equal treatment, keeping confidential the proposed solutions and associated information.
	Notwithstanding the provisions of E.2.17, the employer may request that tenders be clarified, specified and fine-tuned in order to improve a tenderer's competitive position provided that such clarification, specification, fine-tuning or additional information does not alter any fundamental aspects of the offers or impose substantial new requirements which restrict or distort competition or have a discriminatory effect.
E.1.6.2.3	At the conclusion of each round of negotiations, tenderers shall be invited by the employer to revise their tender offer based on the same evaluation criteria, with or without adjusted weightings. Tenderers shall be advised when they are to submit their best and final offer.
E.1.6.2.4	The contract shall be awarded in accordance with the provisions of E.3.11 and E.3.13 after tenderers have been requested to submit their best and final offer.
E.2	Tenderer's obligations
E.2.1	Eligibility
	Only those tenderers who satisfy the following criteria are eligible to submit tenders:
	a) CIDB registration
	Only tenderers who are already registered in terms of the Construction Industry Development Regulations

	25(2) in cidb grading d	esignation 1GB or higher are eligible to subr	nit proposal.	
	the tendered value, th	and subject to satisfactory proof of a tende e Employer lists in the table below the marg dered exceeds the margins shown then such t	ins it considers reasonable. However, in th	
	Category of tender	Upper limits per CIDB Regulation 17	Employer's allowable margins	
	1	R0.5 m	The Employer will use its	
	2	R1.0 m	discretion in terms of CIDB	
	3	R3.0 m	Practice Note 3 on allowable margins to be accepted	
	4	R6.0 m		
	5	R10.0 m		
	6	R20.0 m		
	7	R60.0 m		
	8	R200.0 m		
E.2.1.1 E.2.2 E.2.2.1 E.2.2.2	Only those bidders who satisfy the following eligibility criteria are eligible to submit bids: (a) Availability of resources (b) Availability of skills to manage and perform the contract (c) Previous experience on contracts of a similar value and nature (d) A letter on the companies' letterhead stating that the contractor has sufficient capacity to execute the project (e) Material Data Sheet Cost of Tendering The Employer will not compensate the tenderer for any costs incurred in attending interviews or making any submissions in the office of the Employer The cost of the tender documents charged by the employer shall be limited to the actual cost incurred by the			
E.2.3	 employer for printing the documents. Employers must attempt to make available the tender documents on its website so as not to incur any costs pertaining to the printing of the tender documents. Check documents 			
	Check the tender documents on receipt for completeness and notify the employer of any discrepancy or omission.			
E.2.4	Treat as confidential a	opyright of documents Il matters arising in connection with the tend the purpose of preparing and submitting a te		
E.2.6	• .	da of addenda to the tender documents, which n to the closing time stated in the submissi		

	account.
E.2.7	Clarification meeting:
	N/A
E.2.8	Seek clarification
	Request clarification of the tender documents, if necessary, by notifying the employer at least five (5) working days before the closing time stated in the submission data.
E.2.9	Insurance
	Be aware that the extent of insurance to be provided by the employer (if any) might not be for the full cover required in terms of the conditions of contract identified in the contract data. The tenderer is advised to seek qualified advice regarding insurance.
E.2.10	Pricing the tender offer
E.2.10.3	This contract shall not be subject to Contract Price Adjustments, foreign fluctuations, etc and all rates and prices shall remain FIXED, final and binding for the full duration of this contract.
E.2.11	Alterations to documents
	Do not make any alterations or additions to the tender documents, except to comply with instructions issued by the employer, or necessary to correct errors made by the tenderer. All signatories to the tender offer shall initial all such alterations.
E.2.12	Alternative tender offers
I —	
	No alternative tender offers will be considered
E.2.13	
	No alternative tender offers will be considered
E.2.13	No alternative tender offers will be considered Submitting a tender offer Submit one tender offer only as a single tendering entity to provide the whole of the works identified in the
E.2.13 E.2.13.1	No alternative tender offers will be considered Submitting a tender offer Submit one tender offer only as a single tendering entity to provide the whole of the works identified in the contract data and described in the scope of works, unless stated otherwise in the submission data. Return all returnable documents to the employer after completing them in their entirety, either electronically (if
E.2.13 E.2.13.1 E.2.13.2	No alternative tender offers will be considered Submitting a tender offer Submit one tender offer only as a single tendering entity to provide the whole of the works identified in the contract data and described in the scope of works, unless stated otherwise in the submission data. Return all returnable documents to the employer after completing them in their entirety, either electronically (if they were issued in electronic format) or by writing legibly in non-erasable ink. Submit the parts of the tender offer communicated on paper as an original plus the number of copies stated in the submission data, with an English translation of any documentation in a language other than English, and the parts communicated electronically in the same format as they were issued by the employer. Sign the original and all copies of the tender offer where required in terms of the submission data. The employer will hold all authorized signatories liable on behalf of the tenderer. Signatories for tenderers
E.2.13 E.2.13.1 E.2.13.2 E.2.13.3	No alternative tender offers will be considered Submitting a tender offer Submit one tender offer only as a single tendering entity to provide the whole of the works identified in the contract data and described in the scope of works, unless stated otherwise in the submission data. Return all returnable documents to the employer after completing them in their entirety, either electronically (if they were issued in electronic format) or by writing legibly in non-erasable ink. Submit the parts of the tender offer communicated on paper as an original plus the number of copies stated in the submission data, with an English translation of any documentation in a language other than English, and the parts communicated electronically in the same format as they were issued by the employer. Sign the original and all copies of the tender offer where required in terms of the submission data. The employer will hold all authorized signatories liable on behalf of the tenderer. Signatories for tenderers proposing to contract as joint ventures shall state which of the signatories is the lead partner whom the

	Title to ennear an envelope or ettechment ene(1):
	Title to appear on envelope or attachment one(1):
	1. RFP NO.:(TECHNICAL PROPOSALS)
	The appointment of a contractor to submit proposal for the repairs services, roof leaks (waterproofing) at cidb centurion offices
	This envelope must contain the Returnables, SCM Documentation and Relevant Annexures. This envelope must contain printed copies of all the pages in this document, duly completed and signed, but excluding the pricing schedules (schedule of quantities), which must be submitted in a separate envelope as detailed below.
	Title to appear on envelope or attachment two(2):
	2. RFP NO.:(FINANCIAL PROPOSALS)
	The appointment of a contractor to submit proposal for the repair services, roof leaks (waterproofing), This envelope will contain the Pricing Schedules (Bills of Quantities) and Contract Agreement
	For identification purposes, bidders are requested to ensure that the envelopes containing the company's bids are clearly marked, and are easily identifiable by the company's logo or name.
	Location of tender box: No 1 Corner Hospital and de Korte Street, Braamfontein
	Physical address: No 1 Corner Hospital and de Korte Street, Braamfontein Identification details: RFQ BOX
E.2.13.7	Seal the original tender offer in an outer package that states on the outside only the employer's address and identification details as stated in the submission data.
E.2.13.8	Accept that the employer will not assume any responsibility for the misplacement or premature opening of the tender offer if the outer package is not sealed and marked as stated.
E.2.13.9	Accept that tender offers submitted by telegraphic, telephonic, telex, facsimile and late proposal will not be accepted by the employer.
E.2.14	Information and data to be completed in all respects
	Accept that tender offers, which do not provide all the data or information requested completely and, in the form, required, may be regarded by the employer as non-responsive.
E.2.15	Closing time
	The closing time for submission of proposal GP837 is 30/10/2024 at 11h00am.
	cidb is not obliged to accept the lowest or any tender and reserves the right to accept any tender in whole or in part.
E.2.16	The tender offer validity period is 12 weeks from the closing date.
E.2.17	Clarification of tender offer after submission
	Provide clarification of request for proposal in response to a request to do so from the employer during the evaluation of tender offers. This may include providing a breakdown of rates or prices and correction of arithmetical errors by the adjustment of certain rates or item prices (or both). No change in the competitive position of tenderers or substance of the tender offer is sought, offered, or permitted.
E.2.18.2	The Tenderer shall, when requested by the Employer to do so, submit the names of all management and supervisory staff that will be employed to supervise the labour-intensive portion of the works together with satisfactory evidence that such staff members satisfy the eligibility requirements.

E.2.19	Inspections, tests and analysis		
	Provide access during working hours to premises for inspections, tests and analysis as provided for in the submission data.		
E.2.20	Submit securities, bonds and policies		
	If requested, submit for the employer's acceptance before formation of the contract, all securities, bonds, guarantees, policies and certificates of insurance required in terms of the conditions of contract identified in the contract data.		
	Provide access during working hours to premises for inspections, tests and analysis as provided for in the submission data.		
E.2.23	The Tenderer is required to submit with his/her tender all documents and schedules listed under E2.1 and E2.2.		
Add the following	Canvassing and obtaining of additional information by tenderers		
new clause E.2.24	The Tenderer shall not make any attempt either directly or indirectly to canvass any of the Employer's officials or the Employer's agent in respect of his tender, after the opening of the tenders but prior to the Employer arriving at a decision thereon.		
	The Tenderer shall not make any attempt to obtain particulars of any relevant information, other than that disclosed at the opening of tenders.		
Add the following	Prohibitions on awards to persons in service of the state		
new clause	The Employer is prohibited to award a proposal to a person -		
E.2.25	a) who is in the service of the state; or		
	b) if that person is not a natural person, of which any director, manager, principal shareholder or stakeholder is a person in the service of the state; or		
	c) a person who is an advisor or consultant contracted with the Department.		
	In the service of the state means to be -		
	a) a member of:-		
	any municipal council;		
	any provincial legislature; or		
	 the National Assembly or the National Council of Provinces; 		
	b) a member of the board of directors of any municipal entity;		
	c) an official of any municipality or municipal entity;		
	d) an employee of any national or provincial department;		
	e) provincial public entity or constitutional institution within the meaning of the Public		
	Finance Management Act, 1999 (Act No.1 of 1999);		
	f) a member of the accounting authority of any national or provincial public entity; or		
	g) An employee of Parliament or a provincial legislature.		
	In order to give effect to the above, the questionnaire for the declaration of interests in the tender of persons in service of state in part E2 of this procurement document must be		
	completed.		
E.3	The employer's undertakings		

E.3.1	Respond to requests from the tenderer
	The Employer will respond to requests for clarification received up to five (5) working days before the tender closing time.
E.3.2	Issue Addenda
	Addenda will be issued until five (5) working days before the tender closing time.
E.3.9	Arithmetical errors, omissions and discrepancies
E.3.9.1	 Check the highest ranked tenders or tenderers with the highest number of tender evaluation points after the evaluation of tender offers in accordance with E.3.11 for: a) the gross misplacement of the decimal point in any unit rate; b) omissions made in completing the pricing schedule or bills of quantities; or c) arithmetic errors in: i) line item totals resulting from the product of a unit rate and a quantity in bills of quantities or schedules of prices; or the summation of the prices.
E.3.9.2	 The arithmetical errors shall be corrected in the following manner: a) Where there is a discrepancy between the amounts in words and amounts in figures, the amount in words shall govern. b) If bills of quantities or pricing schedules apply and there is an error in the line item total resulting from the product of the unit rate and the quantity, the line item total shall govern and the rate shall be corrected. Where there is an obviously gross misplacement of the decimal point in the unit rate, the line item total as quoted shall govern, and the unit rate shall be corrected. c) Where there is an error in the total of the prices either as a result of other Corrections required by this checking process or in the tenderer's addition of prices, the total of the prices shall govern and the tenderer will be asked to revise selected item prices (and their rates if bills of quantities apply) to achieve the tendered total of the prices. The Tender Offer will be rejected if the tenderer does not correct or accept the Correction of the arithmetical error in the manner described above.
E.3.11	Functionality, Price and Preference The purpose of the evaluation is to ensure and promote compliance with the Constitution, specifically Section 217, which provides that when organs of state contract for goods or services, they must do so in accordance with a system which is fair, equitable, transparent, competitive and cost-effective. The evaluation of bids will be undertaken in 3 stages.
	Technical Proposal
	Administrative. / Mandatory Requirements
	The Technical proposal will be evaluated on Administrative. / Mandatory Requirements and Functionality.
	Bidders who fail to meet the minimum requirements for the Technical proposal will not be considered further.
	Financial Proposal will be evaluated on price and B-BBEE specific goals as outlined in this document.
	During this phase bid documents will be reviewed to determine the compliance with Standard Bidding Documents (SBD), SCM returnable, tax matters and contractor had registered on Central Data Base (CSD) and Construction Industry Development Board (CIDB). All returnable documents must be submitted with the

bid documents at the closing date and time of the bid. Bids which do not satisfy the compliance criteria will be disgualified and will not be evaluated further on pre-gualification criteria. The bid proposal will be screened for compliance with administrative requirements as indicated below and bidders must circle the correct answer Nonsubmission Administrative Item No. **Check/Compliance** shall result in **Requirements** disqualificatio n *YES Master Bid Document 1 provided and bound 2 **NO 1 Copy of Bid Document provided and bound Included in the Bid Document SCM - SBD 1 - Invitation 4 Completed and signed *YES to Bid Attached CSD SCM - SBD 2 - Tax registration 5 Clearance Certificate *YES number/SARS PIN and Requirements CSD summary report SBD SCM -4 6 *YES Completed and signed Declaration of Interest SCM - SBD 6.1 -Preference Points Claim 7 Form in terms of the Completed and signed *YES Preferential Procurement **Regulations 2017** SCM - SBD 8 -Declaration of Bidder's 8 Completed and signed *YES Past Supply Chain Management Practices SCM - SBD 7.1 -*YES 9 Contract form, purchase Completed and signed of good/ works SCM - SBD 9 - Certificate *YES 10 of Independent Bid Completed and signed Determination In case of bids where Consortia / Joint Ventures, Consortia/Joint JV agreement 11 Venture agreement completed and signed, *YES signed by both parties if applicable must be submitted with bid proposal *YES – Cidb reserves the right to reject proposals that are not submitted in the prescribed format or where

information presented is illegible or incomplete and will not be further evaluated for Mandatory Requirements (Phase 2)
**NO – Cidb reserves the right to request such information during the evaluation process of the proposal and

**NO – Cidb reserves the right to request such information during the evaluation process of the proposal and such information must be presented within short notice.

Functionality

The Functional Evaluation will be carried out to assess the Bidder's suitability to undertake the project, the Bidder's Company Experience, Key Personnel Experience, Proposal with project plan and delivery capacity will be evaluated.

Bidders who fail to obtain a minimum 70% for functionality will not be considered further.

i) Functional Evaluation Criterion Summary

The maximum points allocation per criterion is summarised in the following table:-

CRITERION	POINTS
Bidders Experience	40
Key Personnel Experience	20
Proposal with Project Plan	40
TOTAL POINTS	100

The following values/ indicators will be applicable when evaluating functionality:

CRITERIA	SUB-CRITERIA/CLAUSE		Maximum Number of Points
	Demonstrate experience in repairing flat roofs (slabs) with the rubber compound, referencing details (timelines, value, etc.) of projects related to the extent of services as per cidb specification	20	
TENDERER'S EXPERIENCE	NoClient nameDetail ed Descri ption of projectValue Duration1		40
Provide a company profile and a list of client references	Points will be allocated on a sliding scale of: (i) 4 projects or more = 20 points (ii) 3 projects = 15 (iii) 2 projects = 10 (iv) 1 project = 5		
	Client references relating to the above projects. For every one (1) relevant, contactable reference attracts four (4) points per reference.	20	
KEY PERSONNEL EXPERIENCE	The Project Manager in managing similar contracts with a minimum experience of 3 years. (Provide a comprehensive CV and relevant Qualifications).		20

		0 to 3 years = 5 points 4 to 5 years = 10 points 5 years and above = 20 points			
	PROPOSAL WITH PROJECT PLAN	The service provider must demonstrate that they have the necessary capacity to provide the required services (i) Resources = 5 (ii) Equipment = 10 (iii) Financials = 5 Project /maintenance plan including timelines, critical success factors on how the service provider will manage the project and Bill of Quantities for services required. = 20	<mark>40</mark>		
	TOTAL		100		
E.3.13.1		vill only be accepted on condition that:			
		s registered with the Construction Industry Devel ding designation;	opment Board in an appropriate		
	b) the bidder or an	ulters in terms of the Prevention and rom doing business with the public			
	i. abused the Employer's Supply Chain Management System; or				
		erform on any previous contract and has been given a			
	 d) Has completed the Compulsory Enterprise Questionnaire, SBD4, 6.1, 7.1, 8,9 and there are no conflicts of interest which may impact on the tenderer's ability to perform the contract in the best interests of the employer or potentially compromise the tender process 				
	Has submitted the documentation listed in E2.21 and E2.22				
E.3.18	The number of paper	copies of the signed contract to be provided by th	e employer is ONE.		

PART E2: RETURNABLE DOCUMENTS AND SCHEDULES

E2.1 LIST OF RETURNABLE DOCUMENTS

The following documents must be returned by the Bidder for evaluation purposes in addition to the Schedule listed in previous paragraphs.

(F	THE FOLLOWING DOCUMENTS MUST BE FURNISHED (FAILURE TO SUBMIT COMPULSORY DOCUMENTATION WILL RESULT IN YOUR BID BEING DISQUALIFIED)		NO
1	Tax Compliance (Provide PIN)	Yes 🗌	No 🗌
2	B-BEE Certificate issued by SANAS accredited verification agent/ OR AFFIDAVIT FOR EME/QSE ON DTI FORMAT	Yes 🗌	No 🗌

3	Proof of valid registration with CIDB	Yes 🗌	No 🗌
4	Signed Declaration of Interest	Yes 🗌	No 🗌
5	Certificate of Independent Bidder determination	Yes 🗌	No 🗌
6	Valid COID certificate issued by the Department of Labour	Yes 🗌	No 🗌
7	Submit an original Briefing session certificate of attendance	Yes 🗌	No 🗌
8	Fully Completed and Signed all other SBD forms	Yes 🗌	No 🗌

FORM B: VENDOR NUMBER REGISTRATION WITH CENTRAL SUPPLIER DATABASE

- 1. Bidders must submit Vendor Number Registration with Central Supplier Database
- 2. Failure to submit the Vendor Number Registration with Central Supplier Database may result with the bidder being disqualified.

ENTITY NAME	
CSD REGISTRATION No:	
NAME	
SIGNATURE OF BIDDER	
DATE	
CAPACITY UNDER W BID IS SIGNED	нісн

FORM C: TAX COMPLIANCE

CONDITIONS PERTAINING TO TAX

TAX CLEARANCE CERTFICATE REQUIREMENTS

It is a condition of bid that the taxes of the successful bidder <u>must</u> be in order, or that satisfactory arrangements have been made with South African Revenue Service (SARS) to meet the bidder's tax obligations.

- Any person who requires his or her tax compliance status to be disclosed to a Government institution or department, for purposes of submitting a bid or to confirm its good standing after the phasing out of paper based TCCs must request a unique security personal identification number (PIN) from SARS.
- 2. Very important to note is that the disclosure of a bidder's tax compliance status is an express condition for all acceptable Government bids. Failure to make the relevant disclosures will invalidate your bid and your response will be null and void.
- 3. The Government institution or department must use the PIN referred to above to verify a person's tax compliance status with SARS.
- 4. Bidders to complete the table below and provide a unique security personal identification number (PIN) from SARS which will enable the MW to access online real-time verification of a person's tax compliance status with the electronic Tax Compliance Status (TCS) system. Failure to submit the PIN may result in the bid being disgualified.

Full name of bidder:	Electronic Tax Compliance Status System PIN No:

NAME:
SIGNATURE OF BIDDER
DATE
CAPACITY UNDER WHICH BID IS SIGNED

FORM D: PREFERENCE SCHEDULE

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all bids invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to all bids:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2

- a) The value of this bid is estimated to be below R50 000 000 (all applicable taxes included) and therefore the 80/20 preference point system shall be applicable;
- 1.3 Points for this bid shall be awarded for:
 - (a) Price; and
 - (b) B-BBEE Status Level of Contributor.
- 1.4 The maximum points for this bid are allocated as follows:

	POINTS
PRICE	80
Specific Goals	20
Total points for Price and Specific Goals must not exceed	100

- 1.5 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the bid, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.
- 1.6 The purchaser reserves the right to require of a bidder, either before a bid is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

2. DEFINITIONS

- (a) **"B-BBEE"** means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) **"B-BBEE status level of contributor"** means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) "**bid**" means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price proposal, advertised competitive bidding processes or proposals;
- (d) "Broad-Based Black Economic Empowerment Act" means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) **"EME"** means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) **"functionality"** means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) "prices" includes all applicable taxes less all unconditional discounts;
- (h) "proof of B-BBEE status level of contributor" means:
 - 1) B-BBEE Status level certificate issued by an authorized body or person;
 - 2) A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
 - 3) Any other requirement prescribed in terms of the B-BBEE Act;
- (i) **"QSE"** means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;

PART 1

(j) **"rand value"** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

POINTS AWARDED FOR SPECIFIC GOALS

4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:

4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—

(a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or

(b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Points awarded for historically disadvantaged individuals

Preference points for HDI's are calculated on their percentage shareholding in a business, provided that they are actively involved in and exercise control over the enterprise. The following formula is prescribed

Where:

NEP = Points awarded for equity ownership by an HDI

NOP = The maximum number of points awarded for equity by an HDI in that specific category

EP = The percentage of equity ownership by an HDI within the enterprise or business, determined in accordance with the definition of HDI's.

A consortium or joint venture (including unincorporated consortia and joint ventures) must submit a consolidated B-BBEE Status Level Verification certificate for every separate tender

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also

be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

2.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the Specific Goals status level of contribution in accordance with the table below:

The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Percentage owned (To be completed by the tenderer)	•	
HDI		4		%		
WOMAN		4		%		
DISABLED		2		%		
YOUTH		4		%		

Locality	6		
 City of Johannesburg = 4 Gauteng Province = 2 			
TOTAL POINTS	20		

3. BID DECLARATION

3.1 Bidders who claim points in respect of Specific Goals Status Level of Contribution must complete the following:

4. SPECIFIC GOALS STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 4.1

4.1 Specific Goals = (maximum of 10 or 20 points)

(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of Specific Goals status level of contributor.

5. SUB-CONTRACTING

5.1 Will any portion of the contract be sub-contracted?

(Tick applicable box)

YES NO

5.1.1 If yes, indicate:

What percentage of the contract will be subcontracted	%?
--	----

- ii) The name of the sub-contractor_____
- iii) The B-BBEE status level of the sub-contractor
- iv) Whether the sub-contractor is an EME or QSE

(Tick applicable box)

YES	NO	

v) Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of Preferential Procurement Regulations,2017:

Designated Group: An EME or QSE which is at last 51% owned by:		QSE √
Black people		
Black people who are youth		
Black people who are women		
Black people with disabilities		
Black people living in rural or underdeveloped areas or townships		
Cooperative owned by black people		
Black people who are military veterans		
OR		
Any EME		
Any QSE		

6. DECLARATION WITH REGARD TO COMPANY/FIRM

6.1	Name of company/firm	<u>.</u>
6.2	VAT registration number	. <u>.</u>
6.3		۰ <u>.</u>
6.4	TYPE OF COMPANY/ FIRM	

- Partnership/Joint Venture / Consortium
- One person business/sole propriety
- Close corporation
- Company
- (Pty) Limited

[TICK APPLICABLE BOX]

6.5 DESCRIBE PRINCIPAL BUSINESS ACTIVITIES


6.6 COMPANY CLASSIFICATION

- Manufacturer
- Supplier
- Professional service provider
- Other service providers, e.g. transporter, etc.

[TICK APPLICABLE BOX]

6.7 Total number of years the company/firm has been in business:

- 6.8 I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the Specific Goals status level of contributor indicated in paragraphs 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for the preference(s) shown and I / we acknowledge that:
 - i) The information furnished is true and correct;
 - ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
 - iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may be required to furnish documentary proof to the satisfaction of the purchaser that the claims are correct;
 - iv) If the B-BBEE status level of contributor has been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have
 - (a) disqualify the person from the bidding process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted by the National Treasury from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution.



SIGNATURE(S) OF BIDDERS(S)
DATE
ADDRESS

FORM E: PROOF OF REGISTRATION WITH CIDB

- 1. Attach proof of CIDB registration to this page.
- 2. In the case of a joint venture / consortium (excluding consulting engineering partners) parties must each attach original or certified copy of their CIDB registration certificate.

Firm	CRS Number	CIDB Grading	Lead Partner (Indicate with X)
Combined CIDB Grading for Joint Ven	ture / Consortium:		

(Calculator is available at https://registers.cidb.org.za/common/jvcalc.asp)

The undersigned, who warrants that he / she is duly authorised to do so on behalf of the enterprise, confirms that the contents of this schedule are within my personal knowledge and are to the best of my belief both true and correct.

Person authorized to sign the bid:

Full name (in BLOCK letters):

Signature:

Date:

FORM F: DECLARATION OF INTEREST

- 1. No bid will be accepted from persons in the service of the state¹.
- 2. Any person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the bidder or their authorised representative declare their position in relation to the evaluating/adjudicating authority.
- 3. In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.
- 3.1 Full Name of bidder or his or her representative:
- 3.2 Identity Number:
- 3.3 Position occupied in the Company (director, trustee, shareholder²):
- 3.4 Company Registration Number:
- 3.5 Tax Reference Number:
- 'SCM Regulations: "in the service of the state" means to be -
- (a) a member of -
 - (i) any municipal council;
 - (ii) any provincial legislature; or
 - (iii) the national Assembly or the national Council of provinces;
- (b) a member of the board of directors of any municipal entity;
- (c) an official of any municipality or municipal entity;
- (d) an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999);
- (e) a member of the accounting authority of any national or provincial public entity; or
- must be indicated in paragraph 4 below.
- 3.8 Are you presently in the service of the state?_____YES / NO

3.8.1 If yes, furnish particulars

3.9	Have you been in the service of the state for the past twelve months?	YES / NO
3.9.1	If yes, furnish particulars	
3.10	Do you have any relationship (family, friend, other) with persons in the service of the state and who m evaluation and or adjudication of this bid?	•
3.10.1	If yes, furnish particulars	
3.11	Are you, aware of any relationship (family, friend, other) between any other bidder and any persons in who may be involved with the evaluation and or adjudication of this bid?	the service of the state YES / NO
3.11.1	If yes, furnish particulars.	
3.12	Are any of the company's directors, trustees, managers, principle shareholders or stakeholders in se	
3.12.1	If yes, furnish particulars	
3.13	Are any spouse, child or parent of the company's directors, trustees, managers, principle shareholds of the state?	ers or stakeholders in service YES / NO
3.13.1	If yes, furnish particulars	
3.14	Do you or any of the directors, trustees, managers, principle shareholders, or stakeholders of this con any other related companies or business whether or not they are bidding for this contract.	YES/NO
3.14.1	If yes, furnish particulars	. .

4. Full details of directors / trustees / members / shareholders.

Full Name	Identity Number	State Employee Number

Signature

.....

.....

.....

Date

.....

Capacity

Name of Bidder

.....

.....

FORM G: DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES

- 1 This Standard Bidding Document must form part of all bids invited.
- 2 It serves as a declaration to be used by institutions in ensuring that when goods and services are being procured, all reasonable steps are taken to combat the abuse of the supply chain management system.
- 3 The bid of any bidder may be disregarded if that bidder, or any of its directors have
 - a. Abused the institution's supply chain management system;
 - b. committed fraud or any other improper conduct in relation to such system; or
 - c. failed to perform on any previous contract.
- 4 In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

Item	Question	Yes No	
4.1	Is the bidder or any of its directors listed on the National Treasury's Database of Restricted Suppliers as companies or persons prohibited from doing business with the public sector?	Yes	No
	(Companies or persons who are listed on this Database were informed in writing of this restriction by the Accounting Officer/Authority of the institution that imposed the restriction after the audi alteram partem rule was applied).		
	The Database of Restricted Suppliers now resides on the National Treasury's website (<u>www.treasury.gov.za</u>)and can be accessed by clicking on its link at the bottom of the home pg		
4.1.1	If so, furnish particulars:		
4.2	Is the bidder or any of its directors listed on the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004)? The Register for Tender Defaulters can be accessed on the National Treasury's website (www.treasury.gov.za) by clicking on its link at the bottom of the home page.	Yes	No
4.2.1	If so, furnish particulars:		
4.3	Was the bidder or any of its directors convicted by a court of law (including a court outside of the Republic of South Africa) for fraud or corruption during the past five years?	Yes	No
4.3.1	If so, furnish particulars:		
4.4	Was any contract between the bidder and any organ of state terminated during the past five years on account of failure to perform on or comply with the contract?	Yes	No
4.4.1	If so, furnish particulars:		

CERTIFICATION

I, THE UNDERSIGNED (FULL NAME) ______CERTIFY THAT THE INFORMATION FURNISHED ON THIS DECLARATION FORM TO BE TRUE AND CORRECT.

I ACCEPT THAT, IN ADDITION TO CANCELLATION OF A CONTRACT, ACTION MAY BE TAKEN AGAINST ME SHOULD THIS DECLARATION PROVE TO BE FALSE.

SIGNATURE

.....

.....

DATE

.....

.....

POSITION

NAME OF BIDDER

FORM H: OHS ACT DECLARATION AND SUBMISSION

The Bidder declares him/herself/herself to be conversant with the following:

- 1. All the requirements, regulations and standards of the Occupational Health and Safety Act (Act 85 of 1993), hereinafter referred to as "The Act", together with its amendments and with special reference to the following Sections of the Act:
 - i) Section 8: General duties of Employers to their employees
 - ii) Section 9: General duties of Employers and self-employed persons to persons other than employees.
 - iii) Section 13: Duty to Inform
 - iv) Section 37: Acts or omissions by employees or mandatories
 - v) Sub-section 37(2) relating to the purpose and meaning of this Agreement
- 2. Construction Regulations, 2014 (Government Notice R.84) pertaining to the Contractor and to all his Subcontractors, or any amendments thereto.
- 3. Bid document Volume 3: Project Specification PD: Supplement to Volume 5: Specification for Occupational Health and Safety.
- 4. Bid document Volume 3: C1.7 Agreement in terms of Occupational Health and Safety Act.

The Bidder declares that he has or will obtain the necessary knowledge, competence and resources to comply fully with all OHS requirements should he be awarded the contract.

The Bidder confirms that he has included with his bid a written proposal describing how he will comply with OHS requirements

Signature	 Date	9
Name	Cap	acity
Bidder		

FORM J: SCHEDULE OF BIDDER'S EXPERIENCE IN -----

CIDB shall not be held responsible for incorrect judgement misled by unclear written letters/words on the forms below, to be completed by the Bidder(s). Attachment shall strictly be made where specified and at the correct location, any attachment other than what has been requested by cidb, shall be completely ignored, and scored zero, where points allocation is required.

When completing Forms, Bidder(s) may make copies of the original Forms, should the provided forms be inadequate for their completion of the information required. Forms must be hand completed in black ink, no computer regenerated forms will be accepted. Forms must be completed in full, forms not completed in full shall be rejected by scoring zero.

PART C1: AGREEMENT AND CONTRACT DATA

C1.1: FORM OF OFFER AND ACCEPTANCE

Offer

The employer, identified in the acceptance signature block, has solicited offers to enter into a contract for the procurement of: ------

The tenderer, identified in the offer signature block, has examined the documents listed in the submission data and addenda thereto as listed in the returnable schedules, and by submitting this offer has accepted the conditions of tender.

By the representative of the tenderer, deemed to be duly authorized, signing this part of this form of offer and acceptance, the tenderer offers to perform all of the obligations and liabilities of the contractor under the contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the conditions of contract identified in the contract data.

THE OFFERED TOTAL OF THE PRICES INCLUSIVE OF VALUE ADDED TAX IS:

Rand		
		.(in words);
R	. (in figures)	

This offer may be accepted by the employer by signing the acceptance part of this form of offer and acceptance and returning one copy of this document to the tenderer before the end of the period of validity stated in the submission data, whereupon the tenderer becomes the party named as the contractor in the conditions of contract identified in the contract data.

Signatur	e(s))	•			 •		• •		 	•	•		 	 •		 							•	
Name(s))		• •					•		 		•		 	 •		 							•	
Capacity	1									 								 					 •		

for the tenderer

(Name and	
address of organization/)	

Name and signature of witness Date	
------------------------------------	--

Acceptance

By signing this part of this form of offer and acceptance, the employer identified below accepts the tenderer's offer. In consideration thereof, the employer shall pay the contractor the amount due in accordance with the conditions of contract identified in the contract data. Acceptance of the tenderer's offer shall form an agreement between the employer and the tenderer upon the terms and conditions contained in this agreement and in the contract that is the subject of this agreement.

The terms of the contract are contained in:

Part C1: Agreements and contract data (which includes this agreement) Part C2: Pricing data Part C3: Scope of work Part C4: Site information

and drawings and documents or parts thereof, which may be incorporated by reference into the above listed Parts.

Deviations from and amendments to the documents listed in the submission data and any addenda thereto as listed in the returnable schedules as well as any changes to the terms of the offer agreed by the tenderer and the employer during this process of offer and acceptance, are contained in the schedule of deviations attached to and forming part of this form of offer and acceptance. No amendments to or deviations from said documents are valid unless contained in this schedule.

The tenderer shall within two weeks after receiving a completed copy of this agreement, including the schedule of deviations (if any), contact the employer's agent (whose details are given in the contract data) to arrange the delivery of any securities, bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the conditions of contract identified in the contract data. Failure to fulfill any of these obligations in accordance with those terms shall constitute a repudiation of this agreement.

Notwithstanding anything contained herein, this agreement comes into effect on the date when the tenderer receives one fully completed original copy of this document, including the schedule of deviations (if any). Unless the tenderer (now contractor) within five working days of the date of such receipt notifies the employer in writing of any reason why he cannot accept the contents of this agreement, this agreement shall constitute a binding contract between the parties.

Signature(s)	
Name(s)	
Capacity	
Name and	Date

ONLY TO BE COMPLETED AT ACCEPTANCE STAGE

Schedule of Deviations

Notes:

- 1. The extent of deviations from the tender documents issued by the Employer prior to the tender closing date is limited to those permitted in terms of the Conditions of Expression of Interest,
- 2. A Tenderer's covering letter shall not be included in the final contract document. Should any matter in such letter, which constitutes a deviation as aforesaid, become the subject of Agreements reached during the process of offer and acceptance, the outcome of such Agreement shall be recorded here,
- 3. Any other matter arising from the process of offer and acceptance either as a confirmation, clarification or change to the tender documents and which it is agreed by the Parties becomes an obligation of the contract shall also be recorded here,
- 4. Any change or addition to the tender documents arising from the above Agreements and recorded here, shall also be incorporated into the final draft of the Contract,

1 Subject
2 Subject
Details
3 Subject
Details
4 Subject
Details

By the duly authorised representatives signing this Schedule of Deviations, the Employer and the Tenderer agree to and accept the foregoing Schedule of Deviations as the only deviations from and amendments to the documents listed in the Submission data and Addenda thereto as listed in the Tender Schedules, as well as any confirmation, clarification or change to the terms of the offer agreed by the Tenderer and the Employer during this process of offer and acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the Tender Documents and the receipt by the Tenderer of a completed signed copy of this Agreement shall have any meaning or effect in the Contract between the parties arising from this Agreement.

FOR THE TENDERER:

Signature(s)			
Name(s)			
Capacity			
	[Name and address of organisation]		
Name and signature of witness		Date	
FOR THE EMPLOYER:			
Signature(s)			
Name(s)			
Capacity			
	[Name and address of organisation]		
Name and signature of witness		Date	

ONLY TO BE COMPLETED AT ACCEPTANCE STAGE

CONFIRMATION OF RECEIPT

The Tenderer (now Contractor), identified in the Offer part of this Agreement, hereby confirms receipt from the Employer, identified in the Acceptance part of this Agreement, of one fully completed original copy of this Agreement, including the Schedule of Deviations (if any) today:

The[day]	
of	[month]
20[year]	
at	[place]
For the Contractor:	Signature
	Name
Cignoture and name of withoas	Capacity
Signature and name of witness:	Signature
	Name

ONLY TO BE COMPLETED AT ACCEPTANCE STAGE

C1.2 CONTRACT DATA

PROJECT T	ITLE:	THE APPOINTMENT OF A CONTRACTOR FOR THE
CONTRACT NO:		
C.1.2 Contra	ct Data	
		s of Contract for Construction Works, Third Edition (2015) published by the South African Institution of Civil g X200, Halfway House, 1685, is applicable to this Contract and is obtainable from www.saice.org.za.
together with procedures for	h these c or the adm	s of Contract for Construction Works make several references to the Contract Data for specific data, which onditions collectively describe the risks, liabilities and obligations of the contracting parties and the inistration of the Contract. The Contract Data shall have precedence in the interpretation of any ambiguity or i it and the General Conditions of Contract.
Part 1: Data	provided	by the Employer
Clause	Data	
1.1.1.13	Claus	se 1.1.1.13: Defects Liability Period
1.1.1.14		Defects Liability Period is 6 months , measured from the date of the Certificate of Completion
1.1.1.14	Claus	se 1.1.1.14: Due Completion Date
		me for achieving Practical Completion is 2 months after the Commencement Date
1.1.1.15		name of the Employer is NHLS, represented by and/or such persons or person duly prised to be the Employer in writing.
1.1.1.26	The F	Pricing Strategy is a bill of quantities
1.2.1.2	The E	mployer's address for receipt of communications is:
		osal should be submitted to the following add :
2.4.1		e event of any ambiguity, conflict or discrepancy between the various contract documents, lists and dules, the order of precedence (from highest to lowest) shall be as follows:
	• The	form of offer and acceptance
	• The	e contract data
		neral conditions of contract (GCC 2015)
		pe of Work
		NS 1200 Standardised Specifications
		information Instruction drawings
		of quantities
		e returnable schedules
3.1.3	The C	Contractor shall obtain the specific approval of the Employer before executing any of his functions or duties

5.3.1	Clause 5.3.1: Commencement of the Works
	e) The Contractor shall be obliged to report forthwith to the Employer any investigation, complaint or criminal charge which may arise as a consequence of the provisions of the Act and regulations, pursuant to work performed in terms of this Contract, and shall, on written demand, provide full details in writing of such investigation, complaint or criminal charge;
	d) The Contractor agrees that any duly authorised official of the Employer shall be entitled to take such steps as may be necessary to ensure that the Contractor has complied with his undertakings as set out more fully in paragraphs (a) and (b) above, which steps may include, but will not be limited to, the right to inspect any appropriate site or premises occupied by the Contractor, or to inspect any appropriate records or Safety Plans held by the Contractor;
	c) The Contractor hereby accepts sole liability for such due compliance with the relevant duties, obligations and prohibitions imposed by the Act and Regulations, and expressly absolves the Employer from itself being obliged to comply with any of the aforesaid duties, obligations, and prohibitions; with the exception of such duties, obligations and prohibitions expressly assigned to the Employer in terms of the Act and its associated Regulations;
	 b) The Contractor undertakes that all relevant duties, obligations and prohibitions imposed in terms of the Act and regulations will be fully complied with;
	a) The Contractor undertakes that the appropriate officials and employees of the Contractor will fully acquaint themselves with all relevant provisions of the Act and the Regulations promulgated in terms of the Act;
4.3.3	"The Employer and the Contractor hereby agree, in terms of the provisions of section 37 (2) of the Occupational Health & Safety Act, 1993 (Act 85 of 1993, hereinafter referred to as 'the Act') that the following arrangements and procedures shall apply between them to ensure compliance by the Contractor with the provisions of the Act, namely:
	9. Clause 10.1.5 The giving of a ruling on a Contractor's claim
	 Clause 6.11 The agreeing of the adjustment of the sums for general items
	 Clause 6.3.2 The issuing of variation orders Clause 6.8.4 The determination of additional or reduced cost arising from changes in the legislation
	 Clause 5.13.2 Reduction of a penalty for delay Clause 6.3.2 The issuing of variation orders
	4. Clause 5.12.4 Acceleration of progress instead of extension of time
	3. Clause 5.12.1 Approval of any extension of time for completion
	2. Clause 5.11.1 Suspension of the Works
	1. Clause 5.8.1 Non-working times
	according to the following Clauses of the General Conditions of Contract: GCC 2015 3rd Edition

	The documenta	tion required befo	re commencemer	t with Works execu	ution are:				
	a)	Health and Safe	ety Plan						
	b)	Initial program	me						
	c)	Security							
	d)	Insurance							
5.3.2	Clause 5.3.2: 1	Timeframe to deli	ver documentation	on					
	The time to sub days.	omit the documen	tation required b	efore commencem	ent with Works executior	n is fourteen (14)			
5.4.4	connection wit	h access to the S	ite. The Contrac	•	porary rights of way requ de at his own cost any a	•			
5.8.1	Clause 5.8.1: N	Non-Working Tim	es						
	The non-workin	g days are Saturda	ays and Sundays.						
	The special non-working days are:								
	•			the year end break ecember and endir	k. Ig on 7 January (Provision	al).			
5.12.2.	Clause 5.12.2.:	Some reasons for	or extension of ti	me					
	Clause 5.12.2	2: Abnormal cli	matic conditions	5.					
	Add the followir	ng:							
	•		•	,	/ be considered if it can b Works (Clause 5.6.1).	be shown that the			
	No extension of time will be granted in respect of any delays attributed to normal climatic conditions. Normal climatic conditions shall be deemed to include normal rainfall and associated wet conditions and materials strong winds and extremes of temperature. However, in the event that delays to critical activities exceed the number of working days listed below for each month, then abnormal climatic conditions shall be deemed to exist, an an extension of time shall be granted in accordance with the provisions of that clause.								
			-		timate of the delays to be ner prevents or disrupts w	-			
	January	4 days	May	2 days	September	2 days			
	February	4 days	June	2 days	October	2 days			
	March	2 days	July	2 days	November	4 days			

	April	2 days	August	2 days	December	4 days
	which shall be su	bmitted timeousl	y as each day or	half-day delay is	panied by substantiating f experienced. Should an e Time for Completion.	
		ny other reason	will be entertained		l, no extension of time for than 2mm between 7am ar	
5.13.1	Clause 5.13.1: P	enalty for Delay	,			
		U 1		0 1	ay based on the loss suffention will be effected by the	•
5.16.3	Clause 5.16.3: La	atent defect liab	bility			
	The latent defect	period is ten (10) years for civil en	gineering works.		
6.8.2	Clause 6.8.2: Co	ntract Price Ad	justment			
	The Contract Pric	e Adjustment is	not applicable in t	his contract.		
6.8.3	Clause 6.8.3: Va	riation in Cost of	of Special Materia	ls		
	Price adjustments	for variations in	the costs of speci	al materials are	not allowed	
6.10.1.5	Clause 6.10.1.5:	Interim Paymer	ts - Materials or) Site		
	No percentage ac paid.	Ivance on materi	als on site but not	yet built into the	Permanent Works is allow	ved for, or will be
6.10.4	Clause 6.10.4: D	elivery, dissatis	faction with and	payment of pay	vment certificate	
	Add the following	to clause 6.10.4	:			
	•	•	0	•	hhold the delivery of the p s of Clause 4.10.2 and as o	•
8.6.1.1.2	Clause 8.6.1.1.2:	Insurance				
	The value of the r	naterials supplie	d by the Employer	to be included in	n the insurance sum is -Nil	
8.6.1.1.3	Clause 8.6.1.1.3:	Insurance				
	The amount to co	ver professional	fees for repairing	damage and loss	s to be included in the insu	rance sum is Nil.
8.6.1.3	Clause 8.6.1.3: Ir	isurance				
	The limit of indem unlimited during	•		on for any single	claim – the number of clain	ms to be

Γ

9.2.1.3.8	The Contractor has furnished inaccurate information in the returnable documents completed at tender stage and forming part of the Contract.
9.2.1.3.9	An official or other role player committed any corrupt or fraudulent act during the procurement process or in the
9.2.1.3.9	execution of the contract that benefited the Contractor.
10	Clause 10: Dispute Resolution
	"Dispute resolution shall initially be by means of ad-hoc adjudication as per Clause 10.5.2. Should adjudication not be successful, then the dispute shall be referred to Arbitration under the provisions of Clause 10.7.1."
10.4.1	The parties may at time agree to settle disputes with the help of an impartial third party
10.5.3	The number of Adjudication Board Members to be appointed is five (5).
11	Clause 12: Confidentiality
	The Contractor shall treat the details of the Works comprised in this Contract as private and confidential (save in so far as may be necessary for the purposes hereof) and shall not publish or disclose the same or any particulars thereof in any trade or technical paper elsewhere without prior written consent of the Engineer.
12	Clause 13: Amendments in writing
	No amendments of this Contract or of any provisions or terms hereof and no waiver or relaxation or suspension of any of the provisions or terms of this Contract shall be of any force or effect unless reduced to writing and signed by both the parties hereto.

PART 2: DATA PROVIDED BY THE CONTRACTOR

The contractor is advised to read the general conditions of contract for construction works, third edition, 2015 published by the South African institution of civil engineering, private bag x200, halfway house, 1685, in order to understand the implications of this data which is required to be completed. Copies of these conditions of contract may be obtained from www.saice.org.za.

Each item of data given below is cross-referenced to the clause in the Conditions of Contract to which it mainly applies.

Clause	Data
1.1.1.9	The name of the Contractor is:
1.2.1.2	The address of the Contractor is: Address (physical): Address (postal): Address (postal): Telephone: e-mail:

PART C2: PRICING DATA

C2.1 Pricing Instructions

C2.1 PRICING INSTRUCTIONS

- 1. Measurement and payment clauses of the COLTO (1998)/SANS 1200 Standardised Specifications, as well as the Particular Specifications, shall be deemed to form part of and included in the pricing instructions.
- 2. The units of measurement described in the Bill of Quantities are metric units. Abbreviations used in the Bill of Quantities are as follows:

% h ha kg kl km km-pass kPa kW I m mm mm		percent hour hectare kilogram kilolitre kilometre kilometre-pass kilopascal kilowatt litre metre millimetre	m ² .pass m ³ m ³ .km MN MN.m MPa No. Prov sum P C sum sum t W/day	square metre-pass cubic metre cubic metre-kilometre meganewton meganewton-metre megapascal number Provisional sum Prime Cost sum lump sum ton (1 000 kg) Work day
m²	=	square metre		

- 3. Unless otherwise stated, items are measured net in accordance with the drawings, and no allowance is made for waste.
- 4. The prices and rates to be inserted in the Bill of Quantities are to be the full inclusive prices for the work described under the items. Such prices and rates shall cover all costs and expenses that may be required in accordance with the provisions of the Scope of Work, and shall cover the cost of all general risks, liabilities, and obligations set forth or implied in the Contract Data, as well as overhead charges and profit. These prices shall be used as a basis for assessment of payment for additional work that may have to be carried out.
- It will be assumed that prices included in the Bill of Quantities are based on Acts, Ordinances, Regulations, By-laws, International Standards and National Standards that were published 28 days before the closing date for tenders. (Refer to www.sabs.co.za or www.iso.org for information on standards).
- 6. Where the Scope of Work requires detailed drawings and designs or other information to be provided, all costs associated therewith are deemed to have been provided for and included in the unit rates and sum amount tendered for such items.
- 7. An item against which no price is entered will be considered to be covered by the other price s or rates in the Bill of Quantities. A single lump sum will apply should a number of items be grouped together for pricing purposes.
- The quantities set out in the Bill of Quantities are approximate and do not necessarily represent the actual amount of work to be done. The quantities of work accepted and certified for payment will be used for determining payments due and not the quantities given in the Bills of Quantities.
- 9. Reasonable compensation will be received where no pay item appears in respect of work required in the Bills of Quantities in terms of the Contract and which is not covered in any other pay item.
- 10. The short descriptions of the items of payment given in the Bill of Quantities are only for the purposes of identifying the items. More details regarding the extent of the work entailed under each item appear in the Scope of Work.
- 11. The Bill of Quantities has been drawn up in accordance with the latest issue of the COLTO (1998)/SABS1200 Standardised Specifications. Descriptions in the Bill of Quantities are abbreviated and must be read in conjunction with the measurement and payment clauses of the applicable specifications.

SCHEDULE OF QUANTITIES PREAMBLE TO THE SCHEDULE OF QUANTITIES AND RATES

- The standard commercial terms and conditions, special terms and conditions, and specifications (including the project specification.
- The proposer is at liberty to insert a rate of his own choosing for each item in the schedule, and any item against which no quantity (where applicable) or rate is entered will be considered to be covered by other items in the schedule.
- The quantities and rates inserted in the schedule are to be inclusive prices to the employer for the work described under the several items. Such prices shall cover all costs and expenses that may be required in and for the works and shall cover the cost of all general risks, liabilities, and obligations set forth or implied in the documents on which the tender is based.
- All rates and amounts shall be net, exclusive of value-added tax (vat) and shall be carried to the summary page in their net form. Vat will then be calculated on the total of the nett amounts.
- All quantities and rates as set forth and inserted in the schedule and extended to the totals for each portion of the schedule shall be considered as being totally inclusive for the whole of the works as stipulated or as can reasonably be inferred from these documents.
- All product guarantees are deemed to be included in the rates, and installation and application rates will consist of all necessary inspections and approvals to maintain guarantees.
- "Complete" as it is used in the schedule means the complete system or unit as specified in the particular documents. Each item in the schedule that is priced shall be filled in black ink.
- All quantities shall be considered as final and sufficient for the work described. The proposer shall satisfy himself as to the sufficiency of quantities but may not change quantities. Quantities shall be re-measured, and payment shall be made according to the adjusted total only.

PART C3: SCOPE OF WORK

RFQ NO: 0888487 / GP837

INVITATION TO QUOTE ON

DESCRIPTION: FISHPOND REFURBISHMENT AT BRAAMFONTEIN COMPLEX, GAUTENG REGION.

COMPULSORY SITE MEETING: N/A

CLOSING DATE:30 OCTOBER 2024 @ 11H00 AT CNR DEKORTE AND HOSPITAL STREET AT BRAAMFONTEIN NHLS QUOTE BOX AT NHLS RECEPTION

DESCRIPTION: FISHPOND REFURBISHEMENT.

ltem No	Description	UoM	Quantity	Rate	Amount
	BILL NO. 01				
	FISHPOND REFURBISHMENT				
1.0	ALTERATIONS (PROVISIONAL)				
1.1	REMOVAL OF EXISTING WORK				
1.2	Allow for protecting all existing work liable to suffer damage (i.e.) Walls, finishes, floors, windows, joinery fittings, etc.) from damage during the building operations, alterations, etc. and make good all work damaged with new material damaged to match existing to the approval of the Project Manager	Item			
1.3	Taking out and removing				
1.4	Drain water in fish to about 6 inches and safely relocate fish to a location identified by the employer, drain the water complete in pond	No	4		
1.5	Hacking up/off and removing floor coverings mortar bed or adhesive from concrete brickwork and preparing, surfaces for new screed, plaster, tile finish, etc				
1.6	Floor covering including preparing screed for new finish etc. (new finish elsewhere measured)	m2	60		
1.7	Hacking up/off and removing floor coverings mortar bed or adhesive from concrete brickwork and preparing, surfaces for new screed, plaster, tile finish, etc				
1.8	Wall covering including preparing screed for new finish etc. (new finish elsewhere measured)	m2	104		
2.0	PLASTERING				
2.1	1:3 Cement screed on concrete:				
2.2	30mm Thick on floors in patches	m2	60		
2.3	1:4 Cement plaster on concrete:				
2.4	On walls in patches	m2	104		
3.0	WATERPROOFING				
3.1					

-	1			
	Prepare and brush to remove all loose			
	contaminants, apply water-based epoxy resin			
3.2	paint (3 coats).			
3.3	On walls	m2	60	
3.4	On floors	m2	104	
	Livingstone Fiberglass Chopped Strand Matting laid			
3.5	on concrete surfaces	m2	164	
	DAINTWODK			
4.0	PAINTWORK			
4.1	Paintwork, etc. to waterproofed surfaces			
4.1	<u>I alliwork, etc. to waterprobled surfaces</u>			
	Prepare and paint walls and floors with plascon			
	velvaglo waterproofing paint or like, 2 coats as per			
	specification color will be confirmed upon			
4.2.	appointment	m2	164	
4.3	Paintwork, etc. to previously painted work			
	Prepare and paint existing tiles with plascon			
	velvaglo or similar to, 2 coats as per specification			
4.4			50	
4.4	color will be confirmed upon appointment	m2	50	
5.0	PLUMBING AND DRAINAGE			
5.0				
	Supply and install Combo Pond Box - 15w UV, 2			
	Bag Sand filter, 25l Biofilter, 0.6kw Pump (12000)			
5.1	pond)	No	1	
5.1		INU	1	
	Sub - Total			
			<u>† </u>	
	Allow the amount of R 10 000-00 (Ten thousand		+ +	
	Rand only) for contingency to be used at the			
	discretion of the project manager and dedicated in			
	whole or in part if not required			R10 000-00
			+	110 000-00
			<u> </u>	
	Sub Total Including Contingency			
			+ +	
			┨	
	Vat @ 15%			
	Total (Incl of Vat)			
	·			· · ·

Price Declaration Form

Please indicate your total RFQ price here: R ______ (compulsory)

Important:

It is mandatory to indicate your total RFQ price as requested above. This price must be the same as the total RFQ price you submit in your pricing schedule. Should the total RFQ prices differ, the one indicated above shall be considered the correct price.

The following must be noted:

All prices must be VAT inclusive and must be quoted in South African Rand (ZAR).

All prices must be firm and fixed from the tender closing date and for the duration of the contract

All the consortium or joint venture partners must submit a complete set of the latest audited financial Statements.

All bidders must cost according to the costing template provided or this will lead to disqualification.

The cost of delivery, labour etc. must be included in this proposal.

Bidders must keep all items listed below in stock.

We undertake to hold this offer open for acceptance for a period of 90 days from the date of submission of offers. We further undertake that upon final acceptance of our offer, we will commence with delivery when required to do so by the Client.

RFQ Number:

Name of Bidder:

NOTE: "Provide details and registration confirmation with CIDB in terms of the CIDB Act 38 of 2000. Provide proof of grading level 1GB or Higher

Technical mandatory documents which should be included on submission

no	Certificate and or license	comply	Do not comply
1	Electrical Wire man's license		
2	Plumbing and Drainage Trade Test Certificate		
3	Provide a detailed CV and Proof of qualifications of a suitably qualified Construction Project Manager or related qualification in the built environment, with a minimum NQF Level 6 qualification and over 5 years' experience in general building and related works.		

Important Note:

- Always read specification in conjunction with Bill of Quantities and Plan (if plan is applicable and supplied).
- All Quantities measured are indicative and will be re-measured on completion.
- Specific products to be used, to be confirmed in Bill of Quantities.
- All materials and products to be used, to be ISO 9001 accredited.
- Due to the nature of our labs (operation 24 hours) the contractor will be expected to work after hours and over the weekend.
- Variation orders can only be approved in writing (via the email) by the NHLS Project Manager
- No additional or extra work done will be paid for unless the project manager has issued a variation order.
- NHLS Project Manager will conduct all inspections.
- The contractor should be required to move the equipment (furniture, benches, etc.) and put them back requested.
- Only material installed will be paid and not for any wastage (no material on site will be paid).
- NHLS delegates can also and contact the client or visit the work done as referred on the completion certificate.
- Contractor will be requested to provide comprehensive safety file; work will be only allowed to commence after the file has been formally approve by NHLS.
- A contractor is expected to sign a 37(2) Agreement (Form FMI 0008) before commencing with the project.
- No progress payment will be made less than R200,000.00.

References:

- NHLS delegates can also and contact the client or visit the work done as referred on the reference or completion certificate.
- All the contractors will be requested to provides NHLS with the following signed of stamped references or completion certificates of similar work done on company or departments letter head, not more than five years (5) old as per the table below

If QUOTE VALUE	REQUIRED REFERENCE OR COMPLETION CERTIFICATES	CONTRACT VALUE OF PROJECT PREVIOUSLY DONE
	One(1) copy of contactable reference or completion certificate, on client's letterhead, with contact details, valid e-mail address, office	
R0-R50,000.00	telephone, cell phone and business address	N/A
	Two(2) copies of contactable reference or completion certificate, , on	
R50,000.00 -	client's letterhead, with contact details, valid e-mail address, office	
R100.000.00	telephone, cell phone and business address	N/A
	Three(3) copies of contactable reference or completion certificate, , on	
R100,000.00 -	client's letterhead, with contact details, valid e-mail address, office	
R200.000.00	telephone, cell phone and business address	At least 1x R100,000.00 and above
	Three(3) copies of contactable reference or completion certificate, , on	
R200,000.00	client's letterhead, with contact details, valid e-mail address, office	At least 3x R200,000.00 and
and above	telephone, cell phone and business address	above

GUARANTEE, MAINTENANCE, PENALTY AND RETENTION PERIOD

The Guarantee and Maintenance period shall be for 12 months commencing on the date of Practical completion and acceptance of the Installation. During the Guarantee period the Contractor shall repair all defects in the Installation which may arise as a result of inferior quality materials or faulty workmanship. 5% retention of the contract price will be held back for a period of 3 months after date of Practical completion and acceptance of the installation

The fact that the Installation will be used and occupied by the Employer during the guarantee period shall in no way exempt the Contractor from his responsibility under this clause

Should a non-urgent fault occur during the guarantee period the Contractor will be advised and he shall repair the fault in good time

Should a fault occur during the guarantee period, that is in the opinion of the Project Manager of an urgent nature, then the Contractor will be advised and shall proceed immediately to rectify the fault

Should a fault occur during the guarantee period, that is in the opinion of the Project Manager of an urgent nature, and the Contractor is not available, the Employer shall reserve the right to obtain the services of any available Contractor to repair the fault. The cost of such repair work shall be borne by the Contractor in accordance with the escalated rates. In such a case the faulty equipment shall be kept for scrutiny by the Contractor. If this occurs during the retention period and retention money is still due to the Contractor, such claim from the Alternative Contractor, will be deducted from the Retention fund

Should the frequency and breakdown/s, in the opinion of the Project Manager, become so regular as to constitute and unacceptable state of affairs or should the installation or portions thereof prove to be unacceptable, the Contractor shall upon receipt of a written instruction from the Project Manager, replace portions/components or even the entire installation if need be, at his own cost as prescribed by the Project Manager

Where the practical completion is not reached by the date stated in the Tender/ RFQ document or by the revised date granted by the Project Manager, the Contractor shall be liable to a Penalty determent by the Project Manager, which is in this instance .1% (point 1 percent) of the Tender/ RFQ Total value, Per Day

PRELIMINARIES

Tenderer's attention is drawn to the fact that the Hospital and Laboratory will be fully operational during the building process. The work will have to be carried out in phases and at times that must be liaised and agreed to with the Business Manager and Hospital Management. This might result in certain work being carried out at certain times only, even after hours of weekends. Also note that sensitive electronic equipment are in use and no work that cause a vibration can be carried out when these equipment are in operation. Operating theaters in the vicinity of the building work will also be in use during the building program and the Contractor must liaise closely with the Hospital Management and obtain their written consent and permission, before removing and/or servicing equipment/structures, that might interfere with the running of the theaters or any other service/s. The use of certain lifts for moving of material will also have to be agreed to with the Hospital Management. The tenderer must allow for this in his prices since no additional claim will be entertained in this regard

TENDERS SHOULD BE BASED ON THE FOLLOWING SPECIFICATIONS

SITE APPLICATION

Repair to cracks

Repairs to cracks 0.2^{mm} to 2^{mm} Rake out with a scraped blade. Remove dust and debris. Fill with pure acrylic, paintable, flexible crack filler.

<u>Cracks over 2^{mm}</u> Open out with a carborundum disk into a V shape minimum 3^{mm} wide. Remove dust and debris. Wet the crack and fill with damp 1:4 cement/sand mortar properly compacted into the cracks.

Repairs to Mortar Joints Scrape out unsound mortar Point solidly with 1:3 cement/sand mortar properly compacted into the joints

Repairs to Painted Wall Surface Coating

Remove loose paint with a sharp paint a scraper or hand-held pneumatic engraving tools fitted with flat chisel heads Feather edges of tightly bonded paint with a rough to medium grit paper Built up paint covering flush with general surface area

Preparation - Generally

Materials used in preparation to be types recommended by their manufacturers and the coating manufacturer for the situation and surfaces being prepared.

Apply in strict accordance with the manufacturers specification.

Apply oil based stoppers/fillers after priming. Apply water based stoppers/fillers before priming unless recommended otherwise by manufacturer. Patch prime water based stoppers/fillers when applied after priming.

Ensure that doors and opening windows, etc, are "eased" as necessary before coating. Prime any resulting bare areas.

Plastered surfaces and fibre cement boards to be washed down and allowed to dry completely.

Unfinished concrete surfaces clean with 1:4 solution of spirit of salts: water.

All floors where painting is to be carried out to be swept clean, walls dusted down and unpainted surfaces protected.

Efflorescence

Remove surface salts and other loose material with a stiff brush or coarse dry cloth. Leave for 48 hours and repeat process if further efflorescence occurs. Sand glossy surfaces to provide a key for finish.

Ironmongery

Remove from surfaces to be coated and re-fit on completion. Do not remove hinges unless instructed to do so

Previously Uncoated Timber

Ensure that large and loose knots are removed and made good with sound timber of the same species. Sand down flush

Ensure that surfaces are clean and remove all oil, grease and excessive natural oils with suitable solvents

Sand to a smooth, even finish with arrises rounded or eased

Remove resinous bleeding by heat, apply two coats of knotting to resinous areas and all knots and allow to dry

Ensure that head of fasteners is countersunk sufficiently to hold stopping/filling. Fill nail and screw holes, joints, cracks, holes, depressions, open or coarse grain with matching coloured stopper/filler worked well in and finished off flush with surface. Sand smooth and remove dust

Sand down to remove all plaster stains pencil marks and other blemishes from timber that is to be oiled or stained

Previously Coated Timber

Strip any existing cracked or flaking varnish back to fresh wood Sand down any discoloured areas to fresh wood Ensure that surfaces are clean and remove all oil, grease and excessive natural oils with suitable solvents Sound varnish to be sanded with 360 grit paper

Uncoated Masonry/Render

Remove dirt, surface deposits, loose and faking material with a stiff brush Fill holes and cracks flush with surface, rub down

Unpainted Plaster

Remove dirt and surface deposits with a stiff brush Rub down to remove nibs, trowel marks and plaster splashes Lightly rub over trowelled glossy plaster with worn abrasive paper Fill depressions, holes and cracks and lightly rub down flush with surface

Steel Generally

Remove all loose and faking paint Feather edges of tightly bonding paint

Rusted Areas

Clean disk sand and wire brush to remove rust Clean bare steel patches with a solvent wash Rust convertor only to be used on small areas where hand cleaning is ineffective Apply with a stiff brush ensuring penetration into any pitting Inspect after two hours and recoat areas showing unconverted red rust Prime surfaces as soon as possible after cleaning, and in any case within four hours Page 57

Coating

Painting Generally

Operatives must be appropriately skilled and experienced in the use of specified materials and methods of application

Do not use materials that show any bittiness when applied. Do not thin or intermix unless specified or recommended otherwise. If materials are found to have been thinned without authorization, the Project Manager may require an additional application of additional coats

Any priming as soon as possible on the same day as preparation is completed, ensure that coats are of adequate thickness and suit surface porosity Adjacent coats of the same material must be of a different tint to ensure that each coat provides complete coverage

Apply coatings to clean, dust free, suitable dry surfaces in dry atmospheric conditions and after any previous coats have hardened. Lightly abrade between coats as necessary

Apply coatings evenly to give a smooth finish of uniform colour, free from brush marks, nibs, sags, runs and other defects. Cut in neatly and cleanly. Do not splash or mark adjacent surfaces

Keep all surfaces clean and free from dust during coating and drying. Adequately protect completed work from damage

Painted Joinery/woodwork

Before priming preservative treated timber, any cut surfaces to be retreated and all end grain to be liberally coated allowing it to soak in before recoating it

Pre-primed woodwork to be lightly rubbed down and patch prime to match existing Prime: One coat primer, two coats to end grain which will be painted Finish: Two coats Alkyd gloss, sanded down between coats

Staining

Check with stain manufacturer if primer is required for the species of timber and type of previously applied treatment. Apply stain in flowing coats. Redistribute excess material by brushing before stain has set. Allow not less than 12 hours between coats

Varnishing

Thin first coat with white spirits according to manufacturer's recommendations Brush well in avoiding aeration and lay off Apply further coats of varnish, rubbing down lightly between coats along the grain

Bead Glazing to Coated Timber

Before Glazing: Apply first two coats to rebates and beads

Concealed Joinery Surfaces

Inaccessible parts of joinery constructions are to be primed and/or coated before assembly Where one or more additional coats are specified to be applied, they must be applied to all surfaces, including those that will be concealed when incorporated into the building

Wooden Doors

Varnish or paint bottom edges before hanging

Completion

Ensure that opening lights/windows/hinges and other moving parts move freely. Remove all masking tape and temporary coverings afterwards

Protection

Adequately protect all surfaces that are not to be coated Protect all surfaces from dust and damp Where doors are delivered to site in a finished condition, provide all necessary protection to the doors when applying coatings to the frames

Air-conditioners

Contractor to provide adequate power supply to air con unit

12 month warrantee to be included

Contractor is liable for any damages to structure

All work must be SABS approved

Each air con to be separately wired via isolator from the DB board and connected with a circuit breaker (see size and Phase requirements as stipulated in Bill)

D/P Isolator to be installed and connected adjacent to air-con unit internally (see size and Phase requirements as stipulated in Bill) Electrical Certificate Of Compliance to be issued on completion

Allow for drilling through wall and plaster/ patch and paint afterwards. Piping to installed through walls only, never glass panes

All piping/cabling to be in PVC trunking / ducting. Allow for correct lenghts Units always to be heating and cooling (unless otherwise stipulated in Bill)

All piping, brackets, gas up to commissioning to be included in pricing Supply units of the following Manufacturers: Samsung, LG, Carrier, Daiken, York All Air-cons to be Inverter type

Plumbing

Only registered Plumbers to be employed for any plumbing & drainage work

Allow for ± 2m² tiling above each basin and sink

Allow for A Grade Glazed white tiles, 152 x 152mm, 5 – 6.5mm thick

Sinks size: $1350^{mm} \times 535^{mm}$ unless otherwise specified in bill of quantities

Sink mixer for tea room sink to be 15mm chrome plated brass cobra mixer type tap

All basins to be white glazed, each fitted with an approved 32mm chrome plated brass waste fitting with screwed outlet, and a 15mm chrome plated brass elbow action tap connected to water supply

All sinks to be standalone stainless steel sink, work area, splash back on Pre-manufactured 40 x 32^{mm} stainless steel square tubing frames, 4 legs on adjustable pedestals. Exposed surfaces having a smooth finish, each fitted with an approved 32mm chrome plated brass waste fitting with screwed outlet, and a 15mm chrome plated brass Hospital goose neck tap

Stainless steel grade 316 or Type 304 to be used for stainless steel sinks

All material to be SABS approved

Make sure all existing water pipes and waste is in good working condition

All existing basins and sinks to be washed and cleaned

On each water supply line, a ball valve need to be installed as close as possible to outlet, this includes basins, sinks, toilets

Each tap to be visibly marked with "H" or a "Red" mark for Hot water and "C" or a "Blue" mark for Cold water


Geysers: Install makes such as Franky, Kwikhot or similar. Install on a drip tray with drain pipe to outside, pressure valve, safety valve, shut off valve, overflow pipe. Isolator to be installed at least 1m from Geyser, hot and cold water supply lines to be bonded and earthed. Isolator to be wired to DB with dedicated double pole circuit breaker.

Toilets: these shall be deemed to include the following: WC Pan, flush valve or 11 litre cistern with flushing apparatus, float valve and flush pipe and all finishings to pipes and cistern. To be the wash down type, approximately 400 high manufactured of white glazed fireclay or vitreous china, each provided with the compatible "P" or "S" –Traps, jointed to Pan. Pans and traps to be set on and encased in Class B concrete not less than 100mm thick at any point or position

Wall mounted bowl urinals: to be of white glazed fireclay or vitreous china, approximately 700 x 380mm in size with back flush entry, secured to wall with at least 2 concealed hanger brackets. Each urinal to be fitted with 38mm chrome plated domical grating, urinal complete with push button assembly, exposed type flush valve with ball-o-stop and wall flange. • Chrome plate finish. • Additional toilet piston screw • Non-hold open feature, spreader and all other necessary chrome plated brass fittings as well as a chrome plated brass bottle trap **Hydroboil installations**: Install always above sink (see bill of quantities for size)

Emergency shower: complete body shower with eye station. Flow rate to be 60 liter per minute. At floor level, 700mm below shower head, the radius of water reaching the floor should be 200mm. At the eye station flow rate should be 6 liter per minute at a flow pressure safe enough not to

Stay-Open Valve and Actuator Ring



injure the User. This unit to be 1 meter from floor level.

Make us of emergency showers as supplied by Broen, Bull Maurice Trading or similar

Electrical

Only registered Electricians to be employed for any electrical work

Wires to be used for sockets outlets; 2.5mm² PVC

Colour for 2- compartment steel/PVC power skirting unless differently specified in bill of quantities (colour to be confirmed)

Normal plugs to be white and dedicated plugs to be red

Electrician to consult with Lab Manager regarding lab equipment when circuit are installed to prevent overloading, new plug points to be wired from distribution board and marked properly

Legend card in DB to be up to date

Electrical Certificate of Completion to be issued on completion

All material to be SABS approved

All installations to comply with SANS10142 installation rules

All additional /replaced plugs, isolators and light switches must be labelled on the cover and Distribution Board

Circuit breakers to be SABS approved and type and size to be confirmed with Project Manager before installation

Hydroboils: wire from DB Board with 30Amp double pole isolator next to Unit (at least 1m away) and 20Amp circuit breaker in DB board

Shade ports

Item	Single	Double	Triple
Pitch Height	900	1350	1350
Clearance	2100	2100	2100
Width	3000	5000	7500
Length of span	5500	5500	5500
Cross	50 x 2	50 x 2	57 x 2
Cable	6mm galvanized	d in all cases	
Hoops	42 x 2	42 x 2	50 x 2
Cantilever (bottom)	50 x 2		
Cantilever (top arm)	42 x 2		
Cantilever (brace)	34 x 2		
Columns	165 x 3.5 x 4000		
Columns	50 x 2	76 x 2	76 x 2
Foundations	500 x 600 x 900		
Concrete	20 MPA for all		

The hanging braces must be braced

The hanging brace must have a 12.5 degree angle

The hoops must be rolled on a rolling machine and not cranked/ bend

Colour green

The cotton used for sewing the nets must be UV resistant

Workbenches & Tops

Worktops to be 32^{mm} thick, either 600mm, 900mm or 1200mm, Formica brand post form - white (unless otherwise stipulated in Bill)

Where necessary 75mm holes must be drilled in worktops to accommodate computer cables and power supply to machinery and be made good with a plastic grommet

Pre-manufacture 30^{mm} x 30^{mm} steel square tubing frames as supplied by SA Lab or similar, sections of 1 000mm wide and 500mm deep or 1000mm wide and 800mm deep, for post form tops. All 4 legs to be on lockable castors or adjustable inserts as per BOQ wheel diameter 100mm. Bench Units to be equipped with water, basins, sinks, to be om adjustable pedestals. Benches could be 730mm or 900mm high (see bill of quantities) Sections to be bolted together, not welded. All steelwork to be epoxy powder coated in dove grey colour.

Cupboards

steel laboratory cupboards

Steel epoxy powder coated white cupboards to be manufactured and assembled as follows. Units specified in bill will be either a 4 drawer (450mm wide) or 2 doors with 1 shelve unit (750mm wide). Exterior and Interior to be White powder coated. Doors to be affixed with 2 brass heavy duty piano hinges each and drawers to be mounted on runners. Each drawer and door to be equipped with a PVC recessed handle. All floor cupboards to be on 4 castors each, front wheels to be lockable. All doors to be double paneled for stability and no wobbly door and cupboards will be accepted. See bill of quantities for sizes and combinations.

wooden cupboards

In kitchens timber cupboards to be manufactured and installed with 16mm melamine covered pressed wood. All cupboards to be on 100mm pedestals. Exterior to be Oak finish and Interior to be white finish. All visible exterior edges to be finished in Oak and internally white. Each drawer faces and door to have wrap around finish. Doors to be affixed on 2 hinges each and drawers on runners. Each drawer and door to be equipped with an aluminium handle

Doors

All doors to be hung in such a way that the clearance gap between door and frame after hanging shall not exceed 2mm at sides and head. The floor clearance to be preferably 2mm but may be increased to accommodate an uneven floor finish. Exterior doors shall be hung on brass hinges. Aluminium frame glass doors to have 6mm safety laminated glass fitted, to be hung on aluminium hinges, not less than 4 hinges on a 2 100mm high door. On higher doors at least 5 hinges should be fitted. The glass door must have a mid-rail with bottom half either glass or solid aluminium, the aluminium door profile must be 90mm all-round All exterior doors to be fitted with an aluminium and rubber weather strip at the bottom. Each door to be equipped with 2 door handles. Type to be confirmed by Project Manager. Behind every door a door stop should be installed on top of the floor to prevent the door handle making contact with the wall – clearance between wall and door handle to be approximately 20mm.

Paint

Two final coats of White paint to all surfaces, ceiling and walls. Door colours to be confirmed by Project Manager, if not varnished

Existing pipes against wall must be colour coded painted, for example gas, water, oxygen

Rhino board surface to receive Rhinolite to a smooth finish on dry walls

Before painting can commence, every defect/uneven surface must be repaired

Patch prime new and exposed plaster areas with 1 coat and allow drying. Coat 1 may be thinned up to 10% with mineral turpentine to aid absorption. Allow 4 hours drying time at 23° c . Three (3) coats of paint to dry wall. Paint texture and type to match existing, Colour for walls and steel frames to be white unless otherwise confirmed by Project Manager

One coat metal primer to steel work and two coats final oil based enamel

Paint to be Plascon double velvet, Dulux, Prominent or similar

VINYL Floors

Only use Heavy duty safety Vinyl flooring which should be slip resistant and factory sealed with Polyurethane as supplied by Marley or Polyfloor. Roll to be at least 2 metres wide and vinyl 2 - 2.5 mm thick. Colour to be confirmed by Project Manager. Sample to be signed off by Project Manager before installation commences

Ensure that the sub-floor is completely smooth, level, hard, dry and clean before laying commences Joints to be butted, grooved and heat welded ensuring that the welding rod bonds to more than 70% of the sheet thickness. It is essential that on completion the installation be rolled, in both directions with an articulated 68kg three sectional metal floor roller.

Skirting; install coving where wall meets floor and continue with vinyl floor 100mm high. Finish off with Vinyl/PVC Ribbon

Installation to be done by an approved Installer in accordance with the Manufacturers specifications

TILE Floors

Ensure that the sub-floor is completely smooth, level, hard, dry and clean before laying commences Only use A Grade Acid resisting Ceramic/ porcelain tiles, 10mm thick, 600^{mm} x 600^{mm} for floors and 600^{mm} x 200^{mm} for walls in size or as per BOQ All tiles need to have "Aluminium Tile Edge Trim" where necessary. Bull nose or square one may be used Use SABS approved tile cement and apply as per Manufacturers instructions (colour to be confirmed by Project Manager) Use SABS approved water proof Acid resistant grout. Gaps 5 – 10mm (colour grey) Skirtings to be 100mm high where required, coved at junction with floor and rounded on top edge

CARPET Floors

Ensure that the sub-floor is completely smooth, level, hard, dry and clean before laying commences. Installation to be done by an approved Installer in accordance with the Manufacturer's specifications

TILE Walls

Ensure that the wall is completely smooth, level, hard, dry and clean before laying commences Only use A Grade Acid resisting Ceramic tiles, 10mm thick, 600 x 200mm in size Use SABS approved tile cement and apply as per Manufacturers instructions (colour to be confirmed by Project Manager) All tiles need to have "Aluminium Tile Edge Trim" where necessary. Bull nose or square one may be used Use SABS approved water proof Acid resistant grout. Gaps 5 – 10mm (colour grey) All edges and corners to be finished off with PVC edging strips. Colour to be confirmed per job depending on tile colour.

<u>Glazing</u>

All Internal glass in panes not exceeding 1.5m² of surface area shall be 4mm clear float glass All Internal glass in panes exceeding 1.5m² of surface area shall be 6mm laminated safety glass with a Manufacturer's warranty against defects and

discoloration

All Exterior glass up to a height of 10m in panes not exceeding 2.9m²of surface area shall be 6.38mm PVB Laminated annealed safety glass. Above 10m the Project Manager should appoint a Glazing Competent Person

Mirrors to comply with SABS requirements. Unframed mirrors to have polished edges

All glass in aluminium doors and frames to be fitted with 6mm laminated safety glass

All exterior facing windows to be tinted with Klingshield or similar product, unless otherwise stipulated. Colour to be confirmed by Project Manager

<u>Blinds</u>

Vertical Group 3 blinds to be installed (colour to be confirmed by Project Manager) Blinds to be re-measured on site before manufacturing and installation Vertical blinds to be 127mm Horizontal blinds 50mm Horizontal blinds to be either Aluminium/ Wood Venetian conformation on the BOQ Measurements given is only for tendering purpose

Suspended ceilings

Install suspended ceilings as per Manufacturers instructions such as Donn Products or similar. Panels to be vinyl cladded smooth white panels, 1200 x 600 x 12.5mm on suspended pre-painted exposed tee trusses, including main and cross tees, hangers, grids, etc., all level and properly secured. At edges use 25mm pre-painted shadow line aluminium cornices

Partitioning

Drywall partitioning construction and support frame system including finishes to be as per Manufacturer's specifications

Minimum requirement GPG Gypsum Gyproe Standard 40 Db, ½ hour fire rating with a stud (63.5mm) and track system. Positioning at 600mm cc fixed to 63.5mm top & bottom track clad on both sides with 12.5mm taper edged rhino board affixed with 25mm drywall screws at 220mm cc

All corners to be finished off with drywall corner strips. All joints to be taped, jointed and smoothed before painting

Aluminium skirtings to be affixed to all drywall partitioning unless otherwise specified

Door and window frames fitted in drywall partitioning to be installed as per Manufacturer's specifications

Lockers (Timber)

Timber lockers to be manufactured and assembled with 16mm melamine covered pressed wood. Exterior to be Oak melamine finish, including all visible edges. Interior to be White melamine finish, including all visible edges and backing. If the back side of any cupboard will be visible after installation, those exposed areas or entire area should be cladded with white melamine. Inside dimensions of each cubicle to be 300mm². Units to be assembled 3 on top of each other. Each locker to have a wrap around Oak melamine finished door, affixed with piano hinges. Each locker to be equipped with a lock and 2 keys as well as an aluminium handle (no plastic handles). Each stack of 3 to be assembled as 1 unit and 100mm adjustable chrome plated legs to be affixed underneath bottom locker.

Lab Coat Hooks

Lab coat hooks must be aluminium base and hooks with a minimum of three per set

Lockers (Steel)

Solid steel lockers which should be epoxy powder coated to be supplied. Sets to be single 4 tier lockers. Colour to Ivory/Beige/Karoo. Each door to be lockable and correct size padlocks with 2 keys each, per locker, to be provided

Locks

All exterior door locks to have 4 lever mortice locks with 2 keys each fitted (unless otherwise specified in bill)

All interior door locks to have 2 lever mortice locks with 2 keys each fitted (unless otherwise specified in bill)

All security type gates to have 7 lever locks with 2 keys each fitted

All timber lockers to have normal cupboard locks with 2 keys each fitted

All steel lockers to have padlocks with 2 keys each fitted

Steel shelving

Only powder coated grey steel shelving to be installed in storage areas, archives & wash up areas (no wood allowed). Shelving to be of an adjustable type with each shelve at least 500mm wide and 450mm deep. Bottom shelve to be at least 200mm from the floor and top shelve not higher than 2 100mm. In between top and bottom another 3 shelves, evenly spaced, to be fitted (in total 5 tier shelving). Each vertical steel supports to be affixed to the wall at, at least 2 positions in the top half. As supplied by Krost shelving or similar

<u>Signage</u>

All interior signs to be White Perspex with smooth edges, with vinyl (7 year) applied onto the Perspex

All exterior signs to be White Chromadek , with vinyl (7 year) applied onto the metal Colour code: Pantone: Coated – 383C / Uncoated – 397 U CMYK – C:40 M:0 Y:100 K0 RGB – R:166 G:206 B:54 Artwork to be signed off by Project Manager before sign is manufactured

PLEASE TAKE NOTE THAT THE ABOVE SPECIFICATIONS AND MEASUREMENTS ARE SUBJECT TO CHANGE AS MAY BE DETERMINED BY THE FINAL APPROVED DRAWINGS OR COMPULSARY SITE MEETING FOR THE JOB IN QUESTION

WORKS AGREEMENT

Contractor: The contactor shall:

- Provide adequate supervision and management of the works at all times.
- Provide toilet facilities for use by his workers except where provided by the client (NHLS).
- Storage space is not always available for material and sufficient arrangements should be catered for and included in pricing.
- Submit all local authority notices by the works.
- Comply with all statutes, regulations and bylaws of local or other authorities having jurisdiction regarding the execution of the works and obtain all certificates and other documents required by such authorities.
- Notify the Project Manager where compliance with any statute, regulation or bylaw requires a change or variation to the works upon which such change shall be deemed to be a contract instruction.
- Immediately begin the works and continue at a rate of progress satisfactory to the Project Manager in terms of the agreement.
- Comply with all contract instructions in good time.
- Bring the works, within the constructed period, to practical completion in terms of completion.
- Bring the works to final completion.
- Surplus material and waste to be carted away to a suitable dumping site to be found by the Contractor, outside the boundary of the site

Completion

Practical Completion

- The Project Manager shall inspect the works from time to time to give the contractor interpretations and guidance on the standard and state of
 completion of the works which he will require the contractor to achieve for practical completion
- The contractor shall inform the Project Manager of the date on which he expects to achieve practical completion
- The Project Manager shall inspect the works on or before the date requested by the contractor

Where the works:

- Has reached practical completion the Project Manager shall at once issue a certificate of practical completion to the contractor
- Has not reached practical completion the Project Manager shall issue a practical completion list to the contractor detailing the outstanding work to be done and defects to be rectified to achieve practical completion
- Is not ready for practical completion inspection the Project Manager shall issue a list as a general guide to the contractor of the outstanding
 areas of work and defects to be attended to before he can request a further inspection

Final Completion

- Within seven calendar days of practical completion the Project Manager shall prepare and issue to the contractor a final completion list detailing the incomplete work and defects to be rectified within a reasonable period
- The defects liability period of fourteen calendar days shall start on the date of practical completion
- On the expiry of the defects liability period the Project Manager shall immediately inspect the works for final completion. Where the works:
- Has reached final completion the Project Manager shall at once issue a certificate of final completion to the contractor
- Has not reached final completion the Project Manager shall issue a defects list to the contractor detailing any incomplete work and defects to be rectified before the Project Manager will undertake a further inspection
- Where the contractor has achieved final completion the latent defects liability period shall end three years from the date of final completion

Employer: The employer shall:

- Hand over the site to the contractor by the date stated in the schedule. The construction period and latent defects liability period shall commence
 with the handover of the site.
- Arrange for water, sewer and electrical connections as required and pay all fees concerning this
- Provide water and electricity as required for the execution of the works free of charge.
- Not issue instructions to, interfere with, hinder or obstruct any of the contractor's workers or any other persons employed or acting on behalf of the contractor.

Risk and Insurance

- The Contractor indemnifies the NHLS against any loss in respect of claims from other parties arising out of or due to the execution of the works
 or occupation of the site by the contractor consequent upon:
 - Death or bodily injury or illness of any person.
 - Physical loss and damage to any property other than the works.
 - Removal of or interference with lateral support of an adjoining property.
- The contractor shall take out insurances in respect of his employees as are required by law.
- Where, in the opinion of the Project Manager, loss and damage to the works due to the contractor's negligence the contractor shall be liable for such loss and damage.
- The contractor shall in all circumstances be at risk for loss of, or damage to his construction plant or vehicles.
- The contractor shall enclose the site along the facades where work is being done. He shall furthermore allow for all the required scaffolding, gantries, hoarding, etc. to safeguard pedestrian traffic on the sidewalks or paths as well as vehicular traffic in the streets
- The form of scaffolding, gantries, hoardings, etc., must be fully detailed in his "method statement" as previously required. It is not the intention to prohibit or deviate pedestrians or traffic during construction and Tenderers are to account for this when pricing the Tender
- Adequate warning signs/ lights/ etc. are to be employed where required. If the Tenderer requires the full pavement width and even part of the
 adjacent street, then he must make all the necessary arrangements with local authorities for the pavement and street closure as well as pay for
 all fees in connection therewith including the loss of income due to parking meters
- The existing premises will be occupied at all times and the Contractor will be required to keep all noise to a minimum

Safety

- From the date of site handover to the Contractor until the completed work is handed back to the Employer, the Contractor shall be responsible for maintaining safe working conditions on site
- The Contractor shall be responsible in terms of the Occupational Health and Safety Act, 1993 (Act No 85 of 1993) and the regulations promulgated in terms of the Act or Factories, Machinery and Buildings Work Act, whichever is applicable
- The Contractor shall be responsible for supplying and installing the required safety signs as determined by the Occupational Health and Safety Act, 1993 (Act No 85 of 1993) All safety signs shall comply with the requirements of the latest edition of SANS 11861 as Applicable

Programme

• The Contractor shall submit his programme of work to the Project Manager not later than 14 days after the Contractor has been notified of the acceptance of his tender. If necessary, the Project Manager may instruct the Contractor to adjust his programme to suit other activities

_____END_____