


- NOTES:**
- (1) ALL HOT & COLD WATER PIPEWORK ABOVE GROUND TO BE COPPER
 - (2) ISOLATION VALVE ARE TO BE INSTALLED BEFORE EVERY WATER OUTLET.
 - (3) PIPEWORK WHICH RUNS WITHIN THE CEILING VOID TO BE SECURED ON THE ROOF TRUSS WITHIN THE CEILING VOID.
 - (4) ALL COPPER WORKS TO BE EARTHED.
 - (5) ALL GEYSERS TO BE MOUNTED IN THE CEILING VOID.
 - (6) ALL GEYSER TO BE SUPPLIED COMPLETE WITH AN ELECTRIC POWER PROVISION.
 - (7) ALL INTERNAL PIPEWORK TO BE CHASED IN WALLS.
 - (8) ALL UNDERGROUND WATER PIPING TO BE HDPE PIPE CLASS 16.
 - (9) INSTALLATION TO COMPLY WITH SABS STANDARDS & SANS

WATER SERVICES LEGEND

- CWS-COLD WATER SERVICE
- HWS-HOT WATER SERVICES
- CWS WITH VALVE
- HWS WITH VALVE
- ISOLATION VALVE
- PRESSURE REDUCING VALVE
- SOLAR PANEL ON ROOF AND TANK IN CEILING VOID.

00	24.04.2024	ISSUED FOR INFORMATION
No.	DATE	DESCRIPTION

REVISIONS
APPROXIMATE NORTH



COPYRIGHT OF THIS DRAWING IS RESERVED BY THE ARCHITECT
DIMENSIONS TO BE CHECKED ON SITE BEFORE WORK IS COMMENCED

PROJECT
**PROPOSED NEW
LABORATORY & OFFICES FOR
THE NHL5 ON PTN 66/272
TOWN & TOWNLANDS OF RUSTENBURG 2721Q**

TITLE
**LOWER GROUND FLOOR
WATER LAYOUT**

ISSUED FOR INFORMATION	X	-	
DRAWN GOE	DATE 24.04.2024	SCALE 1:100	
JOB NO. 4670	DRAWING NO. 001	REVISION 01	SHEET SIZE A1